User (username, password, e-mail, l\_name, f\_name) UserMobilenum(mobilenum,user) UserMobilenum.user references User UserAddress(address,user) UserAddress.user references User Vendor(username,bank\_acc\_num,company\_name, usernameAdmin) Vendor.usernameAdmin references Admin Vendor.username references User DeliveryPerson (usernameDeliveryPerson, , usernameAdmin , response) DeliveryPerson.usernameDeliveryPerson references

User

DeliveryPerson.usernameAdmin references Admin

Admin (username)

Admin.username references User

Customer(username)

Customer.username references User

Product(<u>Serial\_Number</u>, rate, price, description, availability, image, name, color, category, usernameVendorWhoEdit,

\_\_\_\_\_

usernameVendorWhoPost, usernameVendorWhoDelete,

\_\_\_\_\_

usernameCustomerAddToCart,

\_\_\_\_\_

usernameCustomerRemoveFromCart ,today\_deal\_num,

offer\_number)

\_\_\_\_\_

usernameVendorWhoEdit references Vendor usernameVendorWhoPost references Vendor usernameVendorWhoDelete references Vendor usernameCustomerAddToCart references Customer usernameCustomerRemoveFromCart references Customer

today\_deal\_num references today\_deal offer number references offer

Rate(<u>Username</u>, <u>Serial\_Number</u>)

Rate. Username references Customer

Rate.Serial\_Number references Product

Ask\_Question(Username, Serial\_Number, Question,

answer)

Ask\_Question.Username references Customer Ask\_Question.Serial\_Number references Product

Credit\_Card(Number, CVC\_code, Expiry\_date)

Uses(<u>Username</u>, <u>Number</u>)

\_\_\_\_\_

Uses.Username references Customer Uses.Number references Credit\_Card

Wish\_list(name ,username)

\_\_\_\_\_

Wish\_list.username references Customer

Add(<u>serial\_number</u>, <u>wishlist\_name</u>, <u>username</u>)

Add.serial_number references Product
Add. wishlist_name references wish_list
Add.username references Customer
Remove( <u>serial_number</u> , <u>wishlist_name</u> , <u>username</u> )
Remove.serial_number references Product
Remove. wishlist_name references wish_list
Remove.username references Customer
Order( <u>Number</u> ,estimated_window,Status,Payment
method,startdate, duration_time,fees,
time_Remaining,username_cancels,username_makes
Order
, usernameDeliveryPerson)

Where time\_Remaining = startdate + duration\_time - CURRENT\_DATE

Order.duration\_time and Order.fees reference DeliveryType

Order.username\_cancels references Customer
Order.username\_makesOrder references Customer
Order. usernameDeliveryPerson references
DeliveryPerson

Update\_status (<u>Order\_number,username</u>)

Update\_status.username references Admin
Update\_status.Order\_number references Order

Returns(<u>order number</u>, username <u>, serial\_number</u>)

Returns.Order\_number references order
Returns.Username references customer
Returns.Serial\_number references product

## DeliveryType(duration time,fees)

Offer(<u>number</u>,expiry\_Date,amount\_of\_discount\_username)

-----

Offer.username references Vendor

Today's deal(<u>number</u>,expiry\_Date ,amount\_of\_discount,\_username)

\_\_\_\_\_

Today's\_deal.username references Admin

Gift\_card(number,expiry\_Date,gift\_points)

Add\_gift(usernameAdmin,giftCardNumber,usernameC

ustomer)	
acconnon,	

\_\_\_\_\_\_

--

Add\_gift.usernameAdmin references Admin
Add\_gift.giftCardNumber references Gift\_card
Add\_gift.usernameCustomer references Customer