Cost Function and Backpropagation

- Video: Cost Function 6 min
- Reading: Cost Function 4 min
- Video: Backpropagation
 Algorithm
 11 min
- Reading: Backpropagation
 Algorithm
 10 min
- Video: Backpropagation Intuition
 12 min
- Reading: Backpropagation
 Intuition
 4 min

Backpropagation in Practice

- Video: Implementation
 Note: Unrolling Parameters
 7 min
- Reading: Implementation
 Note: Unrolling Parameters
 3 min
- Video: Gradient Checking
 11 min
- Reading: Gradient Checking 3 min
- Video: Random Initialization
 6 min
- Reading: Random
 Initialization
 3 min

coursera

°--

Backpropagation Intuitior

Note: [4:39, the last term for the calculation for z_1^3 (thre a_2^2 instead of a_1^2 . 6:08 - the equation for cost(i) is incorre for the log() function, and the second term should be $(1 \ y-a^{(4)})$ is incorrect and should be $\delta^{(4)}=a^{(4)}-y$.]

Recall that the cost function for a neural network is:

$$J(\Theta) = -\frac{1}{m} \sum_{t=1}^{m} \sum_{k=1}^{K} y_k^{(t)} \log(h_{\Theta}(x^{(t)}))_k + (1 - y_k^{(t)}) \log$$

If we consider simple non-multiclass classification (k = 1 computed with:

$$cost(t) = y^{(t)} \, \log(h_{\Theta}(x^{(t)})) + (1 - y^{(t)}) \, \log(1 - h_{\Theta}(x^{(t)}))$$

Intuitively, $\delta_j^{(l)}$ is the "error" for $a_j^{(l)}$ (unit j in layer l). Morthe derivative of the cost function:

$$\delta_{j}^{(l)} = rac{\partial}{\partial z_{j}^{(l)}} cost(t)$$

Recall that our derivative is the slope of a line tangent to slope the more incorrect we are. Let us consider the foll we could calculate some $\delta_j^{(l)}$: