

Programming Geeks – Coding Logic

For the crazy programming geeks

- [About Us](#)
- [Contact Us](#)

- [Algorithms](#)
- [Codes](#)
 - [C](#)
 - [Java](#)
- [Data Structures](#)
- [Games](#)
- [Articles](#)
 - [TechNews](#)
- [Android](#)
- [Open Source](#)

Programming Geeks - Coding Logic Archives ▼

Binary Search using Recursion

[Saurabh](#) | Apr 10, 2010 | [Comments 3](#)

As a simple rule of recursion, any function can be computed using a recursive routine if :


1. The function can be expressed in its own form.
2. There exists a termination step, the point at which $f(x)$ is known for a particular 'x'.

Therefore to write a recursive program for the binary search, we have to express the binary search function in a recursive form using the above 2 rules :

```
1. if(n < a[mid])
{ high = mid - 1;
  binarysearch(a,n,low,high);
}
if(n > a[mid])
{ low = mid + 1;
  binarysearch(a,n,low,high);
}
```

where 'n' is the element to be searched and low and high the lower and upper bounds of the array

2. if(n == a[mid]) print mid. (termination step)



```
Enter the number of terms : 8
Enter the elements :
2
4
7
9
10
99
101
150
Enter the number to be searched : 4
The element is at position 2
```

The exe file can be downloaded from here : [Recursive Binary Search](#)

Using these 2 rules, the recursive program for binary search can be coded very easily as shown :

```
#include "stdio.h"
binarysearch(int a[],int n,int low,int high)
{ int mid;
```

```

    if (low > high)
        return -1;
    mid = (low + high)/2;
    if(n == a[mid])
    { printf("The element is at position %d\n",mid+1);
      return 0;
    }
    if(n < a[mid])
    { high = mid - 1;
      binarysearch(a,n,low,high);
    }
    if(n > a[mid])
    { low = mid + 1;
      binarysearch(a,n,low,high);
    }
}

```

```

main()
{ int a[50];
  int n,no,x,result;
  printf("Enter the number of terms : ");
  scanf("%d",&no);
  printf("Enter the elements :\n");
  for(x=0;x<no;x++)
    scanf("%d",&a[x]);
  printf("Enter the number to be searched : ");
  scanf("%d",&n);
  result = binarysearch(a,n,0,no-1);
  if(result == -1)
    printf("Element not found");
  return 0;
}

```

Related Posts

- [C code for Radix Tree \(or Trie\)](#)
- [C Code for Binary Search Tree Traversal](#)
- [Sorting Objects Using Comparable in java](#)
- [Java code for Permutation using Steinhaus–Johnson–Trotter algorithm](#)
- [Java Code for generating Unique Random Numbers](#)

[+](#) Share / Save [f](#) [t](#) [e](#)

Filed Under: [C](#) • [Codes](#)


Tags: [recursion](#)



About the Author: Software Engineer - Advanced Search & Recommendation at Rovi

[RSS](#) Comments (3)

[Leave a Reply](#) | [Trackback URL](#)

1.  [eulogy uncle](#) says:
[May 3, 2010 at 2:04 pm](#)

Hey, Just what I was browsing for! I was researching articles and reviews for our online site when I came across your article on " Binary Search using Recursion | programminggeeks.com " which I found on AOL. We would love you to write for us, if interested. I've bookmarked this post for future reference. Good comments here as well -

[Reply](#)

2.  [Ganesh Kamath](#) says:

[October 3, 2011 at 11:48 pm](#)

/*I made slight corrections so that the the code can be executed directly, very well written (^_^)*/

```
#include
void binarysearch(int a[],int n,int low,int high)
{
    int mid;
    if (low > high)
        return -1;
    mid = (low + high)/2;
    if(n == a[mid])
    {
        printf("The element is at position %d\n",mid+1);
        return 0;
    }
    if(n > a[mid])
        low = mid + 1;
    binarysearch(a,n,low,high);
}

void main()
{
    int a[50];
    int n,no,x,result;
    printf("Enter the number of terms : ");
    scanf("%d",&no);
    printf("Enter the elements :\n");
    for(x=0;x < no;x++)
        scanf("%d",&a[x]);
    printf("Enter the number to be searched : ");
    scanf("%d",&n);
    result = binarysearch(a,n,0,no-1);
    if(result == -1)
        printf("Element not found");
    getch();
}
```

[Reply](#)

3. **Mahesh vanol** says:

[November 20, 2011 at 2:26 am](#)

Nice work...Man

[Reply](#)

Leave a Reply

Name (required)

Mail (will not be published) (required)

Website

[Submit Comment](#)CAPTCHA Code *

- - [Subscribe](#)
 - [Archives](#)
 - [Tags](#)
 - [Popular](#)

[RSS Feed](#) | [Comments Feed](#)

Get the latest updates via email.

[Subscribe](#)

Privacy guaranteed. We will not share your information.

-
- [Search](#)
- [Login](#)

Username

Password

☐ Remember Me[Log In](#)[Register](#) | [Forgot Password?](#)

- [Tags](#)

[Algorithms](#) [Android](#) [Articles](#) [C](#) [Codes](#) [Data Structures](#) [Featured](#) [Games](#) [Java](#) [Open Source](#)
[TechNews](#) [Tricks](#) [Uncategorized](#)

- [Sponsors](#)

-

© Copyright [Programming Geeks – Coding Logic](#) 2015 • All rights reserved.
[WordPress](#) • [WordPress Themes](#) • [XHTML](#)
[AWSOM Powered](#)