```sql
a) SELECT *
   FROM  FLIGHT
   ORDER BY Airline;


b) SELECT Restrictions , Amount *1.19 As   AmountAnd Tax
   FROM FARE
     WHERE    Amount > 50 ;


c) DELETE TOP(5) Percent   FROM  SEAT-Reservation;


d) SELECT  Airplane-type-Name ,  Max-seats
   FROM  AIRPLANE-TYPE;


e) SELECT Airplane-type-Name
   FROM   AIRPLANE-TYPE
   WHERE  Airplane-type-Name Like 'E%.'
   AND    Airplane-type-Name Like '%.T';
```

```sql
f) SELECT L.Flight_Number, (SELECT Name FROM AIRPORT
   WHERE Airport_code= L. Departure _airport-code ) AS
   Departure _airport -Name, (SELECT Name FROM AIRPORT
   WHERE Airport_code= L. Arrival_airport- code ) AS
   Arrival _airport -Name,
   L. Departure _time, L. Arrival_time,
   L. Airplane_id
   FROM LEG_INSTANCE L, AIRPLANE A, FLIGHT F
   WHERE A. Airplane_id = L. Airplane_id  AND
   L. Flight_Number = F. flight_number  AND
   F. Weekdays = 'Monday';


J) SELECT L. Flight_number, F. Airline,
                    (SELECT Name FROM AIRPORT
   WHERE Airport_code= L. Departure _airport-code ) AS
   Departure _airport -Name, (SELECT Name FROM AIRPORT
   WHERE Airport_code= L. Arrival_airport- code ) AS
   Arrival _airport -Name,
   L. Departure _time, L. Arrival_time,

   FROM LEG_INSTANCE L, FLIGHT F
   WHERE L. Flight_number = F. Flight_number
   AND F. Airline Like '% Air %';
```