

TransFastAPI

Values

POST

/api/GetCountryList

Response Class (Status 200)

OK

Model

Example Value

```
{}
```

Response Content Type

application/json

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Authentication	(required) Parameter content type: application/json		body	Model Example Value <pre>{ "AgentCode": 0, "UserCode": "string", "UserPassword": "string" }</pre>
Authorization		access token	header	string

Try it out!

POST

/api/GetReceiverCurrAnyWhere

Response Class (Status 200)

OK

Model | Example Value

```
{}
```

Response Content Type application/json ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
States_Req	(required)		body	Model Example Value
	Parameter content type: application/json ▼			<pre>{ "Authentication": { "AgentCode": 0, "UserCode": "string", "UserPassword": "string" }, "Country": "string" }</pre>
Authorization		access token	header	string

Try it out!

POST /api/GetStates

Response Class (Status 200)

OK

Model | Example Value

```
{}
```

Response Content Type application/json ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Body	(required) Parameter content type: application/json ▼		body	Model Example Value <pre>{ "Authentication": { "AgentCode": 0, "UserCode": "string", "UserPassword": "string" }, "Country": "string" }</pre>
Authorization		access token	header	string

Try it out!

POST /api/GetCities

Response Class (Status 200)

OK

Model | Example Value

```
{}
```

Response Content Type application/json ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Body	(required) Parameter content type: application/json ▼		body	Model Example Value <pre>{ "Authentication": { "AgentCode": 0, "UserCode": "string", "UserPassword": "string" }, "Country": "string", "StateId": "string" }</pre>
Authorization		access token	header	string

Try it out!

POST /api/GetTowns

Response Class (Status 200)

OK

Model

Example Value

```
{}
```

Response Content Type application/json ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Body	(required) Parameter content type: application/json		body	Model Example Value <pre>{ "Authentication": { "AgentCode": 0, "UserCode": "string", "UserPassword": "string" }, "Country": "string", "StateId": "string", "CityId": "string" }</pre>
Authorization		access token	header	string

Try it out!

POST /api/GetIdTypeList

Response Class (Status 200)

OK

Model

Example Value

{}

Response Content Type application/json

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Authentication	(required)		body	Model Example Value { "AgentCode": 0, "UserCode": "string",

Parameter	Value	Description	Parameter Type	Data Type
Parameter content type: application/json				"UserPassword": "string" }
Authorization		access token	header	string
Try it out!				

POST

/api/GetRemittancePurposes

Response Class (Status 200)

OK

Model

Example Value

{}

Response Content Type

application/json

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Authentication	(required) Parameter content type: application/json		body	Model Example Value { "AgentCode": 0, "UserCode": "string", "UserPassword": "string" }

Parameter	Value	Description	Parameter Type	Data Type
Authorization		access token	header	string

Try it out!

POST /api/GetOccupationList

Response Class (Status 200)

OK

Model | Example Value

```
{}
```

Response Content Type application/json ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Authentication	(required) Parameter content type: application/json ▼		body	Model Example Value <pre>{ "AgentCode": 0, "UserCode": "string", "UserPassword": "string"}</pre>
Authorization		access token	header	string

Try it out!

POST

/api/GetRelationTypeList

Response Class (Status 200)

OK

Model

Example Value

```
{}
```

Response Content Type

application/json

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Authentication	(required) Parameter content type: application/json		body	Model Example Value <pre>{ "AgentCode": 0, "UserCode": "string", "UserPassword": "string"}</pre>
Authorization		access token	header	string

Try it out!

POST

/api/GetPaymentmodes

Response Class (Status 200)

OK

Model

Example Value


```
{}
```

Response Content Type application/json ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Body	(required) Parameter content type: application/json ▼		body	Model Example Value <pre>{ "Authentication": { "AgentCode": 0, "UserCode": "string", "UserPassword": "string" }, "Country": "string", "CityId": "string" }</pre>
Authorization		access token	header	string

Try it out!

POST /api/GetStatus

Response Class (Status 200)

OK

Model | Example Value

```
{}
```

Response Content Type

application/json ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Body	(required) Parameter content type: application/json ▼		body	Model Example Value <pre>{ "Authentication": { "AgentCode": 0, "UserCode": "string", "UserPassword": "string" }, "Tfpin": "string" }</pre>
Authorization		access token	header	string

Try it out!

POST /api/GetStatusByReferenceNo

Response Class (Status 200)

OK

Model | Example Value

```
{}
```

Response Content Type

application/json ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Body	(required) Parameter content type: application/json		body	Model Example Value <pre>{ "Authentication": { "AgentCode": 0, "UserCode": "string", "UserPassword": "string" }, "Tfpin": "string" }</pre>
Authorization		access token	header	string

Try it out!

POST /api/GetReceivercurrencies

Response Class (Status 200)

OK

Model | Example Value

```
{}
```

Response Content Type application/json

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Body	(required)		body	Model Example Value <pre>{ "Authentication": { "AgentCode": 0, "UserCode": "string",</pre>

Parameter	Value	Description	Parameter Type	Data Type
Parameter content type: application/json				"UserPassword": "string", }, "Country": "string", "StateId": "string", "CityId": "string", "TownId": "string", "PaymentModeId": "string"
Authorization		access token	header	string

Try it out!

POST /api/GetPayers

Response Class (Status 200)

OK

Model | Example Value

{}

Response Content Type

application/json

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Body	(required) Parameter content type: application/json		body	Model Example Value { "Authentication": { "AgentCode": 0, "UserCode": "string", "UserPassword": "string" }, "Country": "string", "City": "string", "TownId": "string", "PaymentModeId": "string", "payoutCurr": "string", "..."

Parameter	Value	Description	Parameter Type	Data Type
Authorization		access token	header	string

Try it out!

POST /api/GetBanks

Response Class (Status 200)

OK

Model | Example Value

```
{}
```

Response Content Type

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Body	(required)		body	Model
	Parameter content type: application/json			Example Value
Authorization		access token	header	string

Try it out!

```
{
  "Authentication": {
    "AgentCode": 0,
    "UserCode": "string",
    "UserPassword": "string"
  },
  "Country": "string",
  "RoutingNumber": "string"
}
```

POST

/api/GetPayOut

Response Class (Status 200)

OK

Model

Example Value

```
{}
```

Response Content Type

application/json

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Body	(required)		body	Model
				Example Value
Authorization		access token	header	string

Parameter content type:

application/json

```
{
  "Authentication": {
    "AgentCode": 0,
    "UserCode": "string",
    "UserPassword": "string"
  },
  "Country": "string",
  "City": "string",
  "Payerid": "string",
  "Paymentmodeid": "string",
  "receivecurrencyisocode": "string",
  "..."
}
```

Try it out!

POST

/api/CalculationFees

Response Class (Status 200)

OK

Model

Example Value

```
{}
```

Response Content Type application/json ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Body	(required) Parameter content type: application/json ▼		body	Model Example Value <pre>{ "Authentication": { "AgentCode": 0, "UserCode": "string", "UserPassword": "string" }, "Country": "string", "Paymentmodeid": "string", "Receivecurrencyisocode": "string", "Sentamount": "string", "Receiveamount": "string", "SentTime": "string" }</pre>
Authorization		access token	header	string

Try it out!

POST /api/GetCashPickupCountry

Response Class (Status 200)

OK

Model | Example Value

```
{}
```

Response Content Type

application/json ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Authentication	(required) Parameter content type: application/json ▼		body	Model Example Value <pre>{ "AgentCode": 0, "UserCode": "string", "UserPassword": "string" }</pre>
Authorization		access token	header	string

Try it out!

POST /api/GetBankDetailByRoutingNo

Response Class (Status 200)

OK

Model | Example Value

```
{}
```

Response Content Type

application/json ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Body	(required) Parameter content type: application/json		body	Model Example Value <pre>{ "Authentication": { "AgentCode": 0, "UserCode": "string", "UserPassword": "string" }, "Country": "string", "RoutingNumber": "string" }</pre>
Authorization		access token	header	string

Try it out!

POST /api/GetPayersDetails

Response Class (Status 200)

OK

Model | Example Value

```
{}
```

Response Content Type application/json

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Body	(required)		body	Model Example Value <pre>{ "Authentication": { "AgentCode": 0, "UserCode": "string",</pre>

POST /api/SendRemit	
Response Class (Status 200)	
OK	
Model	Example Value
<pre>{}</pre>	

Response Content Type application/json ▼

Parameters

18/19

2/12/25, 3:37 PMWings Soft API TransFast

Parameter	Value	Description	Parameter Type	Data Type
Authorization		access token	header	string

Try it out!

GET /api/Values

Response Class (Status 200)

OK

Model | Example Value

```
{}
```

Response Content Type

Parameters

Parameter	Value	Description	Parameter Type	Data Type
Authentication.agentCode			query	integer
Authentication.userCode			query	string
Authentication.userPassword			query	string
Authorization		access token	header	string

Try it out!