

MEDILAB

Patient Identification, Privacy & Authorized Access Guide

Knowledge Base Category: Policies

Document Type	Customer-facing process / policy guidance
Intended Use	RAG knowledge retrieval and website reference
Version	1.0 - Assessment Dataset
Clinical Boundary	Operational information only; not clinical advice

Operational rules for identity verification, result access, authorized representatives, and privacy escalation.

Quick Reference

Use this document for	Do not use this document for
Stable customer-service process, policy, preparation, FAQ, and operational guidance.	Live prices, slot availability, booking status, patient-specific clinical interpretation, diagnosis, or medication advice.

1. Purpose

MediLab uses identity and access controls to reduce the risk of collecting from the wrong person, linking a specimen to the wrong order, or sharing personal information with an unauthorized recipient.

This guide describes operational privacy practices for the MediLab assessment environment. It does not replace applicable law, contractual obligations, or organization-specific legal review.

2. Identity Verification

Before collection, account changes, sensitive booking changes, or result access, MediLab verifies the patient using the approved identifiers available in the workflow. Examples may include full name, date of birth, mobile number, booking reference, or another unique identifier.

The exact combination of identifiers depends on the action. Higher-risk actions should require stronger verification than a general information request.

3. Minors and Authorized Representatives

For a minor or another patient using an authorized representative, the relationship and authority to act must be established according to the service process before sensitive information is shared or a collection is completed.

Customer service should not assume that a parent, spouse, sibling, employer, or caregiver is automatically authorized for every action.

4. Result Access

Laboratory reports should be delivered through approved channels to the verified patient or an authorized recipient. Customer service should avoid reading detailed report content over an unverified call or sending it to a new destination without identity checks.

If the patient asks to redirect results to another person or organization, follow the approved authorization process and record the change where required.

5. Communication Channels

SMS, email, WhatsApp, phone, and portal messages should contain only the information necessary for the communication purpose. A notification that results are ready does not need to reproduce sensitive report details.

If a patient reports a lost phone, compromised email account, or incorrect contact detail, treat the request as an account-security issue and verify identity before changing delivery settings.

6. Data Minimization

Customer service should only access and disclose information needed to resolve the request. Do not copy full reports, payment data, identity documents, or clinical details into free-text notes unless the workflow specifically requires it.

Operational logs should avoid secrets and should not expose passwords, API keys, or full database connection information.

7. Privacy Incidents

Potential incidents include results sent to the wrong recipient, a booking created under the wrong patient, unauthorized account access, identity mismatch, or disclosure of sensitive information to an unverified person.

Do not attempt to hide or casually correct a suspected privacy incident. Record the known facts, stop further disclosure when possible, and escalate through the designated privacy or management process.

8. Customer Requests and Corrections

Patients may request correction of contact or demographic details through the approved workflow. Identity should be verified before a sensitive account change is made.

Clinical report corrections are controlled by the laboratory reporting process. Customer service cannot edit analytical results or clinical report content.

9. Staff Boundary

Customer-service staff may explain access procedures, verification steps, and escalation routes. They must not bypass identity controls simply because a caller knows general information about the patient.

Document Control Notes

- This is a fictional MediLab assessment document designed to resemble real diagnostic-laboratory customer-service documentation.
- If a live structured record conflicts with this document, the structured record controls for price, availability, booking, status, and test-specific catalog values.
- If a future policy changes, update the KnowledgeDocument version and reindex the RAG corpus so stale chunks are removed.
- Customer service must not use this document to diagnose, clinically interpret results, prescribe medication, or recommend medically necessary tests from symptoms.