

R function	C entry	Source File
-	do_arith	...\R-3.1.2\src\main\arithmetic.c
!	do_logic	...\R-3.1.2\src\main\logic.c
!=	do_relop	...\R-3.1.2\src\main\relop.c
\$	do_subset3	...\R-3.1.2\src\main\subset.c
\$<-	do_subassign3	...\R-3.1.2\src\main\subassign.c
%%	do_arith	...\R-3.1.2\src\main\arithmetic.c
%*%	do_matprod	...\R-3.1.2\src\main\array.c
%/%	do_arith	...\R-3.1.2\src\main\arithmetic.c
&	do_logic	...\R-3.1.2\src\main\logic.c
&&	do_logic2	...\R-3.1.2\src\main\logic.c
(do_paren	...\R-3.1.2\src\main\eval.c
*	do_arith	...\R-3.1.2\src\main\arithmetic.c
.addCondHands	do_addCondHands	...\R-3.1.2\src\main\errors.c
.addRestart	do_addRestart	...\R-3.1.2\src\main\errors.c
.addTryHandlers	do_addTryHandlers	...\R-3.1.2\src\main\errors.c
.C	do_dotCode	...\R-3.1.2\src\main\dotcode.c
.cache_class	R_do_data_class	...\R-3.1.2\src\main\attrib.c
.Call	do_dotcall	...\R-3.1.2\src\main\dotcode.c
.Call.graphics	do_dotcallgr	...\R-3.1.2\src\main\dotcode.c
.dfltStop	do_dfltStop	...\R-3.1.2\src\main\errors.c
.dfltWarn	do_dfltWarn	...\R-3.1.2\src\main\errors.c
.External	do_External	...\R-3.1.2\src\main\dotcode.c
.External.graphics	do_Externalgr	...\R-3.1.2\src\main\dotcode.c
.External2	do_External	...\R-3.1.2\src\main\dotcode.c
.Fortran	do_dotCode	...\R-3.1.2\src\main\dotcode.c
.getRestart	do_getRestart	...\R-3.1.2\src\main\errors.c
.Internal	do_internal	...\R-3.1.2\src\main\names.c
.invokeRestart	do_invokeRestart	...\R-3.1.2\src\main\errors.c
.isMethodsDispatchOn	do_S4on	...\R-3.1.2\src\main\objects.c
.Primitive	do_primitive	...\R-3.1.2\src\main\names.c
.primTrace	do_trace	...\R-3.1.2\src\main\debug.c
.primUntrace	do_trace	...\R-3.1.2\src\main\debug.c
.resetCondHands	do_resetCondHands	...\R-3.1.2\src\main\errors.c
.signalCondition	do_signalCondition	...\R-3.1.2\src\main\errors.c
.subset	do_subset_dflt	...\R-3.1.2\src\main\subset.c
.subset2	do_subset2_dflt	...\R-3.1.2\src\main\subset.c
/	do_arith	...\R-3.1.2\src\main\arithmetic.c
:	do_colon	...\R-3.1.2\src\main\seq.c
@	do_AT	...\R-3.1.2\src\main\attrib.c
@<-	do_attrgets	...\R-3.1.2\src\main\attrib.c
[do_subset	...\R-3.1.2\src\main\subset.c
[[do_subset2	...\R-3.1.2\src\main\subset.c

R function	C entry	Source File
[[<-	do_subassign2	...\R-3.1.2\src\main\subassign.c
[<-	do_subassign	...\R-3.1.2\src\main\subassign.c
^	do_arith	...\R-3.1.2\src\main\arithmetic.c
{	do_begin	...\R-3.1.2\src\main\eval.c
	do_logic	...\R-3.1.2\src\main\logic.c
	do_logic2	...\R-3.1.2\src\main\logic.c
~	do_tilde	...\R-3.1.2\src\main\names.c
+	do_arith	...\R-3.1.2\src\main\arithmetic.c
<	do_relop	...\R-3.1.2\src\main\relop.c
<=	do_set	...\R-3.1.2\src\main\eval.c
<<=	do_set	...\R-3.1.2\src\main\eval.c
<=	do_relop	...\R-3.1.2\src\main\relop.c
=	do_set	...\R-3.1.2\src\main\eval.c
==	do_relop	...\R-3.1.2\src\main\relop.c
>	do_relop	...\R-3.1.2\src\main\relop.c
>=	do_relop	...\R-3.1.2\src\main\relop.c
abbreviate	do_abbrev	...\R-3.1.2\src\main\character.c
abs	do_abs	...\R-3.1.2\src\main\arithmetic.c
acos	do_math1	...\R-3.1.2\src\main\arithmetic.c
acosh	do_math1	...\R-3.1.2\src\main\arithmetic.c
adist	do_adist	...\R-3.1.2\src\main\agrep.c
agrep	do_agrep	...\R-3.1.2\src\main\agrep.c
agrepl	do_agrep	...\R-3.1.2\src\main\agrep.c
all	do_logic3	...\R-3.1.2\src\main\logic.c
all.names	do_allnames	...\R-3.1.2\src\main\list.c
any	do_logic3	...\R-3.1.2\src\main\logic.c
anyDuplicated	do_duplicated	...\R-3.1.2\src\main\unique.c
anyNA	do_anyNA	...\R-3.1.2\src\main\coerce.c
aperm	do_aperm	...\R-3.1.2\src\main\array.c
aregexec	do_aregexec	...\R-3.1.2\src\main\agrep.c
Arg	do_cmathfuns	...\R-3.1.2\src\main\complex.c
args	do_args	...\R-3.1.2\src\main\builtin.c
array	do_array	...\R-3.1.2\src\main\array.c
as.call	do_ascall	...\R-3.1.2\src\main\coerce.c
as.character	do_ascharacter	...\R-3.1.2\src\main\coerce.c
as.complex	do_ascharacter	...\R-3.1.2\src\main\coerce.c
as.double	do_ascharacter	...\R-3.1.2\src\main\coerce.c
as.environment	do_as_environment	...\R-3.1.2\src\main\envir.c
as.function.default	do_asfunction	...\R-3.1.2\src\main\coerce.c
as.integer	do_ascharacter	...\R-3.1.2\src\main\coerce.c
as.logical	do_ascharacter	...\R-3.1.2\src\main\coerce.c
as.POSIXct	do_asPOSIXct	...\R-3.1.2\src\main\datetime.c

R function	C entry	Source File
as.POSIXlt	do_asPOSIXlt	...\R-3.1.2\src\main\datetime.c
as.raw	do_ascharacter	...\R-3.1.2\src\main\coerce.c
as.vector	do_asvector	...\R-3.1.2\src\main\coerce.c
asin	do_math1	...\R-3.1.2\src\main\arithmetic.c
asinh	do_math1	...\R-3.1.2\src\main\arithmetic.c
assign	do_assign	...\R-3.1.2\src\main\envir.c
atan	do_math1	...\R-3.1.2\src\main\arithmetic.c
atan2	do_math2	...\R-3.1.2\src\main\arithmetic.c
atanh	do_math1	...\R-3.1.2\src\main\arithmetic.c
attach	do_attach	...\R-3.1.2\src\main\envir.c
attr	do_attr	...\R-3.1.2\src\main\attrib.c
attr<-	do_attrgets	...\R-3.1.2\src\main\attrib.c
attributes	do_attributes	...\R-3.1.2\src\main\attrib.c
attributes<-	do_attributesgets	...\R-3.1.2\src\main\attrib.c
backsolve	do_backsolve	...\R-3.1.2\src\main\array.c
baseenv	do_baseenv	...\R-3.1.2\src\main\envir.c
basename	do_basename	...\R-3.1.2\src\main\util.c
bcClose	do_bcclose	...\R-3.1.2\src\main\eval.c
bcVersion	do_bcversion	...\R-3.1.2\src\main\eval.c
besselI	do_math3	...\R-3.1.2\src\main\arithmetic.c
besselJ	do_math2	...\R-3.1.2\src\main\arithmetic.c
besselK	do_math3	...\R-3.1.2\src\main\arithmetic.c
besselY	do_math2	...\R-3.1.2\src\main\arithmetic.c
beta	do_math2	...\R-3.1.2\src\main\arithmetic.c
bincode	do_bincode	...\R-3.1.2\src\main\util.c
bindingsIsActive	do_bndIsActive	...\R-3.1.2\src\main\envir.c
bindingsIsLocked	do_bndIsLocked	...\R-3.1.2\src\main\envir.c
bindtextdomain	do_bindtextdomain	...\R-3.1.2\src\main\errors.c
bitwiseAnd	do_bitwise	...\R-3.1.2\src\main\relop.c
bitwiseNot	do_bitwise	...\R-3.1.2\src\main\relop.c
bitwiseOr	do_bitwise	...\R-3.1.2\src\main\relop.c
bitwiseShiftL	do_bitwise	...\R-3.1.2\src\main\relop.c
bitwiseShiftR	do_bitwise	...\R-3.1.2\src\main\relop.c
bitwiseXor	do_bitwise	...\R-3.1.2\src\main\relop.c
body	do_body	...\R-3.1.2\src\main\builtin.c
bodyCode	do_bodyCode	...\R-3.1.2\src\main\builtin.c
break	do_break	...\R-3.1.2\src\main\eval.c
browser	do_browser	...\R-3.1.2\src\main\main.c
browserCondition	do_sysbrowser	...\R-3.1.2\src\main\context.c
browserSetDebug	do_sysbrowser	...\R-3.1.2\src\main\context.c
browserText	do_sysbrowser	...\R-3.1.2\src\main\context.c
builtins	do_builtins	...\R-3.1.2\src\main\envir.c

R function	C entry	Source File
bzfile	do_gzfile	...\R-3.1.2\src\main\connections.c
c	do_c	...\R-3.1.2\src\main\bind.c
call	do_call	...\R-3.1.2\src\main\coerce.c
capabilities	do_capabilities	...\R-3.1.2\src\main\platform.c
capabilitiesX11	do_capabilitiesX11	...\R-3.1.2\src\main\platform.c
cat	do_cat	...\R-3.1.2\src\main\builtin.c
cbind	do_bind	...\R-3.1.2\src\main\bind.c
ceiling	do_math1	...\R-3.1.2\src\main\arithmetic.c
charmatch	do_charmatch	...\R-3.1.2\src\main\unique.c
charToRaw	do_charToRaw	...\R-3.1.2\src\main\raw.c
chartr	do_chartr	...\R-3.1.2\src\main\character.c
choose	do_math2	...\R-3.1.2\src\main\arithmetic.c
class	R_do_data_class	...\R-3.1.2\src\main\attrib.c
class<-	R_do_set_class	...\R-3.1.2\src\main\coerce.c
clearPushBack	do_clearpushback	...\R-3.1.2\src\main\connections.c
close	do_close	...\R-3.1.2\src\main\connections.c
col	do_rowscols	...\R-3.1.2\src\main\array.c
colMeans	do_colsum	...\R-3.1.2\src\main\array.c
colSums	do_colsum	...\R-3.1.2\src\main\array.c
commandArgs	do_commandArgs	...\R-3.1.2\src\main\CommandLineArgs.c
comment	do_comment	...\R-3.1.2\src\main\attrib.c
comment<-	do_commentgets	...\R-3.1.2\src\main\attrib.c
compilePKGS	do_compilepkgs	...\R-3.1.2\src\main\eval.c
complex	do_complex	...\R-3.1.2\src\main\complex.c
Conj	do_cmathfuns	...\R-3.1.2\src\main\complex.c
copyDFattr	do_copyDFattr	...\R-3.1.2\src\main\attrib.c
cos	do_math1	...\R-3.1.2\src\main\arithmetic.c
cosh	do_math1	...\R-3.1.2\src\main\arithmetic.c
cospi	do_math1	...\R-3.1.2\src\main\arithmetic.c
crc64	do_crc64	...\R-3.1.2\src\main\util.c
crossprod	do_matprod	...\R-3.1.2\src\main\array.c
Cstack_info	do_Cstack_info	...\R-3.1.2\src\main\platform.c
cummax	do_cum	...\R-3.1.2\src\main\cum.c
cummin	do_cum	...\R-3.1.2\src\main\cum.c
cumprod	do_cum	...\R-3.1.2\src\main\cum.c
cumsum	do_cum	...\R-3.1.2\src\main\cum.c
date	do_date	...\R-3.1.2\src\main\platform.c
Date2POSIXlt	do_D2POSIXlt	...\R-3.1.2\src\main\datetime.c
dbeta	do_math3	...\R-3.1.2\src\main\arithmetic.c
dbinom	do_math3	...\R-3.1.2\src\main\arithmetic.c
dcauchy	do_math3	...\R-3.1.2\src\main\arithmetic.c
dchisq	do_math2	...\R-3.1.2\src\main\arithmetic.c

R function	C entry	Source File
debug	do_debug	...\R-3.1.2\src\main\debug.c
debugonce	do_debug	...\R-3.1.2\src\main\debug.c
delayedAssign	do_delayed	...\R-3.1.2\src\main\builtin.c
deparse	do_deparse	...\R-3.1.2\src\main\deparse.c
det_ge_real	do_lapack	...\R-3.1.2\src\main\lapack.c
detach	do_detach	...\R-3.1.2\src\main\envir.c
dexp	do_math2	...\R-3.1.2\src\main\arithmetic.c
df	do_math3	...\R-3.1.2\src\main\arithmetic.c
dgamma	do_math3	...\R-3.1.2\src\main\arithmetic.c
dgeom	do_math2	...\R-3.1.2\src\main\arithmetic.c
dhyper	do_math4	...\R-3.1.2\src\main\arithmetic.c
diag	do_diag	...\R-3.1.2\src\main\array.c
digamma	do_math1	...\R-3.1.2\src\main\arithmetic.c
dim	do_dim	...\R-3.1.2\src\main\attrib.c
dim<-	do_dimgets	...\R-3.1.2\src\main\attrib.c
dimnames	do_dimnames	...\R-3.1.2\src\main\attrib.c
dimnames<-	do_dimnamesgets	...\R-3.1.2\src\main\attrib.c
dir.create	do_dircreate	...\R-3.1.2\src\main\platform.c
dirname	do_dirname	...\R-3.1.2\src\main\util.c
disassemble	do_disassemble	...\R-3.1.2\src\main\eval.c
dlnorm	do_math3	...\R-3.1.2\src\main\arithmetic.c
dlogis	do_math3	...\R-3.1.2\src\main\arithmetic.c
dnbeta	do_math4	...\R-3.1.2\src\main\arithmetic.c
dnbinom	do_math3	...\R-3.1.2\src\main\arithmetic.c
dnbinom_mu	do_math3	...\R-3.1.2\src\main\arithmetic.c
dnchisq	do_math3	...\R-3.1.2\src\main\arithmetic.c
dnf	do_math4	...\R-3.1.2\src\main\arithmetic.c
dnorm	do_math3	...\R-3.1.2\src\main\arithmetic.c
dnt	do_math3	...\R-3.1.2\src\main\arithmetic.c
do.call	do_docal	...\R-3.1.2\src\main\coerce.c
dpois	do_math2	...\R-3.1.2\src\main\arithmetic.c
dput	do_dput	...\R-3.1.2\src\main\deparse.c
drop	do_drop	...\R-3.1.2\src\main\array.c
dsignrank	do_math2	...\R-3.1.2\src\main\arithmetic.c
dt	do_math2	...\R-3.1.2\src\main\arithmetic.c
dtukey	do_math4	...\R-3.1.2\src\main\arithmetic.c
dump	do_dump	...\R-3.1.2\src\main\deparse.c
dunif	do_math3	...\R-3.1.2\src\main\arithmetic.c
duplicated	do_duplicated	...\R-3.1.2\src\main\unique.c
dweibull	do_math3	...\R-3.1.2\src\main\arithmetic.c
dwilcox	do_math3	...\R-3.1.2\src\main\arithmetic.c
dyn.load	do_dynload	...\R-3.1.2\src\main\Rdynload.c

R function	C entry	Source File
dyn.unload	do_dynunload	...\R-3.1.2\src\main\Rdynload.c
eapply	do_eapply	...\R-3.1.2\src\main\envir.c
emptyenv	do_emptyenv	...\R-3.1.2\src\main\envir.c
enableJIT	do_enablejit	...\R-3.1.2\src\main\eval.c
enc2native	do_enc2	...\R-3.1.2\src\main\util.c
enc2utf8	do_enc2	...\R-3.1.2\src\main\util.c
encodeString	do_encodeString	...\R-3.1.2\src\main\util.c
Encoding	do_encoding	...\R-3.1.2\src\main\util.c
env.profile	do_envprofile	...\R-3.1.2\src\main\envir.c
env2list	do_env2list	...\R-3.1.2\src\main\envir.c
environment	do_envir	...\R-3.1.2\src\main\builtin.c
environment<-	do_envirgets	...\R-3.1.2\src\main\builtin.c
environmentIsLocked	do_envIsLocked	...\R-3.1.2\src\main\envir.c
environmentName	do_envirName	...\R-3.1.2\src\main\builtin.c
eval	do_eval	...\R-3.1.2\src\main\eval.c
exists	do_get	...\R-3.1.2\src\main\envir.c
exp	do_math1	...\R-3.1.2\src\main\arithmetic.c
expm1	do_math1	...\R-3.1.2\src\main\arithmetic.c
expression	do_expression	...\R-3.1.2\src\main\builtin.c
fifo	do_fifo	...\R-3.1.2\src\main\connections.c
file	do_url	...\R-3.1.2\src\main\connections.c
file.access	do_fileaccess	...\R-3.1.2\src\main\platform.c
file.append	do_fileappend	...\R-3.1.2\src\main\platform.c
file.choose	do_filechoose	...\R-3.1.2\src\gnuwin32\extra.c ...\R-3.1.2\src\main\platform.c
file.copy	do_filecopy	...\R-3.1.2\src\main\platform.c
file.create	do_filecreate	...\R-3.1.2\src\main\platform.c
file.exists	do_fileexists	...\R-3.1.2\src\main\platform.c
file.info	do_fileinfo	...\R-3.1.2\src\main\platform.c
file.link	do_filelink	...\R-3.1.2\src\main\platform.c
file.path	do_filepath	...\R-3.1.2\src\main\paste.c
file.remove	do_fileremove	...\R-3.1.2\src\main\platform.c
file.rename	do_filerename	...\R-3.1.2\src\main\platform.c
file.show	do_filesshow	...\R-3.1.2\src\main\platform.c
file.symlink	do_filesymlink	...\R-3.1.2\src\main\platform.c
findInterval	do_findinterval	...\R-3.1.2\src\main\util.c
floor	do_math1	...\R-3.1.2\src\main\arithmetic.c
flush	do_flush	...\R-3.1.2\src\main\connections.c
for	do_for	...\R-3.1.2\src\main\eval.c
formals	do_formals	...\R-3.1.2\src\main\builtin.c
format	do_format	...\R-3.1.2\src\main\paste.c
format.info	do_formatinfo	...\R-3.1.2\src\main\paste.c

R function	C entry	Source File
format.POSIXlt	do_formatPOSIXlt	...\R-3.1.2\src\main\datetime.c
formatC	do_formatC	...\R-3.1.2\src\main\util.c
function	do_function	...\R-3.1.2\src\main\eval.c
gamma	do_math1	...\R-3.1.2\src\main\arithmetic.c
gc	do_gc	...\R-3.1.2\src\main\memory.c
gc.time	do_gctime	...\R-3.1.2\src\main\memory.c
gcinfo	do_gcinfo	...\R-3.1.2\src\main\memory.c
gctorture	do_gctorture	...\R-3.1.2\src\main\memory.c
gctorture2	do_gctorture2	...\R-3.1.2\src\main\memory.c
get	do_get	...\R-3.1.2\src\main\envir.c
getAllConnections	do_getallconnections	...\R-3.1.2\src\main\connections.c
getConnection	do_getconnection	...\R-3.1.2\src\main\connections.c
getconst	do_getconst	...\R-3.1.2\src\main\eval.c
geterrmessage	do_geterrmessage	...\R-3.1.2\src\main\errors.c
getLoadedDLLs	do_getDlITable	...\R-3.1.2\src\main\Rdynload.c
getNamespaceRegistry	do_getNSRegistry	...\R-3.1.2\src\main\envir.c
getRegisteredNamespace	do_getRegNS	...\R-3.1.2\src\main\envir.c
getRegisteredRoutines	do_getRegisteredRoutines	...\R-3.1.2\src\main\Rdynload.c
getSymbolInfo	do_getSymbolInfo	...\R-3.1.2\src\main\Rdynload.c
gettext	do_gettext	...\R-3.1.2\src\main\errors.c
getVarsFromFrame	do_getVarsFromFrame	...\R-3.1.2\src\main\serialize.c
getwd	do_getwd	...\R-3.1.2\src\main\util.c
globalenv	do_globalenv	...\R-3.1.2\src\main\envir.c
gregexpr	do_regexpr	...\R-3.1.2\src\main\grep.c
grep	do_grep	...\R-3.1.2\src\main\grep.c
grepl	do_grep	...\R-3.1.2\src\main\grep.c
grepRaw	do_grepraw	...\R-3.1.2\src\main\grep.c
growconst	do_growconst	...\R-3.1.2\src\main\eval.c
gsub	do_gsub	...\R-3.1.2\src\main\grep.c
gzcon	do_gzcon	...\R-3.1.2\src\main\connections.c
gzfile	do_gzfile	...\R-3.1.2\src\main\connections.c
iconv	do_iconv	...\R-3.1.2\src\main\sysutils.c
icuGetCollate	do_ICUget	...\R-3.1.2\src\main\util.c
icuSetCollate	do_ICUset	...\R-3.1.2\src\main\util.c
identical	do_identical	...\R-3.1.2\src\main\identical.c
if	do_if	...\R-3.1.2\src\main\eval.c
lm	do_cmathfuns	...\R-3.1.2\src\main\complex.c
importIntoEnv	do_importIntoEnv	...\R-3.1.2\src\main\envir.c
inherits	do_inherits	...\R-3.1.2\src\main\objects.c
inspect	do_inspect	...\R-3.1.2\src\main\inspect.c
interactive	do_interactive	...\R-3.1.2\src\main\sysutils.c
interruptsSuspended	do_interruptsSuspended	...\R-3.1.2\src\main\errors.c

R function	C entry	Source File
intToBits	do_intToBits	...\R-3.1.2\src\main\raw.c
intToUtf8	do_intToUtf8	...\R-3.1.2\src\main\raw.c
invisible	do_invisible	...\R-3.1.2\src\main\print.c
is.array	do_is	...\R-3.1.2\src\main\coerce.c
is.atomic	do_is	...\R-3.1.2\src\main\coerce.c
is.builtin.internal	do_is_builtin_internal	...\R-3.1.2\src\main\eval.c
is.call	do_is	...\R-3.1.2\src\main\coerce.c
is.character	do_is	...\R-3.1.2\src\main\coerce.c
is.complex	do_is	...\R-3.1.2\src\main\coerce.c
is.double	do_is	...\R-3.1.2\src\main\coerce.c
is.environment	do_is	...\R-3.1.2\src\main\coerce.c
is.expression	do_is	...\R-3.1.2\src\main\coerce.c
is.finite	do_isfinite	...\R-3.1.2\src\main\coerce.c
is.function	do_is	...\R-3.1.2\src\main\coerce.c
is.infinite	do_isinfinite	...\R-3.1.2\src\main\coerce.c
is.integer	do_is	...\R-3.1.2\src\main\coerce.c
is.language	do_is	...\R-3.1.2\src\main\coerce.c
is.list	do_is	...\R-3.1.2\src\main\coerce.c
is.loaded	do_isloaded	...\R-3.1.2\src\main\dotcode.c
is.logical	do_is	...\R-3.1.2\src\main\coerce.c
is.matrix	do_is	...\R-3.1.2\src\main\coerce.c
is.na	do_isna	...\R-3.1.2\src\main\coerce.c
is.nan	do_isnan	...\R-3.1.2\src\main\coerce.c
is.null	do_is	...\R-3.1.2\src\main\coerce.c
is.numeric	do_is	...\R-3.1.2\src\main\coerce.c
is.object	do_is	...\R-3.1.2\src\main\coerce.c
is.pairlist	do_is	...\R-3.1.2\src\main\coerce.c
is.raw	do_is	...\R-3.1.2\src\main\coerce.c
is.recursive	do_is	...\R-3.1.2\src\main\coerce.c
is.single	do_is	...\R-3.1.2\src\main\coerce.c
is.symbol	do_is	...\R-3.1.2\src\main\coerce.c
is.unsorted	do_isunsorted	...\R-3.1.2\src\main\sort.c
is.vector	do_isvector	...\R-3.1.2\src\main\coerce.c
isatty	do_isatty	...\R-3.1.2\src\main\connections.c
isdebugged	do_debug	...\R-3.1.2\src\main\debug.c
isIncomplete	do_isincomplete	...\R-3.1.2\src\main\connections.c
islistfactor	do_islistfactor	...\R-3.1.2\src\main\apply.c
isNamespaceEnv	do_isNSEnv	...\R-3.1.2\src\main\envir.c
isOpen	do_isopen	...\R-3.1.2\src\main\connections.c
isS4	do_is	...\R-3.1.2\src\main\coerce.c
isSeekable	do_isseekable	...\R-3.1.2\src\main\connections.c
l10n_info	do_l10n_info	...\R-3.1.2\src\main\platform.c

R function	C entry	Source File
La_chol	do_lapack	...\R-3.1.2\src\main\lapack.c
La_chol2inv	do_lapack	...\R-3.1.2\src\main\lapack.c
La_dgecon	do_lapack	...\R-3.1.2\src\main\lapack.c
La_dlange	do_lapack	...\R-3.1.2\src\main\lapack.c
La_dtrcon	do_lapack	...\R-3.1.2\src\main\lapack.c
La_qr	do_lapack	...\R-3.1.2\src\main\lapack.c
La_qr_cmplx	do_lapack	...\R-3.1.2\src\main\lapack.c
La_rg	do_lapack	...\R-3.1.2\src\main\lapack.c
La_rg_cmplx	do_lapack	...\R-3.1.2\src\main\lapack.c
La_rs	do_lapack	...\R-3.1.2\src\main\lapack.c
La_rs	do_lapack	...\R-3.1.2\src\main\lapack.c
La_rs_cmplx	do_lapack	...\R-3.1.2\src\main\lapack.c
La_rs_cmplx	do_lapack	...\R-3.1.2\src\main\lapack.c
La_solve	do_lapack	...\R-3.1.2\src\main\lapack.c
La_solve_cmplx	do_lapack	...\R-3.1.2\src\main\lapack.c
La_svd	do_lapack	...\R-3.1.2\src\main\lapack.c
La_svd_cmplx	do_lapack	...\R-3.1.2\src\main\lapack.c
La_version	do_lapack	...\R-3.1.2\src\main\lapack.c
La_zgecon	do_lapack	...\R-3.1.2\src\main\lapack.c
La_ztrcon	do_lapack	...\R-3.1.2\src\main\lapack.c
lapply	do_lapply	...\R-3.1.2\src\main\apply.c
lazyLoadDBfetch	do_lazyLoadDBfetch	...\R-3.1.2\src\main\serialize.c
lazyLoadDBflush	do_lazyLoadDBflush	...\R-3.1.2\src\main\serialize.c
lazyLoadDBinsertValue	do_lazyLoadDBinsertValue	...\R-3.1.2\src\main\serialize.c
lbeta	do_math2	...\R-3.1.2\src\main\arithmetic.c
lchoose	do_math2	...\R-3.1.2\src\main\arithmetic.c
length	do_length	...\R-3.1.2\src\main\array.c
length<-	do_lengthgets	...\R-3.1.2\src\main\builtin.c
levels<-	do_levelsgets	...\R-3.1.2\src\main\attrib.c
lgamma	do_math1	...\R-3.1.2\src\main\arithmetic.c
list	do_makelist	...\R-3.1.2\src\main\builtin.c
list.dirs	do_listdirs	...\R-3.1.2\src\main\platform.c
list.files	do_listfiles	...\R-3.1.2\src\main\platform.c
list2env	do_list2env	...\R-3.1.2\src\main\envir.c
load	do_load	...\R-3.1.2\src\main\saveload.c
load.from.file	do_loadfile	...\R-3.1.2\src\main\eval.c
loadFromConn2	do_loadFromConn2	...\R-3.1.2\src\main\saveload.c
lockBinding	do_lockBnd	...\R-3.1.2\src\main\envir.c
lockEnvironment	do_lockEnv	...\R-3.1.2\src\main\envir.c
log	do_log	...\R-3.1.2\src\main\arithmetic.c
log10	do_log1arg	...\R-3.1.2\src\main\arithmetic.c
log1p	do_math1	...\R-3.1.2\src\main\arithmetic.c

R function	C entry	Source File
log2	do_log1arg	...\R-3.1.2\src\main\arithmetic.c
ls	do_ls	...\R-3.1.2\src\main\envir.c
machine	do_machine	...\R-3.1.2\src\gnuwin32\sys-win32.c ...\R-3.1.2\src\unix\sys-unix.c
make.names	do_makenames	...\R-3.1.2\src\main\character.c
make.unique	do_makeunique	...\R-3.1.2\src\main\unique.c
makeActiveBinding	do_mkActiveBnd	...\R-3.1.2\src\main\envir.c
makeLazy	do_makelazy	...\R-3.1.2\src\main\builtin.c
mapply	do_mapply	...\R-3.1.2\src\main\mapply.c
match	do_match	...\R-3.1.2\src\main\unique.c
match.call	do_matchcall	...\R-3.1.2\src\main\unique.c
matrix	do_matrix	...\R-3.1.2\src\main\array.c
max	do_summary	...\R-3.1.2\src\main\summary.c
max.col	do_maxcol	...\R-3.1.2\src\main\array.c
mean	do_summary	...\R-3.1.2\src\main\summary.c
mem.limits	do_memlimits	...\R-3.1.2\src\main\memory.c
memCompress	do_memCompress	...\R-3.1.2\src\main\connections.c
memDecompress	do_memDecompress	...\R-3.1.2\src\main\connections.c
memory.profile	do_memoryprofile	...\R-3.1.2\src\main\memory.c
merge	do_merge	...\R-3.1.2\src\main\util.c
mget	do_mget	...\R-3.1.2\src\main\envir.c
min	do_summary	...\R-3.1.2\src\main\summary.c
missing	do_missing	...\R-3.1.2\src\main\envir.c
mkCode	do_mkcode	...\R-3.1.2\src\main\eval.c
mkjunction	do_mkjunction	...\R-3.1.2\src\main\platform.c
mkUnbound	do_mkUnbound	...\R-3.1.2\src\main\envir.c
Mod	do_cmathfuns	...\R-3.1.2\src\main\complex.c
names	do_names	...\R-3.1.2\src\main\attrib.c
names<-	do_namesgets	...\R-3.1.2\src\main\attrib.c
nargs	do_nargs	...\R-3.1.2\src\main\util.c
nchar	do_nchar	...\R-3.1.2\src\main\character.c
new.env	do_newenv	...\R-3.1.2\src\main\builtin.c
next	do_break	...\R-3.1.2\src\main\eval.c
NextMethod	do_nextmethod	...\R-3.1.2\src\main\objects.c
ngettext	do_ngettext	...\R-3.1.2\src\main\errors.c
normalizePath	do_normalizepath	...\R-3.1.2\src\gnuwin32\extra.c ...\R-3.1.2\src\main\util.c
nzchar	do_nzchar	...\R-3.1.2\src\main\character.c
oldClass	do_class	...\R-3.1.2\src\main\attrib.c
oldClass<-	do_classgets	...\R-3.1.2\src\main\attrib.c
on.exit	do_onexit	...\R-3.1.2\src\main\builtin.c
open	do_open	...\R-3.1.2\src\main\connections.c

R function	C entry	Source File
options	do_options	...\R-3.1.2\src\main\options.c
order	do_order	...\R-3.1.2\src\main\sort.c
packBits	do_packBits	...\R-3.1.2\src\main\raw.c
parent.env	do_parentenv	...\R-3.1.2\src\main\builtin.c
parent.env<-	do_parentenvgets	...\R-3.1.2\src\main\builtin.c
parent.frame	do_parentframe	...\R-3.1.2\src\main\context.c
parse	do_parse	...\R-3.1.2\src\main\source.c
paste	do_paste	...\R-3.1.2\src\main\paste.c
paste0	do_paste	...\R-3.1.2\src\main\paste.c
path.expand	do_pathexpand	...\R-3.1.2\src\main\platform.c
pbeta	do_math3	...\R-3.1.2\src\main\arithmetic.c
pbinom	do_math3	...\R-3.1.2\src\main\arithmetic.c
pcauchy	do_math3	...\R-3.1.2\src\main\arithmetic.c
pchisq	do_math2	...\R-3.1.2\src\main\arithmetic.c
pexp	do_math2	...\R-3.1.2\src\main\arithmetic.c
pf	do_math3	...\R-3.1.2\src\main\arithmetic.c
pgamma	do_math3	...\R-3.1.2\src\main\arithmetic.c
pgeom	do_math2	...\R-3.1.2\src\main\arithmetic.c
phyper	do_math4	...\R-3.1.2\src\main\arithmetic.c
pipe	do_pipe	...\R-3.1.2\src\main\connections.c
plnorm	do_math3	...\R-3.1.2\src\main\arithmetic.c
plogis	do_math3	...\R-3.1.2\src\main\arithmetic.c
pmatch	do_pmatch	...\R-3.1.2\src\main\unique.c
pmax	do_pmin	...\R-3.1.2\src\main\summary.c
pmin	do_pmin	...\R-3.1.2\src\main\summary.c
pnbeta	do_math4	...\R-3.1.2\src\main\arithmetic.c
pnbinom	do_math3	...\R-3.1.2\src\main\arithmetic.c
pnbinom_mu	do_math3	...\R-3.1.2\src\main\arithmetic.c
pnchisq	do_math3	...\R-3.1.2\src\main\arithmetic.c
pnf	do_math4	...\R-3.1.2\src\main\arithmetic.c
pnorm	do_math3	...\R-3.1.2\src\main\arithmetic.c
pnt	do_math3	...\R-3.1.2\src\main\arithmetic.c
polyroot	do_polyroot	...\R-3.1.2\src\main\complex.c
pos.to.env	do_pos2env	...\R-3.1.2\src\main\envir.c
POSIXlt2Date	do_POSIXlt2D	...\R-3.1.2\src\main\datetime.c
ppois	do_math2	...\R-3.1.2\src\main\arithmetic.c
pretty	do_pretty	...\R-3.1.2\src\main\util.c
print.default	do_printdefault	...\R-3.1.2\src\main\print.c
print.function	do_printfunction	...\R-3.1.2\src\main\print.c
printDeferredWarnings	do_printDeferredWarnings	...\R-3.1.2\src\main\errors.c
prmatrix	do_prmatrix	...\R-3.1.2\src\main\print.c
proc.time	do_proctime	...\R-3.1.2\src\main\sysutils.c

R function	C entry	Source File
prod	do_summary	...\R-3.1.2\src\main\summary.c
psigamma	do_math2	...\R-3.1.2\src\main\arithmetic.c
psignrank	do_math2	...\R-3.1.2\src\main\arithmetic.c
psort	do_psort	...\R-3.1.2\src\main\sort.c
pt	do_math2	...\R-3.1.2\src\main\arithmetic.c
ptukey	do_math4	...\R-3.1.2\src\main\arithmetic.c
punif	do_math3	...\R-3.1.2\src\main\arithmetic.c
pushBack	do_pushback	...\R-3.1.2\src\main\connections.c
pushBackLength	do_pushbacklength	...\R-3.1.2\src\main\connections.c
putconst	do_putconst	...\R-3.1.2\src\main\eval.c
pweibull	do_math3	...\R-3.1.2\src\main\arithmetic.c
pwilcox	do_math3	...\R-3.1.2\src\main\arithmetic.c
qbeta	do_math3	...\R-3.1.2\src\main\arithmetic.c
qbinom	do_math3	...\R-3.1.2\src\main\arithmetic.c
qcauchy	do_math3	...\R-3.1.2\src\main\arithmetic.c
qchisq	do_math2	...\R-3.1.2\src\main\arithmetic.c
qexp	do_math2	...\R-3.1.2\src\main\arithmetic.c
qf	do_math3	...\R-3.1.2\src\main\arithmetic.c
qgamma	do_math3	...\R-3.1.2\src\main\arithmetic.c
qgeom	do_math2	...\R-3.1.2\src\main\arithmetic.c
qhyper	do_math4	...\R-3.1.2\src\main\arithmetic.c
qlnorm	do_math3	...\R-3.1.2\src\main\arithmetic.c
qlogis	do_math3	...\R-3.1.2\src\main\arithmetic.c
qnbeta	do_math4	...\R-3.1.2\src\main\arithmetic.c
qnbinom	do_math3	...\R-3.1.2\src\main\arithmetic.c
qnbinom_mu	do_math3	...\R-3.1.2\src\main\arithmetic.c
qnchisq	do_math3	...\R-3.1.2\src\main\arithmetic.c
qnf	do_math4	...\R-3.1.2\src\main\arithmetic.c
qnorm	do_math3	...\R-3.1.2\src\main\arithmetic.c
qnt	do_math3	...\R-3.1.2\src\main\arithmetic.c
qpois	do_math2	...\R-3.1.2\src\main\arithmetic.c
qr_coef_cmplx	do_lapack	...\R-3.1.2\src\main\lapack.c
qr_coef_real	do_lapack	...\R-3.1.2\src\main\lapack.c
qr_qy_cmpl	do_lapack	...\R-3.1.2\src\main\lapack.c
qr_qy_real	do_lapack	...\R-3.1.2\src\main\lapack.c
qsignrank	do_math2	...\R-3.1.2\src\main\arithmetic.c
qsort	do_qsort	...\R-3.1.2\src\main\qsort.c
qt	do_math2	...\R-3.1.2\src\main\arithmetic.c
qtukey	do_math4	...\R-3.1.2\src\main\arithmetic.c
quit	do_quit	...\R-3.1.2\src\main\main.c
qunif	do_math3	...\R-3.1.2\src\main\arithmetic.c
quote	do_quote	...\R-3.1.2\src\main\coerce.c

R function	C entry	Source File
qweibull	do_math3	...\R-3.1.2\src\main\arithmetic.c
qwilcox	do_math3	...\R-3.1.2\src\main\arithmetic.c
R.home	do_Rhome	...\R-3.1.2\src\main\platform.c
radixsort	do_radixsort	...\R-3.1.2\src\main\sort.c
range	do_range	...\R-3.1.2\src\main\summary.c
rank	do_rank	...\R-3.1.2\src\main\sort.c
rapply	do_rapply	...\R-3.1.2\src\main\apply.c
rawConnection	do_rawconnection	...\R-3.1.2\src\main\connections.c
rawConnectionValue	do_rawconvalue	...\R-3.1.2\src\main\connections.c
rawShift	do_rawShift	...\R-3.1.2\src\main\raw.c
rawToBits	do_rawToBits	...\R-3.1.2\src\main\raw.c
rawToChar	do_rawToChar	...\R-3.1.2\src\main\raw.c
rbeta	do_random2	...\R-3.1.2\src\main\random.c
rbind	do_bind	...\R-3.1.2\src\main\bind.c
rbinom	do_random2	...\R-3.1.2\src\main\random.c
rcauchy	do_random2	...\R-3.1.2\src\main\random.c
rchisq	do_random1	...\R-3.1.2\src\main\random.c
Re	do_cmathfuns	...\R-3.1.2\src\main\complex.c
readBin	do_readbin	...\R-3.1.2\src\main\connections.c
readChar	do_readchar	...\R-3.1.2\src\main\connections.c
readDCF	do_readDCF	...\R-3.1.2\src\main\dcf.c
readline	do_readln	...\R-3.1.2\src\main\scan.c
readLines	do_readLines	...\R-3.1.2\src\main\connections.c
readRenviron	do_readEnviron	...\R-3.1.2\src\main\Renviron.c
Recall	do_recall	...\R-3.1.2\src\main\eval.c
recordGraphics	do_recordGraphics	...\R-3.1.2\src\main\engine.c
reg.finalizer	do_regFinaliz	...\R-3.1.2\src\main\memory.c
regex	do_regex	...\R-3.1.2\src\main\grep.c
regexpr	do_regexpr	...\R-3.1.2\src\main\grep.c
registerNamespace	do_regNS	...\R-3.1.2\src\main\envir.c
remove	do_remove	...\R-3.1.2\src\main\envir.c
rep	do_rep	...\R-3.1.2\src\main\seq.c
rep.int	do_rep_int	...\R-3.1.2\src\main\seq.c
rep_len	do_rep_len	...\R-3.1.2\src\main\seq.c
repeat	do_repeat	...\R-3.1.2\src\main\eval.c
restart	do_restart	...\R-3.1.2\src\main\context.c
retracemem	do_retracemem	...\R-3.1.2\src\main\debug.c
return	do_return	...\R-3.1.2\src\main\eval.c
rexp	do_random1	...\R-3.1.2\src\main\random.c
rf	do_random2	...\R-3.1.2\src\main\random.c
rgamma	do_random2	...\R-3.1.2\src\main\random.c
rgenom	do_random1	...\R-3.1.2\src\main\random.c

R function	C entry	Source File
rhyper	do_random3	...\R-3.1.2\src\main\random.c
rlnorm	do_random2	...\R-3.1.2\src\main\random.c
rlogis	do_random2	...\R-3.1.2\src\main\random.c
rnbinom	do_random2	...\R-3.1.2\src\main\random.c
rnbinom_mu	do_random2	...\R-3.1.2\src\main\random.c
rnchisq	do_random2	...\R-3.1.2\src\main\random.c
RNGkind	do_RNGkind	...\R-3.1.2\src\main\RNG.c
rnorm	do_random2	...\R-3.1.2\src\main\random.c
round	do_Math2	...\R-3.1.2\src\main\arithmetic.c
row	do_rowscols	...\R-3.1.2\src\main\array.c
rowMeans	do_colsum	...\R-3.1.2\src\main\array.c
rowsum_df	do_rowsum	...\R-3.1.2\src\main\unique.c
rowsum_matrix	do_rowsum	...\R-3.1.2\src\main\unique.c
rowSums	do_colsum	...\R-3.1.2\src\main\array.c
rpois	do_random1	...\R-3.1.2\src\main\random.c
rsignrank	do_random1	...\R-3.1.2\src\main\random.c
rt	do_random1	...\R-3.1.2\src\main\random.c
runif	do_random2	...\R-3.1.2\src\main\random.c
rweibull	do_random2	...\R-3.1.2\src\main\random.c
rwilcox	do_random2	...\R-3.1.2\src\main\random.c
sample	do_sample	...\R-3.1.2\src\main\random.c
sample2	do_sample2	...\R-3.1.2\src\main\unique.c
save	do_save	...\R-3.1.2\src\main\saveload.c
save.to.file	do_savefile	...\R-3.1.2\src\main\eval.c
saveToConn	do_saveToConn	...\R-3.1.2\src\main\saveload.c
scan	do_scan	...\R-3.1.2\src\main\scan.c
search	do_search	...\R-3.1.2\src\main\envir.c
seek	do_seek	...\R-3.1.2\src\main\connections.c
seq.int	do_seq	...\R-3.1.2\src\main\seq.c
seq_along	do_seq_along	...\R-3.1.2\src\main\seq.c
seq_len	do_seq_len	...\R-3.1.2\src\main\seq.c
serialize	do_serialize	...\R-3.1.2\src\main\serialize.c
serializeb	do_serialize	...\R-3.1.2\src\main\serialize.c
serializeToConn	do_serializeToConn	...\R-3.1.2\src\main\serialize.c
set.seed	do_setseed	...\R-3.1.2\src\main\RNG.c
setEncoding	do_setencoding	...\R-3.1.2\src\main\util.c
seterrmessage	do_seterrmessage	...\R-3.1.2\src\main\errors.c
setFileTime	do_setFileTime	...\R-3.1.2\src\main\platform.c
setMaxNumMathThreads	do_setmaxnumthreads	...\R-3.1.2\src\main\eval.c
setNumMathThreads	do_setnumthreads	...\R-3.1.2\src\main\eval.c
setS4Object	do_setS4Object	...\R-3.1.2\src\main\objects.c
setSessionTimeLimit	do_setSessionTimeLimit	...\R-3.1.2\src\main\sysutils.c

R function	C entry	Source File
setTimeLimit	do_setTimeLimit	...\R-3.1.2\src\main\sysutils.c
setwd	do_setwd	...\R-3.1.2\src\main\util.c
shell.exec	do_shellexec	...\R-3.1.2\src\gnuwin32\extra.c
shortRowNames	do_shortRowNames	...\R-3.1.2\src\main\attrib.c
sign	do_math1	...\R-3.1.2\src\main\arithmetic.c
signif	do_Math2	...\R-3.1.2\src\main\arithmetic.c
sin	do_math1	...\R-3.1.2\src\main\arithmetic.c
sinh	do_math1	...\R-3.1.2\src\main\arithmetic.c
sink	do_sink	...\R-3.1.2\src\main\connections.c
sink.number	do_sinknumber	...\R-3.1.2\src\main\connections.c
sinpi	do_math1	...\R-3.1.2\src\main\arithmetic.c
socketConnection	do_sockconn	...\R-3.1.2\src\main\connections.c
sockSelect	do_sockselect	...\R-3.1.2\src\main\connections.c
sort	do_sort	...\R-3.1.2\src\main\sort.c
split	do_split	...\R-3.1.2\src\main\split.c
sprintf	do_sprintf	...\R-3.1.2\src\main\sprintf.c
sqrt	do_math1	...\R-3.1.2\src\main\arithmetic.c
standardGeneric	do_standardGeneric	...\R-3.1.2\src\main\objects.c
stderr	do_stderr	...\R-3.1.2\src\main\connections.c
stdin	do_stdin	...\R-3.1.2\src\main\connections.c
stdout	do_stdout	...\R-3.1.2\src\main\connections.c
stop	do_stop	...\R-3.1.2\src\main\errors.c
storage.mode<-	do_storage_mode	...\R-3.1.2\src\main\coerce.c
strptime	do_strptime	...\R-3.1.2\src\main\datetime.c
strsplit	do_strsplit	...\R-3.1.2\src\main\grep.c
strtoi	do_strtoi	...\R-3.1.2\src\main\character.c
strtrim	do_strtrim	...\R-3.1.2\src\main\character.c
sub	do_gsub	...\R-3.1.2\src\main\grep.c
substitute	do_substitute	...\R-3.1.2\src\main\coerce.c
substr	do_substr	...\R-3.1.2\src\main\character.c
substr<-	do_substrgets	...\R-3.1.2\src\main\character.c
sum	do_summary	...\R-3.1.2\src\main\summary.c
summary.connection	do_sumconnection	...\R-3.1.2\src\main\connections.c
switch	do_switch	...\R-3.1.2\src\main\builtin.c
sys.call	do_sys	...\R-3.1.2\src\main\context.c
sys.calls	do_sys	...\R-3.1.2\src\main\context.c
Sys.chmod	do_syschmod	...\R-3.1.2\src\main\platform.c
sys.frame	do_sys	...\R-3.1.2\src\main\context.c
sys.frames	do_sys	...\R-3.1.2\src\main\context.c
sys.function	do_sys	...\R-3.1.2\src\main\context.c
Sys.getenv	do_getenv	...\R-3.1.2\src\main\sysutils.c
Sys.getlocale	do_getlocale	...\R-3.1.2\src\main\platform.c

R function	C entry	Source File
Sys.getpid	do_sysgetpid	...\R-3.1.2\src\main\platform.c
Sys.glob	do_glob	...\R-3.1.2\src\main\sysutils.c
Sys.info	do_sysinfo	...\R-3.1.2\src\gnuwin32\extra.c ...\R-3.1.2\src\unix\sys-unix.c
Sys.localeconv	do_localeconv	...\R-3.1.2\src\main\platform.c
sys.nframe	do_sys	...\R-3.1.2\src\main\context.c
sys.on.exit	do_sys	...\R-3.1.2\src\main\context.c
sys.parent	do_sys	...\R-3.1.2\src\main\context.c
sys.parents	do_sys	...\R-3.1.2\src\main\context.c
Sys.readlink	do_readlink	...\R-3.1.2\src\main\platform.c
Sys.setenv	do_setenv	...\R-3.1.2\src\main\sysutils.c
Sys.setlocale	do_setlocale	...\R-3.1.2\src\main\platform.c
Sys.sleep	do_syssleep	...\R-3.1.2\src\gnuwin32\extra.c ...\R-3.1.2\src\unix\sys-std.c
Sys.time	do_systime	...\R-3.1.2\src\main\times.c
Sys.umask	do_sysumask	...\R-3.1.2\src\main\platform.c
Sys.unsetenv	do_unsetenv	...\R-3.1.2\src\main\sysutils.c
Sys.which	do_syswhich	...\R-3.1.2\src\gnuwin32\run.c
system	do_system	...\R-3.1.2\src\gnuwin32\sys-win32.c ...\R-3.1.2\src\unix\sys-unix.c
system	do_system	...\R-3.1.2\src\gnuwin32\sys-win32.c ...\R-3.1.2\src\unix\sys-unix.c
t.default	do_transpose	...\R-3.1.2\src\main\array.c
tabulate	do_tabulate	...\R-3.1.2\src\main\util.c
tan	do_math1	...\R-3.1.2\src\main\arithmetic.c
tanh	do_math1	...\R-3.1.2\src\main\arithmetic.c
tanpi	do_math1	...\R-3.1.2\src\main\arithmetic.c
tcrossprod	do_matprod	...\R-3.1.2\src\main\array.c
tempdir	do_tempdir	...\R-3.1.2\src\main\sysutils.c
tempfile	do_tempfile	...\R-3.1.2\src\main\sysutils.c
textConnection	do_textconnection	...\R-3.1.2\src\main\connections.c
textConnectionValue	do_textconvalue	...\R-3.1.2\src\main\connections.c
tolower	do_tolower	...\R-3.1.2\src\main\character.c
toupper	do_tolower	...\R-3.1.2\src\main\character.c
traceback	do_traceback	...\R-3.1.2\src\main\errors.c
tracemem	do_tracemem	...\R-3.1.2\src\main\debug.c
traceOnOff	do_traceOnOff	...\R-3.1.2\src\main\debug.c
trigamma	do_math1	...\R-3.1.2\src\main\arithmetic.c
trunc	do_trunc	...\R-3.1.2\src\main\arithmetic.c
truncate	do_truncate	...\R-3.1.2\src\main\connections.c
typeof	do_typeof	...\R-3.1.2\src\main\coerce.c
tzname_name	do_tzone_name	...\R-3.1.2\src\gnuwin32\extra.c
unclass	do_unclass	...\R-3.1.2\src\main\objects.c

R function	C entry	Source File
undebug	do_debug	...\R-3.1.2\src\main\debug.c
unique	do_duplicated	...\R-3.1.2\src\main\unique.c
unlink	do_unlink	...\R-3.1.2\src\main\platform.c
unlist	do_unlist	...\R-3.1.2\src\main\bind.c
unlockBinding	do_lockBnd	...\R-3.1.2\src\main\envir.c
unregisterNamespace	do_unregNS	...\R-3.1.2\src\main\envir.c
unserialize	do_serialize	...\R-3.1.2\src\main\serialize.c
unserializeFromConn	do_unserializeFromConn	...\R-3.1.2\src\main\serialize.c
untracemem	do_untracemem	...\R-3.1.2\src\main\debug.c
unz	do_unz	...\R-3.1.2\src\main\connections.c
url	do_url	...\R-3.1.2\src\main\connections.c
useInternet2	do_setInternet2	...\R-3.1.2\src\main\internet.c
UseMethod	do_usemethod	...\R-3.1.2\src\main\objects.c
utf8ToInt	do_utf8ToInt	...\R-3.1.2\src\main\raw.c
vapply	do_vapply	...\R-3.1.2\src\main\apply.c
vector	do_makevector	...\R-3.1.2\src\main\builtin.c
Version	do_version	...\R-3.1.2\src\main\version.c
visibleflag	do_visibleflag	...\R-3.1.2\src\main\print.c
warning	do_warning	...\R-3.1.2\src\main\errors.c
which	do_which	...\R-3.1.2\src\main\summary.c
which.max	do_first_min	...\R-3.1.2\src\main\summary.c
which.min	do_first_min	...\R-3.1.2\src\main\summary.c
while	do_while	...\R-3.1.2\src\main\eval.c
withVisible	do_withVisible	...\R-3.1.2\src\main\eval.c
writeBin	do_writebin	...\R-3.1.2\src\main\connections.c
writeChar	do_writechar	...\R-3.1.2\src\main\connections.c
writeLines	do_writelines	...\R-3.1.2\src\main\connections.c
xtfrm	do_xtfrm	...\R-3.1.2\src\main\sort.c
xzfile	do_gzfile	...\R-3.1.2\src\main\connections.c