



Comment	Description R46KF310040P1M	Designator	Footprint	LibRef	Quantity
	Film Capacitor,				
0.1uF	Polypropylene, 560V, 20% +Tol, 20% -Tol,	C1, C2	FP-R46KF310040P1M- MFG	CMP-00212-22103502	
	0.1uF, Through Hole		IVII G	ľ	
	Mount CAP ALUM 100UF 20%				
100uF	450V RADIAL	C3	FP-BXW18X30-MFG	CMP-35376-000021-1	
	Aluminum Electrolytic		ED DAD TH		
100uF	Capacitors (Radial Lead Type) 100uF	C4	FP-RAD-TH- D_6_3_0_5-L_11-MFG	CMP-05427-000856-1	
	±20% 25V				
0.1uF	Ceramic Capacitor 100nF ±10% 25V X7R	C5, C6	FP-RDE0P1-MFG	CMP-06035-046728-1	
	Radial				
1nF	CAP CER 1000PF 2KV X7R RADIAL	C7, C9	FP-AR30-MFG	CMP-04427-000004-1	
	Cap Ceramic 4.7nF				
4.7nF	50V X7R ±10% Radial 2.5mm +125°C Ammo	C8	FP-RCEODB-MFG	CMP-06035-036397-1	
	Pack				
	Cap Ceramic 10nF 1kV				
10nF 1kV	X7R ±10% SMD 1812 +125°C Embossed T/R	C10	FP-RDE2M1-MFG	CMP-13271-001607-1	
	Aluminum Electrolytic				
100uF	Capacitors (Radial	C11	FP-RAD-TH-D_10_0_5-	CMP-05427-001096-1	
	Lead Type) 100uF ±20% 100V		L_20_2-MFG		
	Cap Ceramic 100nF				
0.1uF	50V X7R ±10% Radial 5mm +125°C	C12	FP-RCEOK1-MFG	CMP-06035-031280-1	
	Automotive Bulk				
1nF 2kV	CAP CER 1000PF 2KV X7R RADIAL	C13, C16	FP-AR30-MFG	CMP-04427-000004-1	
	Cap Ceramic				
10nF	Monolithic 10nF 50V 5% Thru-Hole Bulk	C14	FP-RCE1K1-2_5-MFG	CMP-06035-061841-1	
	Cap Ceramic 3.3nF				
3.3nF	50V COG ±5% Radial	C15	FP-RCEOK1-MFG	CMP-06035-032713-1	
	5mm +125°C Automotive Bulk				
WJ2EDGRC-5.08-2P		CN1, CN2	Terminal Block P5.08-	WJ2EDGRC-5.08-2P	
	DIODE GEN PURP 1KV			CMP-02540-000046-1	
1N4007	1A DO204AL	D1, D2, D3, D4, D6, D9	FP-1N4007-MFG	CMP-02540-000046-1	
	MBR20100CT-E3/4W Dual Common-				
	Cathode High-Voltage		FP-MBR20100CT-E3-	CMP-00030-42878425	
MBR20100	Schottky Rectifier DIODE ARRAY	D5	4W-MFG	1	
	SCHOTTKY 100V				
	TO220 Diode, Zener, Vr 12V,				
Zener 12V	If 200mA, Pkg DO-41,		ONSC-SURMETIC40-2-		
	Vf 1.2V, Tj +175C, Cs	D7	017AA-01	1N4742A-TR	
	380mA, Pd 1.3W, Ir 21mA				
IR LED	IR LED SFH480 FUSE GLASS 10A	D8	FP-HLMP-1719-MFG	CMP-2000-06410-2	
Fuse	250VAC 5X20MM	F1	FP-0218010_HXP-MFG	CMP-08605-000046-1	
CMF		L1	WE-CMBNC_Type XS_7448013501	CMP-1371-00007-3	
2N2222	TRANS NPN 50V 0.8A	Q1	FP-JAN2N2222A-MFG	CMP-06366-000013-1	
	TO218 ICL 2.2 OHM 15% 3.7A				
NTC	10MM	R1	FP-NTPAA-MFG	CMP-06022-000112-1	
	PR02000201003JA100				
	Fixed Resistor, Metal Film, 2W, 220000ohm,		FP-	CMP-00030-42817933	
220k 2W	500V, 5% +/-Tol,	R2	PR02000201003JA100-	1	
	250ppm/Cel, Through		MFG		
	Hole Mount				
4.01	Res Thick Film 2512 1Ω 5% 1W		L		
1 Ohm	±300ppm/°C Pad SMD	R3	FP-RLP01-MFG	CMP-13261-002726-1	
1k	T/R Axial Resistor, 1k	R4	RESA60-630X240	CMP-1659-00075-1	
8.2k	Axial Resistor,	R5	RESA60-630X240	CMP-1659-00075-1	
220k	Axial Resistor, 220k Thick Film Chip	R6	RESA60-630X240	CMP-1659-00075-1	
100k 1W	Resistor, 2512, 100kΩ,	R7	FP-RLP01-MFG	CMP-08839-023479-1	
TUUK TW	5%, 200ppm/°C, 1W,		KEFUT-WFG		
10.06	200V	DO D14	DECA40 420W040	CMD 1/E0 00075 /	
10 Ohm	Axial Resistor, 10 Ohm	R8, R14	RESA60-630X240	CMP-1659-00075-1	
100k 1.8k	Axial Resistor, 100k Axial Resistor, 1.8k	R9 R10	RESA60-630X240 RESA60-630X240	CMP-1659-00075-1 CMP-1659-00075-1	
12k	Axial Resistor, 12k	R11	RESA60-630X240	CMP-1659-00075-1	
22k 47k	Axial Resistor, 22k Axial Resistor, 47k	R12, R13 R15	RESA60-630X240 RESA60-630X240	CMP-1659-00075-1 CMP-1659-00075-1	
100 Ohm	Axial Resistor, 100	R16	RESA60-630X240	CMP-1659-00075-1	
	Ohm				
	Square Trimpot(R) Trimming				
1k pot	Potentiometer, 1000	R17	BOUR-3296W-1-3	CMP-1747-00002-1	
	Ohm, -55 to 125 degC, 3-Pin THD, RoHS, Tube				
2.2k	Axial Resistor, 2.2k	R18	RESA60-630X240	CMP-1659-00075-1	
22 Ohm	Axial Resistor, 22 Ohm		RESA60-630X240	CMP-1659-00075-1	
760895451	No. autor, 22 Offill	T1	WE-LLCR_ETD34	CMP-1350-00003-2	
/UU09343 I	PWM Controller with		we-LLCR_E1D34	UNIP-1300-00003-2	
	Current Control, 50 %				
UC3845N	Duty Cycle, 0 to +70 degC, 8-pin PDIP (P),	U1	P0008A	CMP-0319-00305-2	
	Green (RoHS & no				
	Sb/Br)		TO-220-3_L10.5-W4.8-		
	1	U2	P2.54-L	2SK2645-01MR-VB	
K2645					
K2645	Photocoupuler, 50 mA				
	Forward Current, 1.2	113	1 TST.1 TV.917 4	CMP-2000-04422 4	
K2645 PC817		U3	LTST-LTV-817-4	CMP-2000-06632-1	