Generated using SQL Data Dictionary demo version.

db35423

Tables:

dbo.Branch *(21 rows)* 1
dbo.Branch_Track *(44 rows)* 1
dbo.Choice *(598 rows)* 1
dbo.Course *(20 rows)* 2
dbo.Course_Topic *(61 rows)* 2
dbo.Exam *(5 rows)* 2
dbo.Exam_Question *(50 rows)* 3
dbo.Instructor *(20 rows)* 3
dbo.Instructor_Course *(20 rows)* 4
dbo.Question *(220 rows)* 4
dbo.Student *(70 rows)* 5
dbo.Student_Answer *(230 rows)* 5
dbo.Student_Exam *(23 rows)* 6
dbo.Topic *(23 rows)* 6
dbo.Track *(10 rows)* 7
dbo.Track_Course *(22 rows)* 7
dbo.Track_Instructor *(20 rows)* 7

Procedures:

dbo.AddBranch 9
dbo.AddBranchTrack 9
dbo.AddChoice 9
dbo.AddCourse 9
dbo.AddCourseTopic 9
dbo.AddExam 9
dbo.AddExamQuestion 9
dbo.AddInstructor 10
dbo.AddInstructorCourse 10
dbo.AddQuestion 10
dbo.AddStudent 10
dbo.AddStudentAnswer 10
dbo.AddStudentExam 10
dbo.AddStudentExamQuestions 10
dbo.AddTopic 11
dbo.AddTrack 11
dbo.AddTrackCourse 11

dbo.AddTrackInstructor 11
dbo.DeleteAnswersByStudentExamID 11
dbo.DeleteBranch 11
dbo.DeleteBranchesByTrackID 11
dbo.DeleteBranchTrack 11
dbo.DeleteChoice 12
dbo.DeleteCourse 12
dbo.DeleteCoursesByInstructorID 12
dbo.DeleteCoursesByTopicID 12
dbo.DeleteCoursesByTrackID 12
dbo.DeleteCourseTopic 12
dbo.DeleteExam 12
dbo.DeleteExamQuestion 12
dbo.DeleteExamsByQuestionID 12
dbo.DeleteExamsByStudentID 13
dbo.DeleteInstructor 13
dbo.DeleteInstructorCourse 13
dbo.DeleteInstructorsByCourseID 13
dbo.DeleteInstructorsByTrackID 13
dbo.DeleteQuestion 13
dbo.DeleteQuestionsByExamID 13
dbo.DeleteStudent 13
dbo.DeleteStudentAnswer 13
dbo.DeleteStudentExam 14
dbo.DeleteStudentsByExamID 14
dbo.DeleteTopic 14
dbo.DeleteTopicsByCourseID 14
dbo.DeleteTrack 14
dbo.DeleteTrackCourse 14
dbo.DeleteTrackInstructor 14
dbo.DeleteTracksByBranchID 14
dbo.DeleteTracksByCourseID 14
dbo.DeleteTracksByInstructorID 15
dbo.Generate_Exam 15
dbo.Get_Exam_Correct_Answers 15
dbo.GetAllBranches 15
dbo.GetAllBranchesTracksDetails 15
dbo.GetAllChoices 16

dbo.GetAllCourses 16
dbo.GetAllCoursesTopics 16
dbo.GetAllExams 16
dbo.GetAllExamsQuestionsDetails 17
dbo.GetAllInstructors 17
dbo.GetAllInstructorsCoursesDetails 17
dbo.GetAllQuestion 17
dbo.GetAllStudentAnswers 18
dbo.GetAllStudentExams 18
dbo.GetAllStudents 18
dbo.GetAllTopics 18
dbo.GetAllTrackInstructorsDetails 19
dbo.GetAllTracks 19
dbo.GetAllTracksCoursesDetails 19
dbo.GetAnswersByStudentIDAndExamID 19
dbo.GetBrancheById 20
dbo.GetBranchTracksDetailsById 20
dbo.GetChoiceById 20
dbo.GetCourseById 20
dbo.GetCoursesAndStudentsByInstID 21
dbo.GetCoursesByInstructorId 21
dbo.GetCoursesByTopicId 21
dbo.GetCoursesByTrackId 21
dbo.GetExamById 21
dbo.GetExamQuestionsWithChoicesReport 22
dbo.GetExamsByQuestionId 22
dbo.GetExamsByStudentId 22
dbo.GetInstructorById 23
dbo.GetInstructorsByCourseId 23
dbo.GetInstructorsByTrackId 23
dbo.GetQuestionById 23
dbo.GetQuestionsByExamId 23
dbo.GetStudentAnswersByQuestionId 24
dbo.GetStudentById 24
dbo.GetStudentByTrack 24
dbo.GetStudentsByExamId 25
dbo.GetTopicById 25
dbo.GetTopicsByCourseId 25

dbo.GetTrackBranchesDetailsById 25
dbo.GetTrackById 26
dbo.GetTracksByCourseId 26
dbo.GetTracksByInstructorId 26
dbo.Student_Exam_Answers 26
dbo.Student_Exam_Answers_with_Correct_Choices 27
dbo.Student_Exam_Correction 27
dbo.StudentGradesReport 27
dbo.UpdateBranch 28
dbo.UpdateChoice 28
dbo.UpdateCourse 28
dbo.UpdateExam 28
dbo.UpdateInstructor 28
dbo.UpdateInstructorCourse 28
dbo.UpdateQuestion 29
dbo.UpdateStudent 29
dbo.UpdateTopic 29
dbo.UpdateTrack 29
dbo.UpdateTrackCourse 29

Tables:

Table dbo.Branch *(21 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	BranchID	int	X		
UK	BranchName	nvarchar(100)			
	BranchLocation	nvarchar(200)			

Indexes:

PK__Branch__A1682FA5F7A1D008 *(Primary Key) (Clustered)*

BranchID

UQ__Branch__3903DB0382AFD723 *(Unique)*

BranchName

Referenced by:

dbo.Branch_Track *(BranchID)*

Table dbo.Branch_Track *(44 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	BranchTrackID	int	X		
UK, FK	BranchID	int			
UK, FK	TrackID	int			

Indexes:

PK__Branch_T__4580E1FFDEC2EDEC *(Primary Key) (Clustered)*

BranchTrackID

UQ_BranchTrack *(Unique)*

BranchID
TrackID

References:

dbo.Branch *(BranchID)*

dbo.Track *(TrackID)*

Table dbo.Choice *(598 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	ChoiceID	int	X		
FK	QuestionID	int			
	ChoiceLabel	char(1)			
	ChoiceText	nvarchar(500)			
	IsCorrectChoice	bit			

Indexes:

PK__Choice__76F51686BA830576 *(Primary Key) (Clustered)*

ChoiceID

IDX_Choice_Question

QuestionID

References:

dbo.Question *(QuestionID)*

Referenced by:

dbo.Student_Answer *(AnswerID -> ChoiceID)*

Table dbo.Course *(20 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	CourseID	int	X		
	CourseName	nvarchar(100)			
	MinPassDegree	decimal(5,2)			

Indexes:

PK__Course__C92D71876EFE328A *(Primary Key) (Clustered)*

CourseID

Referenced by:

dbo.Course_Topic *(CourseID)*

dbo.Instructor_Course *(CourseID)*

dbo.Question *(CourseID)*

dbo.Track_Course *(CourseID)*

Table dbo.Course_Topic *(61 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	CourseTopicID	int	X		
UK, FK	TopicID	int			
UK, FK	CourseID	int			

Indexes:

PK__Course_T__0E466DD3134ADBB8 *(Primary Key) (Clustered)*

CourseTopicID

UQ_CourseTopic *(Unique)*

TopicID
CourseID

References:

dbo.Course *(CourseID)*

dbo.Topic *(TopicID)*

Table dbo.Exam *(5 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	ExamID	int	X		

	ExamDate	date			
	StartTime	time			
	EndTime	time			
	TotalMCQQuestions	int			
	TotalTrueFalseQuestions	int			
	TotalGrade	decimal(5,2)			

Indexes:

PK__Exam__297521A74369BAC6 *(Primary Key) (Clustered)*

ExamID

Referenced by:

dbo.Exam_Question *(ExamID)*

dbo.Student_Exam *(ExamID)*

Table dbo.Exam_Question *(50 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	ExamQuestionID	int	X		
UK, FK	ExamID	int			
UK, FK	QuestionID	int			
	QuestionOrder	int			

Indexes:

PK__Exam_Que__EFAED8265A422F98 *(Primary Key) (Clustered)*

ExamQuestionID

UQ_ExamQuestion *(Unique)*

ExamID
QuestionID

IDX_ExamQuestion_Exam

ExamID

IDX_ExamQuestion_Question

QuestionID

References:

dbo.Exam *(ExamID)*

dbo.Question *(QuestionID)*

Table dbo.Instructor *(20 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	InstructorID	int	X		
	FirstName	nvarchar(50)			
	LastName	nvarchar(50)			
UK	Email	nvarchar(100)			
	Phone	nvarchar(20)		X	

Indexes:

PK__Instruct__9D010B7B1A675DB1 *(Primary Key) (Clustered)*

InstructorID

UQ__Instruct__A9D1053426A858CD *(Unique)*

Email

Referenced by:

dbo.Instructor_Course *(InstructorID)*

dbo.Track *(TrackSupervisor -> InstructorID)*

dbo.Track_Instructor *(InstructorID)*

Table dbo.Instructor_Course *(20 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	InstructorCourseID	int	X		
UK, FK	InstructorID	int			
UK, FK	CourseID	int			

Indexes:

PK__Instruct__2724B1A9E1243A5B *(Primary Key) (Clustered)*

InstructorCourseID

UQ_InstructorCourse *(Unique)*

InstructorID
CourseID

References:

dbo.Course *(CourseID)*

dbo.Instructor *(InstructorID)*

Table dbo.Question *(220 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	QuestionID	int	X		
	QuestionText	nvarchar(1000)			
	QuestionType	varchar(1)			
	QuestionMark	decimal(5,2)			
FK	CourseID	int			

Indexes:

PK__Question__0DC06F8C4F857824 *(Primary Key) (Clustered)*

QuestionID

IDX_Question_Course

CourseID

IDX_Question_Type

QuestionType

References:

dbo.Course *(CourseID)*

Referenced by:

dbo.Choice *(QuestionID)*

dbo.Exam_Question *(QuestionID)*

dbo.Student_Answer *(QuestionID)*

Table dbo.Student *(70 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	StudentID	int	X		
	FirstName	nvarchar(50)			
	LastName	nvarchar(50)			
UK	Email	nvarchar(100)			
	Phone	nvarchar(20)		X	
	DateOfBirth	date		X	
FK	TrackID	int			

Indexes:

PK__Student__32C52A7923E26999 *(Primary Key) (Clustered)*

StudentID

UQ__Student__A9D10534A2FC3AF6 *(Unique)*

Email

References:

dbo.Track *(TrackID)*

Referenced by:

dbo.Student_Exam *(StudentID)*

Table dbo.Student_Answer *(230 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	StudentAnswerID	int	X		
UK, FK	StudentExamID	int			
UK, FK	AnswerID	int		X	
UK, FK	QuestionID	int			
	IsCorrect	bit		X	
	Mark	decimal(5,2)		X	

Indexes:

PK__Student___6E3EA4E5193C650E *(Primary Key) (Clustered)*

StudentAnswerID

UQ_StudentAnswer *(Unique)*

StudentExamID
QuestionID

AnswerID

UQ_StudentAnswer_OnePerQuestion *(Unique)*

StudentExamID
QuestionID

IDX_StudentAnswer_Answer

AnswerID

IDX_StudentAnswer_Student

StudentExamID

References:

dbo.Choice *(AnswerID -> ChoiceID)*

dbo.Question *(QuestionID)*

dbo.Student_Exam *(StudentExamID)*

Table dbo.Student_Exam *(23 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	StudentExamID	int	X		
UK, FK	StudentID	int			
UK, FK	ExamID	int			
	StartTime	datetime			
	EndTime	datetime		X	
	TotalScore	decimal(5,2)		X	
	Percentage	decimal(5,2)		X	

Indexes:

PK__Student___C5794956A5543B01 *(Primary Key) (Clustered)*

StudentExamID

UQ_StudentExam *(Unique)*

StudentID
ExamID

References:

dbo.Exam *(ExamID)*

dbo.Student *(StudentID)*

Referenced by:

dbo.Student_Answer *(StudentExamID)*

Table dbo.Topic *(23 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	TopicID	int	X		
	TopicName	nvarchar(100)			

Indexes:

PK__Topic__022E0F7DF4FE19BD *(Primary Key) (Clustered)*

TopicID

Referenced by:

dbo.Course_Topic *(TopicID)*

Table dbo.Track *(10 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	TrackID	int	X		
	TrackName	nvarchar(100)			
UK, FK	TrackSupervisor	int		X	

Indexes:

PK__Track__7A74F8C02A797BBE *(Primary Key) (Clustered)*

TrackID

UQ__Track__51EB8146F2E357B2 *(Unique)*

TrackSupervisor

References:

dbo.Instructor *(TrackSupervisor -> InstructorID)*

Referenced by:

dbo.Branch_Track *(TrackID)*

dbo.Student *(TrackID)*

dbo.Track_Course *(TrackID)*

dbo.Track_Instructor *(TrackID)*

Table dbo.Track_Course *(22 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	TrackCourseID	int	X		
UK, FK	CourseID	int			
UK, FK	TrackID	int			

Indexes:

PK__Track_Co__C105F51A15DC3397 *(Primary Key) (Clustered)*

TrackCourseID

UQ_TrackCourse *(Unique)*

CourseID
TrackID

References:

dbo.Course *(CourseID)*

dbo.Track *(TrackID)*

Table dbo.Track_Instructor *(20 rows)*

	Column	Data Type	Identity	Nullable	Default
PK	TrackInstructorID	int	X		
UK, FK	InstructorID	int			
UK, FK	TrackID	int			

Indexes:

PK__Track_In__9C0AA8E0BEE4904C *(Primary Key) (Clustered)*

TrackInstructorID

UQ_TrackInstructor *(Unique)*

InstructorID
TrackID

References:

dbo.Instructor *(InstructorID)*

dbo.Track *(TrackID)*

Procedures:

Procedure dbo.AddBranch

Parameter	Data Type	Default	Is Output
@BranchName	varchar(100)		
@BranchLocation	varchar(200)		

Procedure dbo.AddBranchTrack

Parameter	Data Type	Default	Is Output
@BranchID	int		
@TrackID	int		

Procedure dbo.AddChoice

Parameter	Data Type	Default	Is Output
@QuestionID	int		
@Choices	ChoiceTableType		

Procedure dbo.AddCourse

Parameter	Data Type	Default	Is Output
@CourseName	varchar(50)		
@MinPassDegree	decimal(5,2)		

Procedure dbo.AddCourseTopic

Parameter	Data Type	Default	Is Output
@CourseId	int		
@TopicId	int		

Procedure dbo.AddExam

Parameter	Data Type	Default	Is Output
@ExamDate	date		
@StartTime	time		
@EndTime	time		
@TotalMCQQuestions	int		
@TotalTrueFalseQuestions	int		
@TotalGrade	decimal(5,2)		
@ExamID	int		X

Procedure dbo.AddExamQuestion

Parameter	Data Type	Default	Is Output
@ExamId	int		
@QuestionId	int		
@QuestionOrder	int		

Procedure dbo.AddInstructor

Parameter	Data Type	Default	Is Output
@FirstName	varchar(50)		
@LastName	varchar(50)		
@Email	varchar(100)		
@Phone	varchar(20)		

Procedure dbo.AddInstructorCourse

Parameter	Data Type	Default	Is Output
@InstructorId	int		
@CourseId	int		

Procedure dbo.AddQuestion

Parameter	Data Type	Default	Is Output
@QuestionText	varchar(1000)		
@QuestionType	char(1)		
@QuestionMark	decimal(5,2)		
@CourseID	int		

Procedure dbo.AddStudent

Parameter	Data Type	Default	Is Output
@FirstName	varchar(50)		
@LastName	varchar(50)		
@Email	varchar(100)		
@Phone	varchar(20)		
@DateOfBirth	date		
@TrackID	int		

Procedure dbo.AddStudentAnswer

Parameter	Data Type	Default	Is Output
@StudentID	int		
@ExamID	int		
@QuestionID	int		
@AnswerID	int		

Procedure dbo.AddStudentExam

Parameter	Data Type	Default	Is Output
@StudentID	int		
@ExamID	int		
@StudentStartTime	datetime		
@StudentEndTime	datetime		

Procedure dbo.AddStudentExamQuestions

Parameter	Data Type	Default	Is Output

@StudentID	int		
@ExamID	int		

Procedure dbo.AddTopic

Parameter	Data Type	Default	Is Output
@TopicName	varchar(100)		

Procedure dbo.AddTrack

Parameter	Data Type	Default	Is Output
@TrackName	varchar(100)		
@TrackSupervisor	int		

Procedure dbo.AddTrackCourse

Parameter	Data Type	Default	Is Output
@TrackId	int		
@CourseId	int		

Procedure dbo.AddTrackInstructor

Parameter	Data Type	Default	Is Output
@TrackId	int		
@InstructorId	int		

Procedure dbo.DeleteAnswersByStudentExamID

Parameter	Data Type	Default	Is Output
@StudentID	int		
@ExamID	int		

Procedure dbo.DeleteBranch

Parameter	Data Type	Default	Is Output
@BranchID	int		

Procedure dbo.DeleteBranchesByTrackID

Parameter	Data Type	Default	Is Output
@TrackID	int		

Procedure dbo.DeleteBranchTrack

Parameter	Data Type	Default	Is Output
@BranchID	int		
@TrackID	int		

Procedure dbo.DeleteChoice

Parameter	Data Type	Default	Is Output
@ChoiceID	int		

Procedure dbo.DeleteCourse

Parameter	Data Type	Default	Is Output
@CourseID	int		

Procedure dbo.DeleteCoursesByInstructorID

Parameter	Data Type	Default	Is Output
@InstructorID	int		

Procedure dbo.DeleteCoursesByTopicID

Parameter	Data Type	Default	Is Output
@TopicID	int		

Procedure dbo.DeleteCoursesByTrackID

Parameter	Data Type	Default	Is Output
@TrackID	int		

Procedure dbo.DeleteCourseTopic

Parameter	Data Type	Default	Is Output
@CourseID	int		
@TopicID	int		

Procedure dbo.DeleteExam

Parameter	Data Type	Default	Is Output
@ExamID	int		

Procedure dbo.DeleteExamQuestion

Parameter	Data Type	Default	Is Output
@ExamID	int		
@QuestionID	int		

Procedure dbo.DeleteExamsByQuestionID

Parameter	Data Type	Default	Is Output
@QuestionID	int		

Procedure dbo.DeleteExamsByStudentID

Parameter	Data Type	Default	Is Output
@StudentID	int		

Procedure dbo.DeleteInstructor

Parameter	Data Type	Default	Is Output
@InstructorID	int		

Procedure dbo.DeleteInstructorCourse

Parameter	Data Type	Default	Is Output
@InstructorID	int		
@CourseID	int		

Procedure dbo.DeleteInstructorsByCourseID

Parameter	Data Type	Default	Is Output
@CourseID	int		

Procedure dbo.DeleteInstructorsByTrackID

Parameter	Data Type	Default	Is Output
@TrackID	int		

Procedure dbo.DeleteQuestion

Parameter	Data Type	Default	Is Output
@QuestionID	int		

Procedure dbo.DeleteQuestionsByExamID

Parameter	Data Type	Default	Is Output
@ExamID	int		

Procedure dbo.DeleteStudent

Parameter	Data Type	Default	Is Output
@StudentID	int		

Procedure dbo.DeleteStudentAnswer

Parameter	Data Type	Default	Is Output
@StudentID	int		
@ExamID	int		
@QuestionID	int		

@AnswerID	int		

Procedure dbo.DeleteStudentExam

Parameter	Data Type	Default	Is Output
@StudentID	int		
@ExamID	int		

Procedure dbo.DeleteStudentsByExamID

Parameter	Data Type	Default	Is Output
@ExamID	int		

Procedure dbo.DeleteTopic

Parameter	Data Type	Default	Is Output
@TopicID	int		

Procedure dbo.DeleteTopicsByCourseID

Parameter	Data Type	Default	Is Output
@CourseID	int		

Procedure dbo.DeleteTrack

Parameter	Data Type	Default	Is Output
@TrackID	int		

Procedure dbo.DeleteTrackCourse

Parameter	Data Type	Default	Is Output
@TrackID	int		
@CourseID	int		

Procedure dbo.DeleteTrackInstructor

Parameter	Data Type	Default	Is Output
@TrackID	int		
@InstructorID	int		

Procedure dbo.DeleteTracksByBranchID

Parameter	Data Type	Default	Is Output
@BranchID	int		

Procedure dbo.DeleteTracksByCourseID

Parameter	Data Type	Default	Is Output
@CourseID	int		

Procedure dbo.DeleteTracksByInstructorID

Parameter	Data Type	Default	Is Output
@InstructorID	int		

Procedure dbo.Generate_Exam

Parameter	Data Type	Default	Is Output
@CourseName	varchar(100)		
@ExamDate	date		
@StartTime	time		
@EndTime	time		
@TotalMCQQuestions	int		
@TotalTrueFalseQuestions	int		

Procedure dbo.Get_Exam_Correct_Answers

Parameter	Data Type	Default	Is Output
@ExamID	int		

Result:

Column	Data Type	Nullable
ExamID	int	
CourseName	nvarchar(100)	
QuestionID	int	
QuestionText	nvarchar(1000)	
QuestionType	varchar(3)	
Correct Choice ID	int	
Correct Choice Label	char(1)	
Correct Choice Text	nvarchar(500)	

Procedure dbo.GetAllBranches

No parameters.

Result:

Column	Data Type	Nullable
BranchID	int	
BranchName	nvarchar(100)	
BranchLocation	nvarchar(200)	

Procedure dbo.GetAllBranchesTracksDetails

No parameters.

Result:

Column	Data Type	Nullable
BranchName	nvarchar(100)	
BranchLocation	nvarchar(200)	
TrackName	nvarchar(100)	
TrackSupervisorName	nvarchar(101)	

Procedure dbo.GetAllChoices

No parameters.

Result:

Column	Data Type	Nullable
ChoiceID	int	
QuestionID	int	
ChoiceLabel	char(1)	
ChoiceText	nvarchar(500)	
IsCorrectChoice	bit	

Procedure dbo.GetAllCourses

No parameters.

Result:

Column	Data Type	Nullable
CourseID	int	
CourseName	nvarchar(100)	
MinPassDegree	decimal(5,2)	

Procedure dbo.GetAllCoursesTopics

No parameters.

Result:

Column	Data Type	Nullable
CourseTopicID	int	
CourseID	int	
CourseName	nvarchar(100)	
TopicID	int	
TopicName	nvarchar(100)	

Procedure dbo.GetAllExams

No parameters.

Result:

Column	Data Type	Nullable
ExamID	int	
ExamDate	date	
StartTime	time	

EndTime	time	
TotalMCQQuestions	int	
TotalTrueFalseQuestions	int	
TotalGrade	decimal(5,2)	

Procedure dbo.GetAllExamsQuestionsDetails

No parameters.

Result:

Column	Data Type	Nullable
ExamQuestionID	int	
ExamID	int	
ExamDate	date	
QuestionID	int	
QuestionText	nvarchar(1000)	
QuestionOrder	int	

Procedure dbo.GetAllInstructors

No parameters.

Result:

Column	Data Type	Nullable
InstructorID	int	
FirstName	nvarchar(50)	
LastName	nvarchar(50)	
Email	nvarchar(100)	
Phone	nvarchar(20)	X

Procedure dbo.GetAllInstructorsCoursesDetails

No parameters.

Result:

Column	Data Type	Nullable
InstructorCourseID	int	
InstructorName	nvarchar(101)	
CourseName	nvarchar(100)	

Procedure dbo.GetAllQuestion

No parameters.

Result:

Column	Data Type	Nullable
QuestionID	int	
QuestionText	nvarchar(1000)	
QuestionType	varchar(1)	
QuestionMark	decimal(5,2)	
CourseID	int	

Procedure dbo.GetAllStudentAnswers

No parameters.

Result:

Column	Data Type	Nullable
StudentAnswerID	int	
StudentID	int	
StudentName	nvarchar(101)	
ExamID	int	
QuestionID	int	
QuestionText	nvarchar(1000)	
ChoiceID	int	X
ChoiceLabel	char(1)	X
ChoiceText	nvarchar(500)	X
IsCorrect	bit	X
Mark	decimal(5,2)	X

Procedure dbo.GetAllStudentExams

No parameters.

Result:

Column	Data Type	Nullable
StudentExamID	int	
StudentID	int	
StudentName	nvarchar(101)	
ExamID	int	
ExamDate	date	
StartTime	datetime	
EndTime	datetime	X
TotalScore	decimal(5,2)	X
Percentage	decimal(5,2)	X

Procedure dbo.GetAllStudents

No parameters.

Result:

Column	Data Type	Nullable
StudentID	int	
FirstName	nvarchar(50)	
LastName	nvarchar(50)	
Email	nvarchar(100)	
Phone	nvarchar(20)	X
DateOfBirth	date	X
TrackID	int	

Procedure dbo.GetAllTopics

No parameters.

Result:

Column	Data Type	Nullable
TopicID	int	
TopicName	nvarchar(100)	

Procedure dbo.GetAllTrackInstructorsDetails

No parameters.

Result:

Column	Data Type	Nullable
TrackInstructorID	int	
TrackID	int	
TrackName	nvarchar(100)	
InstructorID	int	
InstructorName	nvarchar(101)	

Procedure dbo.GetAllTracks

No parameters.

Result:

Column	Data Type	Nullable
TrackID	int	
TrackName	nvarchar(100)	
TrackSupervisor	int	X

Procedure dbo.GetAllTracksCoursesDetails

No parameters.

Result:

Column	Data Type	Nullable
TrackCourseID	int	
TrackName	nvarchar(100)	
CourseName	nvarchar(100)	

Procedure dbo.GetAnswersByStudentIDAndExamID

Parameter	Data Type	Default	Is Output
@StudentID	int		
@ExamID	int		

Result:

Column	Data Type	Nullable
StudentAnswerID	int	
QuestionID	int	
QuestionText	nvarchar(1000)	

ChoiceID	int	X
ChoiceLabel	char(1)	X
ChoiceText	nvarchar(500)	X
IsCorrect	bit	X
Mark	decimal(5,2)	X

Procedure dbo.GetBrancheById

Parameter	Data Type	Default	Is Output
@id	int		

Result:

Column	Data Type	Nullable
BranchID	int	
BranchName	nvarchar(100)	
BranchLocation	nvarchar(200)	

Procedure dbo.GetBranchTracksDetailsById

Parameter	Data Type	Default	Is Output
@BranchID	int		

Result:

Column	Data Type	Nullable
BranchName	nvarchar(100)	
BranchLocation	nvarchar(200)	
TrackName	nvarchar(100)	
TrackSupervisorName	nvarchar(101)	

Procedure dbo.GetChoiceById

Parameter	Data Type	Default	Is Output
@id	int		

Result:

Column	Data Type	Nullable
ChoiceID	int	
QuestionID	int	
ChoiceLabel	char(1)	
ChoiceText	nvarchar(500)	
IsCorrectChoice	bit	

Procedure dbo.GetCourseById

Parameter	Data Type	Default	Is Output
@id	int		

Result:

Column	Data Type	Nullable
CourseID	int	

CourseName	nvarchar(100)	
MinPassDegree	decimal(5,2)	

Procedure dbo.GetCoursesAndStudentsByInstID

Parameter	Data Type	Default	Is Output
@InstID	int		

Result:

Column	Data Type	Nullable
CourseID	int	
CourseName	nvarchar(100)	
Num Of Students	int	X

Procedure dbo.GetCoursesByInstructorId

Parameter	Data Type	Default	Is Output
@InstructorID	int		

Result:

Column	Data Type	Nullable
CourseID	int	
CourseName	nvarchar(100)	

Procedure dbo.GetCoursesByTopicId

Parameter	Data Type	Default	Is Output
@TopicId	int		

Result:

Column	Data Type	Nullable
CourseTopicID	int	
CourseID	int	
CourseName	nvarchar(100)	

Procedure dbo.GetCoursesByTrackId

Parameter	Data Type	Default	Is Output
@TrackID	int		

Result:

Column	Data Type	Nullable
TrackCourseID	int	
CourseName	nvarchar(100)	

Procedure dbo.GetExamById

Parameter	Data Type	Default	Is Output
@id	int		

Result:

Column	Data Type	Nullable
ExamID	int	
ExamDate	date	
StartTime	time	
EndTime	time	
TotalMCQQuestions	int	
TotalTrueFalseQuestions	int	
TotalGrade	decimal(5,2)	

Procedure dbo.GetExamQuestionsWithChoicesReport

Parameter	Data Type	Default	Is Output
@ExamId	int		

Result:

Column	Data Type	Nullable
QuestionID	int	
QuestionType	varchar(1)	
QuestionText	nvarchar(1000)	
ChoiceID	int	
ChoiceLabel	char(1)	
ChoiceText	nvarchar(500)	

Procedure dbo.GetExamsByQuestionId

Parameter	Data Type	Default	Is Output
@QuestionID	int		

Result:

Column	Data Type	Nullable
QuestionText	nvarchar(1000)	
ExamID	int	
ExamDate	date	
QuestionOrder	int	

Procedure dbo.GetExamsByStudentId

Parameter	Data Type	Default	Is Output
@StudentId	int		

Result:

Column	Data Type	Nullable
StudentExamID	int	
ExamID	int	
ExamDate	date	
StartTime	datetime	
EndTime	datetime	X
TotalScore	decimal(5,2)	X
Percentage	decimal(5,2)	X

Procedure dbo.GetInstructorById

Parameter	Data Type	Default	Is Output
@id	int		

Result:

Column	Data Type	Nullable
InstructorID	int	
FirstName	nvarchar(50)	
LastName	nvarchar(50)	
Email	nvarchar(100)	
Phone	nvarchar(20)	X

Procedure dbo.GetInstructorsByCourseId

Parameter	Data Type	Default	Is Output
@CourseID	int		

Result:

Column	Data Type	Nullable
CourseName	nvarchar(100)	
InstructorID	int	
InstructorName	nvarchar(101)	

Procedure dbo.GetInstructorsByTrackId

Parameter	Data Type	Default	Is Output
@TrackId	int		

Result:

Column	Data Type	Nullable
InstructorID	int	
InstructorName	nvarchar(101)	

Procedure dbo.GetQuestionById

Parameter	Data Type	Default	Is Output
@id	int		

Result:

Column	Data Type	Nullable
QuestionID	int	
QuestionText	nvarchar(1000)	
QuestionType	varchar(1)	
QuestionMark	decimal(5,2)	
CourseID	int	

Procedure dbo.GetQuestionsByExamId

Parameter	Data Type	Default	Is Output
@ExamID	int		

Result:

Column	Data Type	Nullable
QuestionID	int	
QuestionText	nvarchar(1000)	
QuestionType	varchar(1)	
QuestionMark	decimal(5,2)	
QuestionOrder	int	

Procedure dbo.GetStudentAnswersByQuestionId

Parameter	Data Type	Default	Is Output
@QuestionID	int		

Result:

Column	Data Type	Nullable
StudentAnswerID	int	
StudentID	int	
StudentName	nvarchar(101)	
ExamID	int	
AnswerID	int	X
ChoiceLabel	char(1)	X
ChoiceText	nvarchar(500)	X
IsCorrect	bit	X
Mark	decimal(5,2)	X

Procedure dbo.GetStudentById

Parameter	Data Type	Default	Is Output
@id	int		

Result:

Column	Data Type	Nullable
StudentID	int	
FirstName	nvarchar(50)	
LastName	nvarchar(50)	
Email	nvarchar(100)	
Phone	nvarchar(20)	X
DateOfBirth	date	X
TrackID	int	

Procedure dbo.GetStudentByTrack

Parameter	Data Type	Default	Is Output
@TrackID	int		

Result:

Column	Data Type	Nullable

StudentID	int	
FirstName	nvarchar(50)	
LastName	nvarchar(50)	
Email	nvarchar(100)	
Phone	nvarchar(20)	X
DateOfBirth	date	X
TrackID	int	

Procedure dbo.GetStudentsByExamId

Parameter	Data Type	Default	Is Output
@ExamId	int		

Result:

Column	Data Type	Nullable
StudentExamID	int	
StudentID	int	
StudentName	nvarchar(101)	
StartTime	datetime	
EndTime	datetime	X
TotalScore	decimal(5,2)	X
Percentage	decimal(5,2)	X

Procedure dbo.GetTopicById

Parameter	Data Type	Default	Is Output
@id	int		

Result:

Column	Data Type	Nullable
TopicID	int	
TopicName	nvarchar(100)	

Procedure dbo.GetTopicsByCourseId

Parameter	Data Type	Default	Is Output
@CourseId	int		

Result:

Column	Data Type	Nullable
CourseName	nvarchar(100)	
TopicID	int	
TopicName	nvarchar(100)	

Procedure dbo.GetTrackBranchesDetailsById

Parameter	Data Type	Default	Is Output
@TrackId	int		

Result:

Column	Data Type	Nullable
TrackName	nvarchar(100)	
BranchName	nvarchar(100)	
BranchLocation	nvarchar(200)	

Procedure dbo.GetTrackById

Parameter	Data Type	Default	Is Output
@id	int		

Result:

Column	Data Type	Nullable
TrackID	int	
TrackName	nvarchar(100)	
TrackSupervisor	int	X

Procedure dbo.GetTracksByCourseId

Parameter	Data Type	Default	Is Output
@CourseID	int		

Result:

Column	Data Type	Nullable
CourseName	nvarchar(100)	
TrackID	int	
TrackName	nvarchar(100)	

Procedure dbo.GetTracksByInstructorId

Parameter	Data Type	Default	Is Output
@InsId	int		

Result:

Column	Data Type	Nullable
InstructorName	nvarchar(101)	
TrackID	int	
TrackName	nvarchar(100)	

Procedure dbo.Student_Exam_Answers

Parameter	Data Type	Default	Is Output
@StudentID	int		
@ExamID	int		

Result:

Column	Data Type	Nullable
StudentAnswerID	int	
QuestionID	int	

QuestionText	nvarchar(1000)	
ChoiceID	int	X
ChoiceLabel	char(1)	X
ChoiceText	nvarchar(500)	X

Procedure dbo.Student_Exam_Answers_with_Correct_Choices

Parameter	Data Type	Default	Is Output
@StudentID	int		
@ExamID	int		

Result:

Column	Data Type	Nullable
StudentAnswerID	int	
QuestionID	int	
QuestionText	nvarchar(1000)	
StudentChoiceID	int	X
StudentChoiceLabel	char(1)	X
StudentChoiceText	nvarchar(500)	X
Is Correct Answer	varchar(12)	
CorrectChoiceID	int	X
CorrectChoiceLabel	char(1)	X
CorrectChoiceText	nvarchar(500)	X

Procedure dbo.Student_Exam_Correction

Parameter	Data Type	Default	Is Output
@StudentID	int		
@ExamID	int		

Result:

Column	Data Type	Nullable
CourseName	nvarchar(100)	
StudentName	nvarchar(101)	
ExamID	int	
Exam Total Grade	decimal(5,2)	
Student Score	decimal(5,2)	X
Percentage	decimal(5,2)	X

Procedure dbo.StudentGradesReport

Parameter	Data Type	Default	Is Output
@StudentId	int		

Result:

Column	Data Type	Nullable
CourseName	nvarchar(100)	
StudentName	nvarchar(101)	
ExamID	int	
ExamDate	date	
Exam Total Grade	decimal(5,2)	
Student Score	decimal(5,2)	X

Percentage	decimal(5,2)	X
Exam Status	varchar(39)	

Procedure dbo.UpdateBranch

Parameter	Data Type	Default	Is Output
@BranchId	int		
@BranchName	nvarchar(100)	NULL	
@BranchLocation	nvarchar(200)	NULL	

Procedure dbo.UpdateChoice

Parameter	Data Type	Default	Is Output
@QuestionID	int		
@Choices	ChoicesTableType		

Procedure dbo.UpdateCourse

Parameter	Data Type	Default	Is Output
@CourseId	int		
@CourseName	nvarchar(100)	NULL	
@MinPassDegree	decimal(5,2)	NULL	

Procedure dbo.UpdateExam

Parameter	Data Type	Default	Is Output
@ExamId	int		
@ExamDate	date	null	
@StartTime	time	null	
@EndTime	time	null	
@TotalMCQQuestions	int	null	
@TotalTrueFalseQuestions	int	null	

Procedure dbo.UpdateInstructor

Parameter	Data Type	Default	Is Output
@InstructorId	int		
@FirstName	nvarchar(50)	NULL	
@LastName	nvarchar(50)	NULL	
@Email	nvarchar(100)	NULL	
@Phone	nvarchar(20)	NULL	

Procedure dbo.UpdateInstructorCourse

Parameter	Data Type	Default	Is Output
@InstructorID	int		
@OldCourseID	int		
@NewCourseID	int		

Result:

Column	Data Type	Nullable
message	varchar(38)	

Procedure dbo.UpdateQuestion

Parameter	Data Type	Default	Is Output
@QuestionId	int		
@QuestionText	nvarchar(1000)	null	
@QuestionMark	decimal(5,2)	null	

Procedure dbo.UpdateStudent

Parameter	Data Type	Default	Is Output
@StudentId	int		
@FirstName	nvarchar(50)	null	
@LastName	nvarchar(50)	null	
@Email	nvarchar(100)	null	
@Phone	nvarchar(20)	null	

Procedure dbo.UpdateTopic

Parameter	Data Type	Default	Is Output
@TopicId	int		
@TopicName	nvarchar(100)	NULL	
@CourseId	int	NULL	

Procedure dbo.UpdateTrack

Parameter	Data Type	Default	Is Output
@TrackId	int		
@TrackSupervisorId	int	null	
@TrackName	nvarchar(100)	null	

Procedure dbo.UpdateTrackCourse

Parameter	Data Type	Default	Is Output
@trackid	int		
@oldcourseid	int		
@newcourseid	int		

Result:

Column	Data Type	Nullable
message	varchar(33)	