Intake 42 OOP Exam

Duration : 90 Min. (35)

Regards

1 Full Marks in English ?

Take test overview

1 out of 1

1 out of 1

Question type

Multiple choice

Question

What does the following piece of code do?

```
int[] ints = {1, 2, 3};
int[] ints2 = ints;
ints[0] = 5;
```

What does the following piece of code do?

```
int[] ints = {1, 2, 3};
int[] ints2 = ints;
ints[0] = 5;
```

- Creates two arrays
- Creates one array
- Creates three arrays

Correct answers

- Creates two arrays

Explanation

Arrays are objects and are created with the keyword new. A variable holds a reference to an array and it is therefore possible to create two variables that point to the same array.

Correct answer for the array in the first statement is not considered by the system?

What does the code on line 4 do? Choose one from the following options.

```
1 int[] ints = {1, 2, 3};
2 int[] ints2 = ints;
3 ints[0] = 5;
4 ints = null;
```

- Creates two arrays
- Creates one array
- Creates three arrays

Correct answers

- Creates one array

Explanation

Arrays are objects and are created with the keyword new. A variable holds a reference to an array and it is therefore possible to create two variables that point to the same array. Setting a variable to null does not delete the array, it just means that the variable does not point to any array anymore.

Correct answer for the array in the first statement is not considered by the system?

What does the following piece of code do?

```
int[] ints = {1, 2, 3};
int[] ints2 = ints;
ints[0] = 5;
ints = null;
```

- Creates two arrays
- Creates one array
- Creates three arrays

Correct answers

- Creates one array

Explanation

Arrays are objects and are created with the keyword new. A variable holds a reference to an array and it is therefore possible to create two variables that point to the same array. Setting a variable to null does not delete the array, it just means that the variable does not point to any array anymore.

Correct answer for the array in the first statement is not considered by the system?

What does the following piece of code do?

```
int[] ints = {1, 2, 3};
int[] ints2 = ints;
ints[0] = 5;
ints = null;
```

- Creates two arrays
- Creates one array
- Creates three arrays

Correct answers

- Creates one array

Explanation

Arrays are objects and are created with the keyword new. A variable holds a reference to an array and it is therefore possible to create two variables that point to the same array. Setting a variable to null does not delete the array, it just means that the variable does not point to any array anymore.

Correct answer for the array in the first statement is not considered by the system?

2 out of 2

2 out of 2

Question type

Multiple choice

Question

What will be the output?

```
class Test {
    protected
    protected int[] ints = {1, 2, 3};
    protected int[] ints2 = ints;
    protected int[] ints3 = new int[3];
    protected int[] ints4 = new int[3];
    public static void main(String[] aArgs) {
        System.out.
        Test t = new Test();
        System.out.
        System.out.println("ints = " + t.ints);
        System.out.println("ints2 = " + t.ints2);
        System.out.
        System.out.
        System.out.println("ints3 = " + t.ints3);
        System.out.
        System.out.
        System.out.
        System.out.println("ints4 = " + t.ints4);
    }
}
```

- Compile error
- Compile error
- Compile error