MICCAI 2025: The 28th International Conference on Medical Image Computing and Computer Assisted Intervention, 23-27 September, Daejeon, South Kores. Graph Laplacian Transformer with Progressive Sampling for

UCONN



Prostate Cancer Grading Masum Shah Junayed¹, John Derek Van Vessem², Qian Wan², Gahie Nam², Sheida Nabavi¹

1School of Computing, University of Connecticut (UConn), Storrs, CT, USA ²Pathology and Laboratory Medicine, UConn Health Center, Farmington, CT 06030, USA

Input WSIs

- Motivation and Challenges: Prostate cancer → 2nd leading cause of cancer deaths in men.
- Whole-Slide Images (WSIs) = high resolution but very large.
- Gleason grading → subjective & challenging due to:
- Tissue heterogeneity.
- Artifacts & staining variations.
- Disagreement between pathologists.

Goal: Build a robust, efficient, and spatially consistent WSI grading framework.

Introduction

Proposed Methods

Attention Scores

Original WSI Proposed Model



Problem with Existing Approaches: Random/Static patch sampling → includes redundant or irrelevant

- Attention-based MIL → struggles with non-informative patches. Correlation-based MIL → ignores spatial context → inconsistent grading.
- Graph-based models → computationally expensive, require high
- Transformers → powerful, but discard critical tissue regions due to random patching.

Overview:

- · Patch Extraction: Divide WSIs into patches using CLAM + stain normalization.
- · Iterative Refinement Module (IRM): Start with all patches → score them → discard least relevant → refine selection.
- Graph Laplacian Attention Transformer (GLAT): Captures spatial relationships
- among patches. · Convex Aggregation: Combines refined patch features into a WSI-level
- representation. Classification Head: Predicts Gleason Grade.
- Foundation Model (UNI, frozen) → assigns attention-based
- importance scores. Iterative Filtering →
- discard low-score patches → keep top M.
- Selected patches → forwarded to GLAT.

IRM $A_{ij} = \operatorname{softmax}\left(rac{Q_i K_j^{ op}}{\sqrt{d_k}}
ight)$

- $Q_i = W_Q E_i, \quad K_j = W_K E_j$
- A_{IJ}: Attention score between patches i & j. Higher A_{II} → prioritized in selection.
- · Qu Ky: Query & key vectors derived from embeddings.
- W_Q, W_K: Learnable projection matrices. d_k: Key dimension for normalization.

Preprocessed Patches

 Selected patches from IRM → treated as graph nodes.

Iterative Refinement Module

Patch Embeddings

Build graph edges based on patch similarity.

 Apply GLAT: Learns global context + enforces spatial coherence.

Outputs refined embeddings → aggregated via Convex Aggregation → WSI-level representation.

Figure 1: Overview of the proposed prostate cancer grading model.

 $W_{ij} = \exp\left(-\frac{\|E_i' - E_j'\|^2}{2\sigma^2}\right)^i$

Graph Lay Transfo

Transformer

 $A' = \operatorname{softmax}\left(\frac{Q'K'^{\top} + \lambda L_{\text{global}}}{\sqrt{d_k}}\right)$

Key Highlights:

- Patch Input: Whole-slide images (WSIs).
- Step 1 IRM (Progressive Sampling):
 - Uses ResNet50 (Pretrained) + frozen foundation model (UNI).
 - Scores & iteratively refines patches removes irrelevant regions.
- Step 2 GLAT (Graph Laplacian Attention Transformer): Models tissue-level connectivity using
 - graph Laplacian constraints. Preserves spatial coherence and histological structures.
- (Prostate Grading) Step 3 Convex Aggregation:
 - Learns dynamic patch weights → produces robust WSI-level embedding.
 - Output: Accurate Gleason grade prediction.

GLAT

Output

Softmax

| Watmul | H

- W_{ij}: Similarity between patches i and j.
- E'_i, E'_i: Refined feature embeddings of patches. σ : Scaling parameter controlling sensitivity to distance.
- · IlA': Graph-attention map, dk: Dimension of key vectors.
- Q',K': Query & key vectors after graph filtering.
- $L_{global} = D W$: Graph Laplacian matrix.
- D : Degree matrix; and W : Adjacency matrix. λ: Weight controlling the contribution of spatial constraints.

Dataset & Preprocessing

Dataset:


- Six datasets were used to validate the
- proposed method.
- Public (5): TCGA-PRAD, SICAPV2, GLEASON19, PANDA, and DiagSet
- Private (1): 79 WSIs (UConn Health Center).
- Labels: ISUP grading (Grades 1-5; 1-2 ≈ normal, 3-5 malignant).
- Preprocessing: CLAM pipeline for patching: stain normalization
- → tissue segmentation → patch extraction. Patch size: 224x224; discard low-tissue patches; normalization to reduce staining variability.

Experimental Setup

- Hardware: NVIDIA RTX A6000 GPUs.
- Batch size:16; 100 epochs max with early stopping (val-based).
- Augmentations: random flips & rotations.
- Metrics: AUC and Cohen's Kappa (CK).
- validation for statistical reliability.

- Optimizer: Adam, LR = 1e-4, weight decay = 1e-5.
- Reported as mean over 5-fold cross-
- Baselines reproduced from public code; hyperparameters aligned for fair comparison.

Table 1: Quantitative comparison of the proposed method against state-of-the-art approaches on six prostate cancer grading datasets. The best results are in bold, and the second-best results are underlined.



Experimental Results


Deculte and Dieruccione Original WSI SWA MSA GLA

Figure 2: Visualization of attention score maps for different mechanisms in prostate cancer grading. Table 2: Ablation study evaluating the impact of key compr

Exp IRM	Prostate cancer grading.
Exp. IRM ResNet50 FM II 2	Prostate cancer grading. Transformer Transformer
1 JOHN II	GIANGA CA Perform
2 × V	WSA SWA AUC CK #P(M) Cost
3 7 1	✓ × ✓ 0.781 0.78 #P(M) Flone
4 × V	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$
5 1	X X V 0 737 0.725 89.9 43 50
6 1	1 X 101 11 60c 20.00
7 1	1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
4 7	× 1 0.754 0.700 91.63
	V V 0.751 0.709 86.7 41 50

- A novel approach combining iterative patch refinement and graph-aware
- transformers for accurate prostate cancer grading.

 IRM selects the most informative patches, while GLAT preserves spatial es superior AUC and Cohen's Kappa across six datasets, demonstrating strong generalization.



0.662 Acknowledgement

UCONN COLLEGE OF ENGINEERING SCHOOL OF COMPUTING

UCONN HEALTH

84.2 33.9

84.1 35.94