

CLINOMA PLATFORM

MATCHING ASSESSMENT

Day 1 Pediatrics Quiz Answers Key

Interactive Diagnosis & Classification

Prepared by: Clinoma Platform Team

Set 1: Growth Curves Types (aaaaaaaa aaaaaa)

Column I (Questions)	[Match]	Column II (Answers)
1. Percentile Curves	[D]	A. Considers the change (increment) in growth over time from year to year
2. Standard Deviation Curves	[B]	B. Shows how much variation or 'dispersion' there is from the average (mean)
3. Velocity Curves	[A]	C. Centiles in which reference data are conditional on or adjusted for some specific factor over or above age and sex
4. Conditional Centiles	[C]	D. Consists of: "Length-for-age," "Weight-for-age," "Stature-for-age," BMI-for-age, Head circumference-for-age, and Weight-for-length

Set 2: Neurodevelopmental Milestones (aaaa aaaaaa aaaaaa)

Column I (Questions)	[Match]	Column II (Answers)
1. Walks alone or with one hand	[H]	A. 18 months
2. Moro reflexes disappear	[E]	B. 3 months
3. Jumps	[G]	C. 3 months
4. Smile socially	[D]	D. 2 months
5. Coos	[C]	E. 4 months
6. Sit without support	[F]	F. 7 months
7. Walks up stairs, feeds self	[A]	G. 3 years
8. Head support	[C]	H. 12 months

Set 3: Developmental Warning Signs (0000000 0000000 00 000000)

Column I (Questions)	[Match]	Column II (Answers)
1. No Clear Spoken Words	[E]	A. > 6 months
2. Problems with Social Interaction	[B]	B. at 3 years
3. Persistence of Primitive Reflexes	[A]	C. by 12 months
4. No Two-Word Sentences	[F]	D. by 18 months
5. Not Walking	[E]	E. by 18 months
6. No Response to Environment or Parent	[C]	F. by 2 years

Set 4: Breastfeeding & Contraindications (00000000 0000000000)

Column I (Questions)	[Match]	Column II (Answers)
1. Lactoferrin	[A]	A. An iron-binding protein that prevents iron uptake by organisms, causing a bacteriostatic effect.
2. Bifidus factor	[C]	B. A relative maternal contraindication that requires regular breast evacuation until recovery.
3. Galactosemia	[D]	C. Stimulates lactic acid production, changing intestinal pH to become unsuitable for pathogenic organisms.
4. Acute mastitis	[B]	D. An absolute infant contraindication for breastfeeding.

Set 5: Malnutrition Symptoms & Causes (සමස්ත ප්‍රශ්න 05 ක් ඇතුළත් වේ)

Column I (Questions)	[Match]	Column II (Answers)
1. Pitting oedema	[E]	A. Caused by deficient amino acids and trace elements Cu, Mg, Zn.
2. Mental changes	[A]	B. Deficiency of essential fatty acids, amino acids, Vit A, Zn.
3. Skin changes	[B]	C. First abdomen, then limbs, finally buccal pad of fat (□ senile face).
4. Abdominal distension	[D]	D. hypokalemia/toxic ileus.
5. Loss of subcutaneous fat	[C]	E. Causes: decreased plasma proteins, increased plasma aldosterone/ADH, oxidative stress.

Set 6: Refractory Rickets & Genetics (සමස්ත ප්‍රශ්න 05 ක් ඇතුළත් වේ)

Column I (Questions)	[Match]	Column II (Answers)
1. Primary Hypophosphatemic Rickets	[D]	A. X-linked recessive.
2. Vitamin D Dependent Rickets Type I	[C]	B. Autosomal recessive, marked deficiency of alkaline phosphatase.
3. Vitamin D Dependent Rickets Type II	[E]	C. Autosomal recessive, renal 1α hydroxylase defect.
4. Lowe Syndrome (Oculo-Cerebrorenal)	[A]	D. X-linked dominant, defect in phosphate reabsorption & Vit D conversion.
5. Hypophosphatasia	[B]	E. Autosomal recessive, target organ resistance.

Set 7: Cow's Milk Allergy - CMA (aaaaaaaa aaaaaa aaaaaaaaaa)

Column I (Questions)	[Match]	Column II (Answers)
1. IgE-mediated CMA	[C]	A. Complete removal for 2-4 weeks; clinical improvement supports diagnosis.
2. Non-IgE-mediated CMA	[B]	B. Delayed reactions (hours to days), driven by cell-mediated response.
3. Skin Prick Test (SPT)	[D]	C. Immediate reactions (minutes to 2 hours), mediated by IgE antibodies.
4. Elimination Diet	[A]	D. Identifies IgE-mediated CMA; positive points to allergy.
5. Oral Food Challenge	[E]	E. Strict medical supervision; contraindicated in severe anaphylaxis.

Set 8: Vomiting & Regurgitation Definitions (aaaaaaaa aaaaaa)

Column I (Questions)	[Match]	Column II (Answers)
1. Nausea	[C]	A. The act by which food is brought back into the mouth without abdominal/diaphragmatic muscular activity.
2. Vomiting	[B]	B. Forceful oral expulsion of gastric contents associated with the contraction of the abdominal/chest wall musculature.
3. Regurgitation	[A]	C. An unpleasant sensation of the imminent need to vomit, usually referred to the throat or epigastrium.

Set 9: Down vs. Turner Syndromes (00000000 000000000000)

Column I (Questions)	[Match]	Column II (Answers)
1. Turner Syndrome: Intrauterine	[B]	A. Short fingers, curved 5th finger, transverse palmar crease, wide gap between 1st/2nd toes.
2. Turner Syndrome: Neonatal	[C]	B. May be presented with polyhydramnios and lung hypoplasia.
3. Down Syndrome: Dysmorphic Features	[D]	C. May be presented with lymphedema of hands/feet, low posterior hair line & cystic hygroma.
4. Turner Syndrome: Childhood	[E]	D. Upward slanting palpebral fissures, Epicanthus and Burchfield spots of iris.
5. Down Syndrome: Orthopedics Affection	[A]	E. Intelligence usually normal, short stature, short webbed neck, wide carrying angle at elbows.

Set 10: Prenatal screening Results (00000 000 00000000)

Column I (Questions)	[Match]	Column II (Answers)
1. Open neural tube defect	[B]	A. AFP Decreased, HCG Decreased
2. Down syndrome	[D]	B. AFP Increased, HCG Not applicable
3. Turner syndrome	[C]	C. AFP Normal/Decreased, HCG Increased
4. Edward syndrome	[A]	D. AFP Decreased, HCG Increased

Set 11: Invasive Screening Tests timing & mechanism (aaaaaaaaa aaaaaaaaaa)

Column I (Questions)	[Match]	Column II (Answers)
1. Chorionic villus sampling	[C]	A. Direct access to fetus via percutaneous introduction of fiberoptic telescope in amniotic cavity.
2. Amniocentesis	[B]	B. Can be done at 16-18/20 weeks, transabdominally.
3. Fetal blood sampling	[D]	C. Can be done at about 10-11 weeks, either transvaginal or transabdominally.
4. Fetoscopy	[A]	D. Blood is taken from the umbilical vein at the placental insertion.

QUIZ ANSWER KEY (□□□□□□ □□□□□□ □□□□□□)

Set 1: 1 □ D, 2 □ B, 3 □ A, 4 □ C

Set 2: 1 □ H, 2 □ E, 3 □ G, 4 □ D, 5 □ C, 6 □ F, 7 □ A, 8 □ C

Set 3: 1 □ E, 2 □ B, 3 □ A, 4 □ F, 5 □ E, 6 □ C

Set 4: 1 □ A, 2 □ C, 3 □ D, 4 □ B

Set 5: 1 □ E, 2 □ A, 3 □ B, 4 □ D, 5 □ C

Set 6: 1 □ D, 2 □ C, 3 □ E, 4 □ A, 5 □ B

Set 7: 1 □ C, 2 □ B, 3 □ D, 4 □ A, 5 □ E

Set 8: 1 □ C, 2 □ B, 3 □ A

Set 9: 1 □ B, 2 □ C, 3 □ D, 4 □ E, 5 □ A

Set 10: 1 □ B, 2 □ D, 3 □ C, 4 □ A

Set 11: 1 □ C, 2 □ B, 3 □ D, 4 □ A