

Question Bank

MCQ

In Clinical nutrition and Dietary management book

Chapter 1-Therapeutic diets and modified diets

1. *What is the primary goal of a therapeutic diet?*

 - A) Weight gain
 - B) Nutritional therapy
 - C) Food sensitivity
 - D) Taste enhancement

Answer: B

2. *Which diet is commonly used for individuals with celiac disease?*

 - A) Low-carb diet
 - B) Gluten-free diet
 - C) Mediterranean diet
 - D) Intermittent fasting

Answer: B

3. *A key component of a diabetic diet is to manage:*

 - A) Protein intake
 - B) Carbohydrate intake
 - C) Fat intake
 - D) Fiber intake

Answer: B

4. *Which nutrient is restricted in a low-sodium diet?*

 - A) Carbohydrates
 - B) Proteins
 - C) Fats
 - D) Sodium

Answer: D

5. *Which of the following diets is beneficial for lowering cholesterol?*

 - A) High-protein diet
 - B) High-sugar diet
 - C) Mediterranean diet
 - D) Ketogenic diet

Answer: C

6. *What is the purpose of a renal diet?*

- A) To promote weight loss
- B) To support kidney function
- C) To increase energy
- D) To enhance muscle gain

Answer: B

7. *Which of these foods is typically limited in a gluten-free diet?*

- A) Rice
- B) Quinoa
- C) Wheat
- D) Corn

Answer: C

8. *What is the primary focus of a vegetarian diet?*

- A) Elimination of all animal products
- B) Inclusion of dairy products
- C) Plant-based foods
- D) Increased protein consumption

Answer: C

9. *The DASH diet is primarily designed to help with:*

- A) Diabetes management
- B) Hypertension
- C) Weight loss
- D) Digestive issues

Answer: B

10. *Which type of diet restricts carbohydrates significantly?*

- A) Paleo
- B) Mediterranean
- C) Ketogenic
- D) Flexitarian

Answer: C

11. *A lactose-free diet is necessary for individuals with:*

- A) Celiac disease
- B) Lactose intolerance
- C) Diabetes
- D) Heart disease

Answer: B

12. *Which nutrient is crucial in a heart-healthy diet?*

- A) Saturated fats
- B) Fiber
- C) Trans fats

- D) Sugars
- *Answer: B*

13. *When modifying a diet for GERD, individuals are advised to avoid:*

- A) Lean meats
- B) Spicy foods
- C) Whole grains
- D) Non-citrus fruits

Answer: B

14. *Which of the following is a common feature of a high-fiber diet?*

- A) Increased animal proteins
- B) Increased fruits and vegetables
- C) Increased sugar intake
- D) Increased refined grains

Answer: B

15. *What is the primary component of a low-FODMAP diet?*

- A) High protein
- B) Low fermentable carbs
- C) High sugar
- D) Low fiber

Answer: B

16. *Individuals on a renal diet often need to limit:*

- A) Potassium
- B) Calcium
- C) Iron
- D) Water

Answer: A

Chapter 2-Dietary management of liver diseases

1. What is the primary goal of dietary management in liver disease?

- a) Weight gain
- b) Liver function support
- c) Increased sugar intake
- d) High protein consumption

*Answer: b) Liver function support

2. Which type of diet is commonly recommended for patients with fatty liver disease?

- a) High-fat diet
- b) Low-carbohydrate diet

- c) Balanced diet with low saturated fats
- d) Ketogenic diet
- *Answer:* c) Balanced diet with low saturated fats

3. Which nutrient is essential for liver health but should be consumed in moderation in liver disease?

- a) Carbohydrates
- b) Protein
- c) Fats
- d) Fiber
- *Answer:* b) Protein

4. What is the recommended daily limit for sodium intake for individuals with liver disease?

- a) 1,500 mg
- b) 2,000 mg
- c) 2,300 mg
- d) 3,500 mg
- *Answer:* a) 1,500 mg

5. Which of the following foods is best for a liver-friendly diet?

- a) Red meat
- b) Fatty fish
- c) Processed snacks
- d) Sugary desserts
- *Answer:* b) Fatty fish

6. What role does fiber play in liver health?

- a) It increases liver fat
- b) It helps regulate blood sugar and cholesterol levels
- c) It has no effect on liver health
- d) It is harmful to the liver
- *Answer:* b) It helps regulate blood sugar and cholesterol levels

7. Which vitamin is particularly important for individuals with liver disease?

- a) Vitamin A
- b) Vitamin C
- c) Vitamin D
- d) Vitamin E
- *Answer:* d) Vitamin E

8. What is a common dietary recommendation for patients with cirrhosis?

- a) Increase total calorie intake
- b) Decrease fluid intake
- c) Limit protein intake
- d) Increase sodium intake
- *Answer:* a) Increase total calorie intake

9. Which of the following beverages should be limited in a liver-healthy diet?

- a) Water
- b) Herbal tea
- c) Alcohol
- d) Fresh juice

Answer: c) Alcohol

10. Which condition is characterized by the accumulation of fat in liver cells?

- a) Cirrhosis
- b) Hepatitis
- c) Fatty liver disease
- d) Liver cancer

Answer: c) Fatty liver disease

11. How can antioxidants benefit liver health?

- a) They increase liver inflammation
- b) They neutralize free radicals and reduce oxidative stress
- c) They are harmful to liver cells
- d) They have no effect on liver health

Answer: b) They neutralize free radicals and reduce oxidative stress

12. What is the effect of high sugar intake on liver health?

- a) It improves liver function
- b) It can lead to fatty liver disease
- c) It has no effect
- d) It increases liver detoxification

Answer: b) It can lead to fatty liver disease

13. Which of the following foods is high in omega-3 fatty acids and beneficial for liver health?

- a) Salmon
- b) Chicken
- c) White rice
- d) Potatoes

Answer: a) Salmon

14. What is the recommended approach to eating for individuals with liver disease?

- a) Skipping meals
- b) Small, frequent meals
- c) Large meals once a day
- d) High-calorie snacks only

Answer: b) Small, frequent meals

15. Which mineral is important for liver health and should be monitored in patients with liver disease?

- a) Calcium
- b) Iron
- c) Magnesium
- d) Potassium

Answer: b) Iron

16. What is the primary concern regarding protein intake for patients with severe liver disease?

- a) Protein is always harmful
- b) It can lead to the buildup of ammonia
- c) It has no impact on liver function
- d) It increases energy levels

Answer: b) It can lead to the buildup of ammonia

17. Which fruit is particularly beneficial for liver health due to its high antioxidant content?

- a) Banana
- b) Blueberries
- c) Watermelon
- d) Grapes

Answer: b) Blueberries

18. What type of carbohydrates should be prioritized for liver disease management?

- a) Simple carbohydrates
- b) Complex carbohydrates
- c) Refined carbohydrates
- d) Sugary snacks

Answer: b) Complex carbohydrates

19. Which of the following is a common symptom of liver disease that may affect dietary choices?

- a) Increased appetite
- b) Fatigue
- c) Weight gain
- d) Clear skin

Answer: b) Fatigue

20. Which dietary pattern is often recommended for liver health?

- a) High-protein, low-carb
- b) Mediterranean diet
- c) High-fat, low-fiber
- d) Low-calorie, high-sugar

Answer: b) Mediterranean diet

Chapter 3-Dietary management of CVD diseases

1. What is the primary dietary fat to limit for cardiovascular health?
 - a) Saturated fat
 - b) Polyunsaturated fat
 - c) Monounsaturated fat
 - d) Trans fat

Answer: d) Trans fat
2. Which of the following is considered a heart-healthy oil?
 - a) Coconut oil
 - b) Palm oil
 - c) Olive oil
 - d) Hydrogenated oil

Answer: c) Olive oil
3. Which of the following is a key benefit of a Mediterranean diet?
 - a) High in processed foods
 - b) Promotes high sugar intake
 - c) Rich in fruits and vegetables
 - d) Low in fish

Answer: c) Rich in fruits and vegetables
4. What is the relationship between dietary cholesterol and heart disease risk?
 - a) High cholesterol foods always raise blood cholesterol
 - b) Dietary cholesterol has little effect on blood cholesterol for most people
 - c) All cholesterol is bad for the heart
 - d) Only saturated fats affect cholesterol levels

Answer: b) Dietary cholesterol has little effect on blood cholesterol for most people
5. What role do antioxidants play in heart health?
 - a) They increase blood pressure
 - b) They prevent oxidative stress
 - c) They raise LDL cholesterol
 - d) They have no effect on heart health

Answer: b) They prevent oxidative stress
6. What is the effect of high sugar intake on cardiovascular health?
 - a) It decreases triglycerides
 - b) It increases blood pressure
 - c) It has no effect
 - d) It improves heart function

Answer: b) It increases blood pressure

7. Which nutrient is important for maintaining healthy blood vessels?

- a) Vitamin C
- b) Vitamin D
- c) Vitamin B12
- d) Vitamin A

Answer: a) Vitamin C

8. Which dairy product is typically recommended for heart health?

- a) Whole milk
- b) Low-fat yogurt
- c) Cream cheese
- d) Ice cream

Answer: b) Low-fat yogurt

9. What is the primary benefit of a plant-based diet for cardiovascular health?

- a) Higher meat consumption
- b) Increased fiber intake
- c) Increased saturated fat
- d) Reduced fruit intake

Answer: b) Increased fiber intake

10. Which cooking method is best for heart health?

- a) Frying
- b) Grilling
- c) Boiling
- d) Steaming

Answer: d) Steaming

11. What is a common effect of excessive alcohol consumption on the heart?

- a) Decreases blood pressure
- b) Increases heart rate
- c) Improves cholesterol levels
- d) None

Answer: b) Increases heart rate

12. Which nutrient is often referred to as "good" fat and can help improve cholesterol levels?

- a) Saturated fat
- b) Trans fat
- c) Monounsaturated fat
- d) Polyunsaturated fat

Answer: c) Monounsaturated fat

13. Which dietary pattern is associated with a lower risk of heart disease?

- a) High-carb, low-fat
- b) High-protein, low-carb

- c) Mediterranean diet
- d) Ketogenic diet
- *Answer:* c) Mediterranean diet

14. Which of the following is a sign of healthy dietary management for cardiovascular diseases?

- a) Frequent fast food consumption
- b) Regular consumption of processed snacks
- c) Balanced intake of macronutrients
- d) High intake of sugary desserts
- *Answer:* c) Balanced intake of macronutrients

Chapter 4-Dietary management of GIT diseases

1. What type of diet could benefit a patient with Crohn's disease during a flare-up?

- A) High-fiber
- B) Low-residue
- C) Low-fat
- D) High-protein

Answer: B) Low-residue

2. Which of the following foods should be avoided in a low-FODMAP diet?

- A) Oats
- B) Garlic
- C) Spinach
- D) Chicken

Answer: B) Garlic

3. For a patient with lactose intolerance, which dairy product is often better tolerated?

- A) Whole milk
- B) Cheese
- C) Ice cream
- D) Yogurt

Answer: D) Yogurt

4. A dietitian recommends a gluten-free diet for a patient with which condition?

- A) IBS
- B) Constipation
- C) Celiac disease
- D) Diverticulitis

Answer: C) Celiac disease

5. Which of the following is a common symptom of irritable bowel syndrome (IBS)?

- A) Constant diarrhea
- B) Abdominal bloating
- C) Blood in stool
- D) Weight loss

Answer: B) Abdominal bloating

6. Which vitamin is often supplemented in patients with fat malabsorption due to pancreatic insufficiency?

- A) Vitamin A
- B) Vitamin K
- C) Vitamin D
- D) Vitamin B12

Answer: C) Vitamin D

7. For patients with hepatic encephalopathy, it is important to limit:

- A) Carbohydrates
- B) Proteins
- C) Sugars
- D) Fats

Answer: B) Proteins

8. Patients with chronic pancreatitis are often advised to reduce:

- A) Fiber
- B) Protein
- C) Carbohydrates
- D) Fat

Answer: D) Fat

9. A high-fiber diet is beneficial for:

- A) COPD
- B) Constipation
- C) Anorexia
- D) Kidney disease

Answer: B) Constipation

10. Patients with GERD are often advised to:

- A) Eat large meals
- B) Avoid lying down after eating
- C) Consume citrus fruits in abundance
- D) Drink carbonated beverages

Answer: B) Avoid lying down after eating

11. Which of the following is a common dietary recommendation for individuals with heartburn?

- A) Large meals
- B) High caffeine intake
- C) Avoiding chocolate
- D) Increased dairy intake

Answer: C) Avoiding chocolate

12. For patients with IBS, a dietitian might recommend:

- A) High salt intake
- B) Fasting
- C) Low FODMAP diet
- D) High sugar diet

Answer: C) Low FODMAP diet

13. A food high in probiotics beneficial for gut health is:

- A) Bread
- B) Yogurt
- C) Rice
- D) Eggs

Answer: B) Yogurt

14. Which type of fiber is particularly beneficial for lowering cholesterol levels?

- A) Insoluble fiber
- B) Soluble fiber
- C) Synthetic fiber
- D) Resistant starch

Answer: B) Soluble fiber

15. A common symptom of gluten sensitivity is:

- A) Rapid weight gain
- B) Nausea
- C) Abdominal pain
- D) Blurred vision

Answer: C) Abdominal pain

16. For a patient with liver disease, which nutrient should be closely monitored?

- A) Carbohydrates
- B) Proteins
- C) Fats
- D) Vitamins

Answer: B) Proteins

Chapter 5--Dietary management for diabetes patients

1. *What is the primary aim of dietary management in diabetes?*
 - A) Weight loss
 - B) Blood sugar control
 - C) Increased insulin production
 - D) Reduced cholesterol levels
 - *Answer:* B) Blood sugar control
-
2. *Which type of carbohydrate is recommended for diabetes patients?*
 - A) Simple carbohydrates
 - B) Refined carbohydrates
 - C) Complex carbohydrates
 - D) Sugary snacks
 - *Answer:* C) Complex carbohydrates
-
3. *What is the glycemic index?*
 - A) A measure of fiber content
 - B) A measure of blood sugar effect of foods
 - C) A measure of food weight
 - D) A weight-loss plan
 - *Answer:* B) A measure of blood sugar effect of foods
-
4. *Which macronutrient should be limited to manage diabetes?*
 - A) Fat
 - B) Carbohydrates
 - C) Protein
 - D) Fiber
 - *Answer:* B) Carbohydrates
-
5. *Which food is considered low glycemic?*
 - A) White bread
 - B) Lentils
 - C) Candy
 - D) White rice
 - *Answer:* B) Lentils
-
6. *What type of fat should diabetes patients choose?*
 - A) Saturated fats
 - B) Trans fats
 - C) Monounsaturated fats
 - D) Hydrogenated oils
 - *Answer:* C) Monounsaturated fats

7. *Which beverage should be limited for diabetes patients?*

- A) Water
- B) Herbal tea
- C) Fruit juice
- D) Black coffee

Answer: C) Fruit juice

8. *Which type of fiber is beneficial for glycemic control?*

- A) Soluble fiber
- B) Insoluble fiber
- C) Total fiber
- D) None of the above

Answer: A) Soluble fiber

9 *What is the role of omega-3 fatty acids in diabetes?*

- A) Increase blood sugar
- B) Reduce inflammation
- C) Enhance hunger
- D) Increase insulin resistance

Answer: B) Reduce inflammation

10. *How should diabetes patients approach meal planning?*

- A) Eat whatever they feel like
- B) Plan balanced meals with controlled portions
- C) Skip meals to save calories
- D) Follow a high-carb diet

Answer: B) Plan balanced meals with controlled portions

11 *What are the potential risks of low-carb diets for diabetes patients?*

- A) Increased energy levels
- B) Nutrient deficiencies
- C) Improved blood sugar control
- D) Weight gain

Answer: B) Nutrient deficiencies

12. *Which vitamin is known to help with insulin sensitivity?*

- A) Vitamin A
- B) Vitamin C
- C) Vitamin D
- D) Vitamin K

Answer: C) Vitamin D

13. *Which condition can result from improperly managing blood sugar through diet?*

- A) Hypertension
- B) Hypoglycemia
- C) Osteoporosis
- D) Gout

Answer: B) Hypoglycemia

14. *What should be prioritized in a diabetes meal plan?*

- A) High protein
- B) Food variety
- C) Low taste
- D) Low calorie

Answer: B) Food variety

15. *What is 'carb counting'?*

- A) Calculating total calories consumed
- B) Estimating the grams of carbohydrates in foods
- C) Counting the number of meals in a day
- D) Measuring portion sizes

Answer: B) Estimating the grams of carbohydrates in foods

16. *Which dairy product is preferable for diabetes?*

- A) Full-fat yogurt
- B) Sweetened almond milk
- C) Unsweetened Greek yogurt
- D) Chocolate milk

Answer: C) Unsweetened Greek yogurt

17. *Which cooking method is healthiest for diabetes patients?*

- A) Frying
- B) Boiling
- C) Grilling
- D) Baking

Answer: C) Grilling

Chapter 6 - Dietary management of renal diseases

1 .What is the primary goal of dietary management in patients with chronic kidney disease (CKD)?

- A) Increase protein intake
- B) Minimize fluid intake
- C) Control blood pressure and reduce cardiovascular risk
- D) Increase potassium levels

Answer: C

2 .Which of the following nutrients is typically restricted in patients on a renal diet?

- A) Fiber
- B) Calcium
- C) Phosphorus
- D) Vitamin C

Answer: C

3. What is the recommended daily protein intake for patients with stage 3 CKD?

- A) 0.8 g/kg of body weight
- B) 1.2 g/kg of body weight
- C) 0.6 g/kg of body weight
- D) 2.0 g/kg of body weight

Answer: A

4 .Which food should patients with CKD avoid due to its high potassium content?

- A) Apples
- B) Bananas
- C) Carrots
- D) Bread

Answer: B

5 .What is an important consideration for managing sodium intake in renal patients?

- A) Sodium is essential for kidney function
- B) High sodium can lead to fluid retention
- C) Sodium does not affect blood pressure
- D) Sodium intake has no dietary restrictions

Answer: B

6 .For patients in renal failure, what type of fat is recommended to replace saturated fat?

- A) Trans fat
- B) Monounsaturated and polyunsaturated fats
- C) Hydrogenated fats
- D) None

Answer: B

7. Which type of diet is recommended for a patient on dialysis?

- A) Low protein diet
- B) High protein diet
- C) Fatty diet
- D) Low carbohydrate diet

Answer: B

8. Which of the following is not a recommended beverage for patients with CKD?

- A) Water
- B) Herbal tea
- C) Soft drinks with high phosphoric acid
- D) Fresh juices with low potassium

Answer: C

9. What is a potential consequence of excessive protein intake in kidney disease?

- A) Improved kidney function
- B) Increased nitrogen waste in the blood
- C) Decreased energy levels
- D) Enhanced immune function

Answer: B

10. Which vitamin is often supplemented in renal patients to support bone health?

- A) Vitamin A
- B) Vitamin D
- C) Vitamin K
- D) Vitamin B12

Answer: B

11. In renal diet management, what is the role of fluid restriction?

- A) To prevent dehydration
- B) To minimize blood pressure
- C) To prevent fluid overload and swelling
- D) To enhance kidney filtration

Answer: C

12. Which milk alternative is typically low in potassium and phosphorus?

- A) Soy milk
- B) Almond milk
- C) Rice milk
- D) Coconut milk

Answer: C

13 .What is the ideal serving size for a protein source in a renal diet?

- A) 10 ounces
- B) 6 ounces
- C) 3-4 ounces
- D) 1 ounce

Answer: C

14 .Which of the following is an essential mineral that may need supplementation in patients with CKD?

- A) Iron
- B) Zinc
- C) Phosphorus
- D) Potassium

Answer: A

15 .What is the recommended daily fluid intake for a patient on hemodialysis?

- A) 1-2 liters per day, depending on urine output
- B) 3-4 liters per day
- C) Unlimited fluids
- D) 500 ml only

Answer: A

16. Which type of beans provides a high protein source but may need to be limited in CKD?

- A) Black beans
- B) Green beans
- C) Lima beans
- D) Soy beans

Answer: A

17 .What kind of foods should be avoided by renal patients to reduce phosphorus intake?

- A) Whole fruits
- B) Dairy products and processed foods
- C) Fresh vegetables
- D) Lean meats

Answer: B

18 .What is the role of potassium binders in renal disease management?

- A) To increase potassium levels
- B) To decrease potassium absorption
- C) To supplement potassium
- D) To enhance kidney function

Answer: B

19 .Which food is a poor choice for someone with CKD due to high sodium and phosphorus?

- A) Fresh vegetables
- B) Regular cheese
- C) Whole grains
- D) Fresh fruits

Answer: B

20 .Which cooking method is recommended for maintaining nutrient content in renal diets?

- A) Boiling
- B) Baking
- C) Frying
- D) Steaming

Answer: D

21 .For renal patients, which of the following is an appropriate source of healthy carbohydrates?

- A) White bread
- B) Whole grain bread
- C) Sugary beverages
- D) Candy

Answer: B

22 .What is a common challenge for caregivers of patients with renal disease regarding diet?

- A) Understanding meal preparation
- B) Enjoying foods together
- C) Developing specific recipes
- D) Balancing the salt intake

Answer: D

23 .For patients with diabetes and CKD, carbohydrate counting is a necessary strategy to manage:

- A) Blood pressure
- B) Fluid intake
- C) Blood glucose levels
- D) Creatinine levels

Answer: C

24 .What is one key point about the dairy intake for renal patients?

- A) They should consume full-fat dairy .
- B) They should limit high-phosphorus dairy products .
- C) They can consume unlimited dairy .
- D) Dairy is beneficial for kidney function .

Answer: B

Chapter 7 & 8 -Dietary management of Comatosed & patients with system failure

1. *What is the primary consideration when developing a diet for a Comatosed patient?*
 - A) Oral feeding
 - B) Nutritional adequacy through enteral or parenteral feeding
 - C) Preference for solid foods
 - D) High-calorie snacks
 - Answer: B
-
2. *Which method is commonly used for feeding patients who are unable to eat orally due to coma?*
 - A) Oral hydration
 - B) Nasogastric tube feeding
 - C) Intravenous hydration
 - D) Chewing their food
 - Answer: B
-
3. *What type of diet is typically recommended for patients in acute renal failure?*
 - A) High-protein diet
 - B) Carbohydrate-rich diet
 - C) Low-protein, low-potassium diet
 - D) High-sodium diet
 - Answer: C
-
4. *For patients with liver failure, which nutrient should be closely monitored and potentially restricted?*
 - A) Carbohydrates
 - B) Fats
 - C) Protein
 - D) Fiber
 - Answer: C
-
5. *When managing the diet of a comatosed patient, which of the following is most important?*
 - A) Palatability
 - B) Nutritional balance and caloric needs
 - C) Food variety
 - D) Serving temperature
 - Answer: B

6. *In patients with multiple organ failure, what is a critical nutritional concern?*

- A) Excessive fiber intake
- B) Hyperglycemia
- C) Deficiencies in electrolytes
- D) Increased consumption of dairy

Answer: C

7. *Which nutrient is essential for immune support in critically ill patients?*

- A) Carbohydrates
- B) Vitamin C
- C) Omega-3 fatty acids
- D) Saturated fats

Answer: B

8. *What is the goal of nutrition support in patients recovering from comatose states?*

- A) To reduce body weight
- B) To improve cognitive function through dietary changes
- C) To provide sufficient energy and protein for healing
- D) To eliminate carbohydrates entirely

Answer: C

9. *For patients with heart failure, which dietary modification is typically advised?*

- A) High-sugar diet
- B) Low-sodium diet
- C) High-fat diet
- D) Increased fluid intake

Answer: B

10. *What should be prioritized in a feeding plan for a patient in a persistent vegetative state?*

- A) Flavoring food
- B) Hydration and basic nutritional needs
- C) High animal protein
- D) Regular meal times

Answer: B

11. *What is a critical consideration when managing the diet of a comatosed patient?*

- A) Encouraging solid food intake
- B) Ensuring proper hydration and nutrition via enteral feeding
- C) Allowing unrestricted calorie intake
- D) Ignoring electrolyte balance

Answer: B

12. *Which method of feeding is most common for patients who cannot swallow due to coma?*

- A) Oral feeding

- B) Total parenteral nutrition (TPN)
 - C) Enteral feeding via a tube
 - D) Soft diet
- Answer: C

13. *What is an essential nutrient to monitor in patients with systemic failure?*

- A) Fiber
 - B) Protein
 - C) Simple carbohydrates
 - D) Fats
- Answer: B

14. *In caring for a patient with renal failure, which dietary modification is necessary?*

- A) High potassium intake
 - B) Low protein and sodium intake
 - C) Increased fluid consumption
 - D) High carbohydrate intake
- Answer: B

15. *Which feeding route is preferable for patients with impaired gastrointestinal function?*

- A) Oral feeding
 - B) TPN (Total Parenteral Nutrition)
 - C) Nasogastric feeding
 - D) Enteral feeding through a percutaneous endoscopic gastrostomy (PEG) tube
- Answer: B

16. *For a patient in septic shock, which dietary component is crucial for recovery?*

- A) High-sugar foods
 - B) Adequate protein for immune support
 - C) Excess fat
 - D) Increased fiber
- Answer: B

17. *What is the primary goal of dietary management in comatosed patients?*

- A) Promoting weight gain
 - B) Preventing malnutrition and providing essential nutrients
 - C) Encouraging patient comfort
 - D) Reducing calorie intake
- Answer: B

18. *Which dietary approach is commonly utilized for patients with hepatic failure?*

- A) High protein diet
 - B) Low protein diet with increased carbohydrates
 - C) Low sodium and high-fat diet
 - D) Gluten-free diet
- Answer: B

19. *What vital aspect should be monitored when providing enteral nutrition?*

- A) The patient's food preferences
- B) Gastrointestinal tolerance and absorption
- C) Caloric intake only
- D) Fiber quantity

Answer: B

20. *When managing a comatosed patient, how often should nutrition status be assessed?*

- A) Every week
- B) Daily
- C) Monthly
- D) Only at discharge

Answer: B

21. *What is the primary dietary concern for patients with kidney failure?*

- A) Increased fiber intake
- B) High protein consumption
- C) Sodium and potassium restriction
- D) Increased carbohydrates

*Answer: C)

22. *Which of the following is a common recommendation for patients with liver cirrhosis?*

- A) High protein diet
- B) Low carbohydrate diet
- C) Sodium restriction
- D) High fiber intake

*Answer: C)

23. *For patients with heart failure, which nutrient should be limited to help manage fluid retention?*

- A) Potassium
- B) Fiber
- C) Sodium
- D) Protein

*Answer: C)

24. *What dietary component is often increased for patients recovering from acute respiratory distress syndrome (ARDS)?*

- A) Carbohydrates
- B) Proteins
- C) Lipids
- D) Fiber

*Answer: B)

25. *Which of the following is the best source of carbohydrates for diabetic patients with kidney issues?*

- A) White bread
- B) Brown rice
- C) Vegetables and whole grains
- D) Sugary snacks

Answer: C)

26. *Patients with chronic kidney disease (CKD) are advised to limit which vitamin due to risk of toxicity?*

- A) Vitamin C
- B) Vitamin D
- C) Vitamin A
- D) Vitamin B12

Answer: C)

27. *In patients with heart failure, which dietary modification can help improve fluid management?*

- A) Increase caffeine intake
- B) Limit water and fluid intake
- C) Reduce protein intake
- D) No dietary changes necessary

Answer: B)

28. *Which nutrient may need to be restricted in patients with liver failure?*

- A) Fats
- B) Carbohydrates
- C) Proteins
- D) Vitamins

Answer: C) Proteins

29. *Patients with pancreatitis should avoid which type of foods?*

- A) Low-fat foods
- B) High-fiber foods
- C) Fatty and fried foods
- D) Whole grains

Answer: C) Fatty and fried foods

Chapter 9-Nutrition therapy for post-operative patients

1. *What is the primary goal of nutrition therapy for post-operative patients?*

 - a) Weight loss
 - b) Weight gain
 - c) Promote healing and recovery
 - d) Increase physical activity

Answer: c)

2. *Which nutrient is most critical for wound healing?*

 - a) Carbohydrates
 - b) Fats
 - c) Proteins
 - d) Vitamins

Answer: c)

3. *What should be the main focus of a post-operative diet in the first 24-48 hours?*

 - a) Solid foods
 - b) Clear liquids
 - c) High-protein foods
 - d) High-fiber foods

Answer: b)

4. *Which vitamin is essential for collagen synthesis?*

 - a) Vitamin A
 - b) Vitamin C
 - c) Vitamin D
 - d) Vitamin E

Answer: b)

5. *What type of diet is most appropriate for a patient recovering from abdominal surgery?*

 - a) High-fiber diet
 - b) Low-residue diet
 - c) Ketogenic diet
 - d) Mediterranean diet

Answer: b)

6. *What is the recommended protein intake for post-operative patients to promote healing?*

 - a) 0.5 g/kg of body weight
 - b) 1.0-1.5 g/kg of body weight
 - c) 2.0 g/kg of body weight
 - d) 0.8 g/kg of body weight

Answer: b)

7. *Which mineral is vital for wound healing and immune function?*
- a) Calcium
 - b) Iron
 - c) Zinc
 - d) Magnesium
- *Answer:* c)
8. *Post-operative patients are often at risk for what type of complications due to stasis?*
- a) Hypertension
 - b) Pneumonia
 - c) Deep vein thrombosis
 - d) Diabetes
- *Answer:* c)
9. *What should be avoided in the diet of a patient with delayed gastric emptying post-surgery?*
- a) Lean protein
 - b) Simple carbohydrates
 - c) High-fiber fruits
 - d) Healthy fats
- *Answer:* b)
10. *Which of the following is a better source of protein for a recovering surgical patient?*
- a) White bread
 - b) Chicken breast
 - c) Ice cream
 - d) Potato chips
- *Answer:* b)
11. *An adequate intake of which type of dietary fat is important for healing?*
- a) Trans fats
 - b) Saturated fats
 - c) Monounsaturated and polyunsaturated fats
 - d) Hydrogenated fats
- *Answer:* c)
12. *Why is hydration important for post-operative patients?*
- a) It helps reduce pain.
 - b) It maintains electrolyte balance and aids in digestion.
 - c) It prevents swelling.
 - d) It boosts energy levels.
- *Answer:* b)
13. *Which diet is often prescribed for patients recovering from bariatric surgery?*
- a) High-carb diet
 - b) Low-carb diet

- c) Soft diet
- d) High-fiber diet
- *Answer:* c)

14. *How soon after surgery can most patients start with oral nutrition?*

- a) 12 hours
- b) 24-48 hours
- c) 3-5 days
- d) 1 week
- *Answer:* b)

15. *What type of meal may be particularly beneficial immediately after surgery?*

- a) Large, heavy meal
- b) Small, frequent meals
- c) High-sugar snack
- d) High-protein shake
- *Answer:* b)

16. *What is the role of fiber in the diet of post-operative patients?*

- a) It helps to control blood sugar levels.
- b) It aids in bowel regularity.
- c) It promotes weight loss.
- d) It increases muscle mass.
- *Answer:* b)

17. *After surgery, which of the following should be minimized to prevent gastrointestinal discomfort?*

- a) High-protein foods
- b) Sugary foods
- c) Sodas and carbonated beverages
- d) Whole grains
- *Answer:* c)

18. *What is a potential consequence of inadequate protein intake after surgery?*

- a) Improved healing
- b) Increased risk of infection
- c) Better energy levels
- d) Lower blood pressure
- *Answer:* b)

19. *Which of these beverages is best for post-operative hydration?*

- a) Soda
- b) Coffee
- c) Water or electrolyte solutions
- d) Fruit juice
- *Answer:* c)

20. *When should a patient experiencing nausea be reassessed for their nutritional plan?*
- a) 1 week post-op
 - b) 48 hours post-op
 - c) 24 hours post-op
 - d) If it persists beyond 2 hours
- *Answer:* c)
21. *Which food is best avoided in early post-operative nutrition?*
- a) Broth
 - b) Yogurt
 - c) High-fat fried foods
 - d) Applesauce
- *Answer:* c)
22. *For patients undergoing orthopedic surgery, what is a key nutrient to focus on?*
- a) Fiber
 - b) Carbohydrates
 - c) Calcium
 - d) Sugars
- *Answer:* c)
23. *What is the appropriate carbohydrate source for a post-operative patient?*
- a) Sugary cereals
 - b) Whole grains
 - c) White bread
 - d) Pastries
- *Answer:* b)
24. *Which type of post-operative surgery patients are often put on a low sodium diet?*
- a) Cardiothoracic surgery
 - b) Orthopedic surgery
 - c) Gastrointestinal surgery
 - d) All surgery types
- *Answer:* a)
25. *A post-operative patient should ideally consume a high intake of which fluid type to promote recovery?*
- a) Full-fat milk
 - b) Alcoholic beverages
 - c) Low-sugar electrolyte drinks
 - d) Energy drinks
- *Answer:* c)

26. *What symptom indicates a need for immediate nutritional reassessment?*

- a) Increased appetite
- b) Vomiting
- c) Mild discomfort
- d) Fatigue

Answer: b)

27. *In post-operative nutrition, which dietary modification may help improve wound healing?*

- a) Reducing fat intake
- b) Increasing protein and micronutrient intake
- c) Reducing carbohydrate intake
- d) Increasing sugar intake

Answer: b)

28. *How can nutritional needs be assessed for post-operative patients?*

- a) By guessing
- b) Through a formal dietary assessment or consultation
- c) By asking the patient's family
- d) By reviewing previous weight history

Answer: b)

29. *Completing a multidisciplinary care plan is important for which of the following reasons?*

- a) To increase hospital charges
- b) To ensure all aspects of care are coordinated
- c) To provide entertainment
- d) To speed up discharge

Answer: b)

30. *Which of the following is an appropriate source of Omega-3 fatty acids beneficial for post-operative patients?*

- a) Beef steaks
- b) Salmon
- c) White bread
- d) Potato chips

Answer: b)

31- In hepatitis patients, all needs to be increased except

- a) Protein
- b) Energy
- c) Carbohydrates
- d) Fat

32-Used after surgery or a heart attack

- a) Low protein diet
- b) High protein diet
- c) Liquid diet
- d) None of the above

33-Patients suffering from burns needs

- a) Low calorie diet
- b) Sodium restricted diet
- c) High protein diet
- d) None of the above

34-Salt restricted diet used for patients with

- a) Cardiovascular disease
- b) Kidney disease
- c) Edema
- d) All of the above

35-If signs of hepatic coma appears, the protein intake should be decreased to

- a) 1gm /kg body weight
- b) 1mg/ kg body weight
- c) 0.3 gm / kg body weight
- d) 1.5 mg/ kg body weight

36-The availability of fat soluble vitamins like vit A is affected due to decreased intake and impaired absorption of fat in patient with

- a) Liver disease
- b) Kidney disease
- c) Hypertension
- d) All of the above

37-In advanced cases of liver cirrhosis, presence of ascites and oedema necessitate the restriction of -----in diet

- a) Protein
- b) Sodium
- c) Calcium
- d) Fluids

38-- ----- tends to lower the serum cholesterol level in patients with atherosclerosis

- a) Animal fats
- b) PUFA
- c) Hydrogenated oil
- d) None of the above

39-Avoiding fats in meats, milk, cream ,butter ,the diets tend to be low in vitamin

- a) A
- b) B complex
- c) K
- d) None of the above

40-Calorie restriction is a major therapeutic tool in the treatment of hypertension especially in

- a) Obese patients
- b) Renal patients
- c) Diabetic patient
- d) Both a and c