

Question Bank

MCQ

In Clinical nutrition and Dietary management book

Chapter 1-Therapeutic diets and modified diets

1. *What is the primary goal of a therapeutic diet?*

 - A) Weight gain
 - B) Nutritional therapy
 - C) Food sensitivity
 - D) Taste enhancement

Answer: B

2. *Which diet is commonly used for individuals with celiac disease?*

 - A) Low-carb diet
 - B) Gluten-free diet
 - C) Mediterranean diet
 - D) Intermittent fasting

Answer: B

3. *A key component of a diabetic diet is to manage:*

 - A) Protein intake
 - B) Carbohydrate intake
 - C) Fat intake
 - D) Fiber intake

Answer: B

4. *Which nutrient is restricted in a low-sodium diet?*

 - A) Carbohydrates
 - B) Proteins
 - C) Fats
 - D) Sodium

Answer: D

5. *Which of the following diets is beneficial for lowering cholesterol?*

 - A) High-protein diet
 - B) High-sugar diet
 - C) Mediterranean diet
 - D) Ketogenic diet

Answer: C

6. *What is the purpose of a renal diet?*

- A) To promote weight loss
- B) To support kidney function
- C) To increase energy
- D) To enhance muscle gain

Answer: B

7. *Which of these foods is typically limited in a gluten-free diet?*

- A) Rice
- B) Quinoa
- C) Wheat
- D) Corn

Answer: C

8. *What is the primary focus of a vegetarian diet?*

- A) Elimination of all animal products
- B) Inclusion of dairy products
- C) Plant-based foods
- D) Increased protein consumption

Answer: C

9. *The DASH diet is primarily designed to help with:*

- A) Diabetes management
- B) Hypertension
- C) Weight loss
- D) Digestive issues

Answer: B

10. *Which type of diet restricts carbohydrates significantly?*

- A) Paleo
- B) Mediterranean
- C) Ketogenic
- D) Flexitarian

Answer: C

11. *A lactose-free diet is necessary for individuals with:*

- A) Celiac disease
- B) Lactose intolerance
- C) Diabetes
- D) Heart disease

Answer: B

12. *Which nutrient is crucial in a heart-healthy diet?*

- A) Saturated fats
- B) Fiber
- C) Trans fats

- D) Sugars
- *Answer: B*

13. *When modifying a diet for GERD, individuals are advised to avoid:*

- A) Lean meats
- B) Spicy foods
- C) Whole grains
- D) Non-citrus fruits

Answer: B

14. *Which of the following is a common feature of a high-fiber diet?*

- A) Increased animal proteins
- B) Increased fruits and vegetables
- C) Increased sugar intake
- D) Increased refined grains

Answer: B

15. *What is the primary component of a low-FODMAP diet?*

- A) High protein
- B) Low fermentable carbs
- C) High sugar
- D) Low fiber

Answer: B

16. *Individuals on a renal diet often need to limit:*

- A) Potassium
- B) Calcium
- C) Iron
- D) Water

Answer: A

Chapter 2-Dietary management of liver diseases

1. What is the primary goal of dietary management in liver disease?

- a) Weight gain
- b) Liver function support
- c) Increased sugar intake
- d) High protein consumption

*Answer: b) Liver function support

2. Which type of diet is commonly recommended for patients with fatty liver disease?

- a) High-fat diet
- b) Low-carbohydrate diet

c) Balanced diet with low saturated fats

d) Ketogenic diet

Answer: c) Balanced diet with low saturated fats

3. Which nutrient is essential for liver health but should be consumed in moderation in liver disease?

a) Carbohydrates

b) Protein

c) Fats

d) Fiber

Answer: b) Protein

4. What is the recommended daily limit for sodium intake for individuals with liver disease?

a) 1,500 mg

b) 2,000 mg

c) 2,300 mg

d) 3,500 mg

Answer: a) 1,500 mg

5. Which of the following foods is best for a liver-friendly diet?

a) Red meat

b) Fatty fish

c) Processed snacks

d) Sugary desserts

Answer: b) Fatty fish

6. What role does fiber play in liver health?

a) It increases liver fat

b) It helps regulate blood sugar and cholesterol levels

c) It has no effect on liver health

d) It is harmful to the liver

Answer: b) It helps regulate blood sugar and cholesterol levels

7. Which vitamin is particularly important for individuals with liver disease?

a) Vitamin A

b) Vitamin C

c) Vitamin D

d) Vitamin E

Answer: d) Vitamin E

8. What is a common dietary recommendation for patients with cirrhosis?

a) Increase total calorie intake

b) Decrease fluid intake

c) Limit protein intake

d) Increase sodium intake

Answer: a) Increase total calorie intake

9. Which of the following beverages should be limited in a liver-healthy diet?

- a) Water
- b) Herbal tea
- c) Alcohol
- d) Fresh juice

Answer: c) Alcohol

10. Which condition is characterized by the accumulation of fat in liver cells?

- a) Cirrhosis
- b) Hepatitis
- c) Fatty liver disease
- d) Liver cancer

Answer: c) Fatty liver disease

11. How can antioxidants benefit liver health?

- a) They increase liver inflammation
- b) They neutralize free radicals and reduce oxidative stress
- c) They are harmful to liver cells
- d) They have no effect on liver health

Answer: b) They neutralize free radicals and reduce oxidative stress

12. What is the effect of high sugar intake on liver health?

- a) It improves liver function
- b) It can lead to fatty liver disease
- c) It has no effect
- d) It increases liver detoxification

Answer: b) It can lead to fatty liver disease

13. Which of the following foods is high in omega-3 fatty acids and beneficial for liver health?

- a) Salmon
- b) Chicken
- c) White rice
- d) Potatoes

Answer: a) Salmon

14. What is the recommended approach to eating for individuals with liver disease?

- a) Skipping meals
- b) Small, frequent meals
- c) Large meals once a day
- d) High-calorie snacks only

Answer: b) Small, frequent meals

15. Which mineral is important for liver health and should be monitored in patients with liver disease?

- a) Calcium
- b) Iron
- c) Magnesium
- d) Potassium

Answer: b) Iron

16. What is the primary concern regarding protein intake for patients with severe liver disease?

- a) Protein is always harmful
- b) It can lead to the buildup of ammonia
- c) It has no impact on liver function
- d) It increases energy levels

Answer: b) It can lead to the buildup of ammonia

17. Which fruit is particularly beneficial for liver health due to its high antioxidant content?

- a) Banana
- b) Blueberries
- c) Watermelon
- d) Grapes

Answer: b) Blueberries

18. What type of carbohydrates should be prioritized for liver disease management?

- a) Simple carbohydrates
- b) Complex carbohydrates
- c) Refined carbohydrates
- d) Sugary snacks

Answer: b) Complex carbohydrates

19. Which of the following is a common symptom of liver disease that may affect dietary choices?

- a) Increased appetite
- b) Fatigue
- c) Weight gain
- d) Clear skin

Answer: b) Fatigue

20. Which dietary pattern is often recommended for liver health?

- a) High-protein, low-carb
- b) Mediterranean diet
- c) High-fat, low-fiber
- d) Low-calorie, high-sugar

Answer: b) Mediterranean diet

Chapter 3-Dietary management of CVD diseases

1. What is the primary dietary fat to limit for cardiovascular health?

- a) Saturated fat
- b) Polyunsaturated fat
- c) Monounsaturated fat
- d) Trans fat

Answer: d) Trans fat

2. Which of the following is considered a heart-healthy oil?

- a) Coconut oil
- b) Palm oil
- c) Olive oil
- d) Hydrogenated oil

Answer: c) Olive oil

3. Which of the following is a key benefit of a Mediterranean diet?

- a) High in processed foods
- b) Promotes high sugar intake
- c) Rich in fruits and vegetables
- d) Low in fish

Answer: c) Rich in fruits and vegetables

4. What is the relationship between dietary cholesterol and heart disease risk?

- a) High cholesterol foods always raise blood cholesterol
- b) Dietary cholesterol has little effect on blood cholesterol for most people
- c) All cholesterol is bad for the heart
- d) Only saturated fats affect cholesterol levels

Answer: b) Dietary cholesterol has little effect on blood cholesterol for most people

5. What role do antioxidants play in heart health?

- a) They increase blood pressure
- b) They prevent oxidative stress
- c) They raise LDL cholesterol
- d) They have no effect on heart health

Answer: b) They prevent oxidative stress

6. What is the effect of high sugar intake on cardiovascular health?

- a) It decreases triglycerides
- b) It increases blood pressure
- c) It has no effect
- d) It improves heart function

Answer: b) It increases blood pressure

7. Which nutrient is important for maintaining healthy blood vessels?

a) Vitamin C

b) Vitamin D

c) Vitamin B12

d) Vitamin A

Answer: a) Vitamin C

8. Which dairy product is typically recommended for heart health?

a) Whole milk

b) Low-fat yogurt

c) Cream cheese

d) Ice cream

Answer: b) Low-fat yogurt

9. What is the primary benefit of a plant-based diet for cardiovascular health?

a) Higher meat consumption

b) Increased fiber intake

c) Increased saturated fat

d) Reduced fruit intake

Answer: b) Increased fiber intake

10. Which cooking method is best for heart health?

a) Frying

b) Grilling

c) Boiling

d) Steaming

Answer: d) Steaming

11. What is a common effect of excessive alcohol consumption on the heart?

a) Decreases blood pressure

b) Increases heart rate

c) Improves cholesterol levels

d) None

Answer: b) Increases heart rate

12. Which nutrient is often referred to as "good" fat and can help improve cholesterol levels?

a) Saturated fat

b) Trans fat

c) Monounsaturated fat

d) Polyunsaturated fat

Answer: c) Monounsaturated fat

13. Which dietary pattern is associated with a lower risk of heart disease?

a) High-carb, low-fat

b) High-protein, low-carb

c) Mediterranean diet

d) Ketogenic diet

Answer: c) Mediterranean diet

14. Which of the following is a sign of healthy dietary management for cardiovascular diseases?

a) Frequent fast food consumption

b) Regular consumption of processed snacks

c) Balanced intake of macronutrients

d) High intake of sugary desserts

Answer: c) Balanced intake of macronutrients

Chapter 4-Dietary management of GIT diseases

1. What type of diet could benefit a patient with Crohn's disease during a flare-up?

A) High-fiber

B) Low-residue

C) Low-fat

D) High-protein

Answer: B) Low-residue

2. Which of the following foods should be avoided in a low-FODMAP diet?

A) Oats

B) Garlic

C) Spinach

D) Chicken

Answer: B) Garlic

3. For a patient with lactose intolerance, which dairy product is often better tolerated?

A) Whole milk

B) Cheese

C) Ice cream

D) Yogurt

Answer: D) Yogurt

4. A dietitian recommends a gluten-free diet for a patient with which condition?

A) IBS

B) Constipation

C) Celiac disease

D) Diverticulitis

Answer: C) Celiac disease

5. Which of the following is a common symptom of irritable bowel syndrome (IBS)?

- A) Constant diarrhea
- B) Abdominal bloating

C) Blood in stool

D) Weight loss

Answer: B) Abdominal bloating

6. Which vitamin is often supplemented in patients with fat malabsorption due to pancreatic insufficiency?

A) Vitamin A

B) Vitamin K

C) Vitamin D

D) Vitamin B12

Answer: C) Vitamin D

7. For patients with hepatic encephalopathy, it is important to limit:

A) Carbohydrates

B) Proteins

C) Sugars

D) Fats

Answer: B) Proteins

8. Patients with chronic pancreatitis are often advised to reduce:

A) Fiber

B) Protein

C) Carbohydrates

D) Fat

Answer: D) Fat

9. A high-fiber diet is beneficial for:

A) COPD

B) Constipation

C) Anorexia

D) Kidney disease

Answer: B) Constipation

10. Patients with GERD are often advised to:

A) Eat large meals

B) Avoid lying down after eating

C) Consume citrus fruits in abundance

D) Drink carbonated beverages

Answer: B) Avoid lying down after eating

11. Which of the following is a common dietary recommendation for individuals with heartburn?

- A) Large meals
- B) High caffeine intake
- C) Avoiding chocolate
- D) Increased dairy intake

Answer: C) Avoiding chocolate

12. For patients with IBS, a dietitian might recommend:

- A) High salt intake
- B) Fasting
- C) Low FODMAP diet
- D) High sugar diet

Answer: C) Low FODMAP diet

13. A food high in probiotics beneficial for gut health is:

- A) Bread
- B) Yogurt
- C) Rice
- D) Eggs

Answer: B) Yogurt

14. Which type of fiber is particularly beneficial for lowering cholesterol levels?

- A) Insoluble fiber
- B) Soluble fiber
- C) Synthetic fiber
- D) Resistant starch

Answer: B) Soluble fiber

15. A common symptom of gluten sensitivity is:

- A) Rapid weight gain
- B) Nausea
- C) Abdominal pain
- D) Blurred vision

Answer: C) Abdominal pain

16. For a patient with liver disease, which nutrient should be closely monitored?

- A) Carbohydrates
- B) Proteins
- C) Fats
- D) Vitamins

Answer: B) Proteins

Chapter 5--Dietary management for diabetes patients

1. *What is the primary aim of dietary management in diabetes?*

- A) Weight loss
- B) Blood sugar control
- C) Increased insulin production
- D) Reduced cholesterol levels

Answer: B) Blood sugar control

2. *Which type of carbohydrate is recommended for diabetes patients?*

- A) Simple carbohydrates
- B) Refined carbohydrates
- C) Complex carbohydrates
- D) Sugary snacks

Answer: C) Complex carbohydrates

3. *What is the glycemic index?*

- A) A measure of fiber content
- B) A measure of blood sugar effect of foods
- C) A measure of food weight
- D) A weight-loss plan

Answer: B) A measure of blood sugar effect of foods

4. *Which macronutrient should be limited to manage diabetes?*

- A) Fat
- B) Carbohydrates
- C) Protein
- D) Fiber

Answer: B) Carbohydrates

5. *Which food is considered low glycemic?*

- A) White bread
- B) Lentils
- C) Candy
- D) White rice

Answer: B) Lentils

6. *What type of fat should diabetes patients choose?*

- A) Saturated fats
- B) Trans fats
- C) Monounsaturated fats
- D) Hydrogenated oils

Answer: C) Monounsaturated fats

7. *Which beverage should be limited for diabetes patients?*

- A) Water
- B) Herbal tea
- C) Fruit juice
- D) Black coffee

Answer: C) Fruit juice

8. *Which type of fiber is beneficial for glycemic control?*

- A) Soluble fiber
- B) Insoluble fiber
- C) Total fiber
- D) None of the above

Answer: A) Soluble fiber

9 *What is the role of omega-3 fatty acids in diabetes?*

- A) Increase blood sugar
- B) Reduce inflammation
- C) Enhance hunger
- D) Increase insulin resistance

Answer: B) Reduce inflammation

10. *How should diabetes patients approach meal planning?*

- A) Eat whatever they feel like
- B) Plan balanced meals with controlled portions
- C) Skip meals to save calories
- D) Follow a high-carb diet

Answer: B) Plan balanced meals with controlled portions

11 *What are the potential risks of low-carb diets for diabetes patients?*

- A) Increased energy levels
- B) Nutrient deficiencies
- C) Improved blood sugar control
- D) Weight gain

Answer: B) Nutrient deficiencies

12. *Which vitamin is known to help with insulin sensitivity?*

- A) Vitamin A
- B) Vitamin C
- C) Vitamin D
- D) Vitamin K

Answer: C) Vitamin D

13. *Which condition can result from improperly managing blood sugar through diet?*

- A) Hypertension
- B) Hypoglycemia
- C) Osteoporosis
- D) Gout

Answer: B) Hypoglycemia

14. *What should be prioritized in a diabetes meal plan?*

- A) High protein
- B) Food variety
- C) Low taste
- D) Low calorie

Answer: B) Food variety

15. *What is 'carb counting'?*

- A) Calculating total calories consumed
- B) Estimating the grams of carbohydrates in foods
- C) Counting the number of meals in a day
- D) Measuring portion sizes

Answer: B) Estimating the grams of carbohydrates in foods

16. *Which dairy product is preferable for diabetes?*

- A) Full-fat yogurt
- B) Sweetened almond milk
- C) Unsweetened Greek yogurt
- D) Chocolate milk

Answer: C) Unsweetened Greek yogurt

17. *Which cooking method is healthiest for diabetes patients?*

- A) Frying
- B) Boiling
- C) Grilling
- D) Baking

Answer: C) Grilling

Chapter 6 - Dietary management of renal diseases

1 .What is the primary goal of dietary management in patients with chronic kidney disease (CKD)?

- A) Increase protein intake
- B) Minimize fluid intake
- C) Control blood pressure and reduce cardiovascular risk
- D) Increase potassium levels

Answer: C

2 .Which of the following nutrients is typically restricted in patients on a renal diet?

- A) Fiber
- B) Calcium
- C) Phosphorus
- D) Vitamin C

Answer: C

3. What is the recommended daily protein intake for patients with stage 3 CKD?

- A) 0.8 g/kg of body weight
- B) 1.2 g/kg of body weight
- C) 0.6 g/kg of body weight
- D) 2.0 g/kg of body weight

Answer: A

4 .Which food should patients with CKD avoid due to its high potassium content?

- A) Apples
- B) Bananas
- C) Carrots
- D) Bread

Answer: B

5 .What is an important consideration for managing sodium intake in renal patients?

- A) Sodium is essential for kidney function
- B) High sodium can lead to fluid retention
- C) Sodium does not affect blood pressure
- D) Sodium intake has no dietary restrictions

Answer: B

6 .For patients in renal failure, what type of fat is recommended to replace saturated fat?

- A) Trans fat
- B) Monounsaturated and polyunsaturated fats
- C) Hydrogenated fats
- D) None

Answer: B

7. Which type of diet is recommended for a patient on dialysis?

- A) Low protein diet
- B) High protein diet
- C) Fatty diet
- D) Low carbohydrate diet

Answer: B

8. Which of the following is not a recommended beverage for patients with CKD?

- A) Water
- B) Herbal tea
- C) Soft drinks with high phosphoric acid
- D) Fresh juices with low potassium

Answer: C

9. What is a potential consequence of excessive protein intake in kidney disease?

- A) Improved kidney function
- B) Increased nitrogen waste in the blood
- C) Decreased energy levels
- D) Enhanced immune function

Answer: B

10. Which vitamin is often supplemented in renal patients to support bone health?

- A) Vitamin A
- B) Vitamin D
- C) Vitamin K
- D) Vitamin B12

Answer: B

11. In renal diet management, what is the role of fluid restriction?

- A) To prevent dehydration
- B) To minimize blood pressure
- C) To prevent fluid overload and swelling
- D) To enhance kidney filtration

Answer: C

12. Which milk alternative is typically low in potassium and phosphorus?

- A) Soy milk
- B) Almond milk
- C) Rice milk
- D) Coconut milk

Answer: C

13 .What is the ideal serving size for a protein source in a renal diet?

- A) 10 ounces
- B) 6 ounces
- C) 3-4 ounces
- D) 1 ounce

Answer: C

14 .Which of the following is an essential mineral that may need supplementation in patients with CKD?

- A) Iron
- B) Zinc
- C) Phosphorus
- D) Potassium

Answer: A

15 .What is the recommended daily fluid intake for a patient on hemodialysis?

- A) 1-2 liters per day, depending on urine output
- B) 3-4 liters per day
- C) Unlimited fluids
- D) 500 ml only

Answer: A

16. Which type of beans provides a high protein source but may need to be limited in CKD?

- A) Black beans
- B) Green beans
- C) Lima beans
- D) Soy beans

Answer: A

17 .What kind of foods should be avoided by renal patients to reduce phosphorus intake?

- A) Whole fruits
- B) Dairy products and processed foods
- C) Fresh vegetables
- D) Lean meats

Answer: B

18 .What is the role of potassium binders in renal disease management?

- A) To increase potassium levels
- B) To decrease potassium absorption
- C) To supplement potassium
- D) To enhance kidney function

Answer: B

19 .Which food is a poor choice for someone with CKD due to high sodium and phosphorus?

- A) Fresh vegetables
- B) Regular cheese
- C) Whole grains
- D) Fresh fruits

Answer: B

20 .Which cooking method is recommended for maintaining nutrient content in renal diets?

- A) Boiling
- B) Baking
- C) Frying
- D) Steaming

Answer: D

21 .For renal patients, which of the following is an appropriate source of healthy carbohydrates?

- A) White bread
- B) Whole grain bread
- C) Sugary beverages
- D) Candy

Answer: B

22 .What is a common challenge for caregivers of patients with renal disease regarding diet?

- A) Understanding meal preparation
- B) Enjoying foods together
- C) Developing specific recipes
- D) Balancing the salt intake

Answer: D

23 .For patients with diabetes and CKD, carbohydrate counting is a necessary strategy to manage:

- A) Blood pressure
- B) Fluid intake
- C) Blood glucose levels
- D) Creatinine levels

Answer: C

24 .What is one key point about the dairy intake for renal patients?

- A) They should consume full-fat dairy .
- B) They should limit high-phosphorus dairy products .
- C) They can consume unlimited dairy .
- D) Dairy is beneficial for kidney function .

Answer: B

Chapter 7 & 8 -Dietary management of Comatosed & patients with system failure

1. *What is the primary consideration when developing a diet for a Comatosed patient?*
 - A) Oral feeding
 - B) Nutritional adequacy through enteral or parenteral feeding
 - C) Preference for solid foods
 - D) High-calorie snacks
 - Answer: B
-
2. *Which method is commonly used for feeding patients who are unable to eat orally due to coma?*
 - A) Oral hydration
 - B) Nasogastric tube feeding
 - C) Intravenous hydration
 - D) Chewing their food
 - Answer: B
-
3. *What type of diet is typically recommended for patients in acute renal failure?*
 - A) High-protein diet
 - B) Carbohydrate-rich diet
 - C) Low-protein, low-potassium diet
 - D) High-sodium diet
 - Answer: C
-
4. *For patients with liver failure, which nutrient should be closely monitored and potentially restricted?*
 - A) Carbohydrates
 - B) Fats
 - C) Protein
 - D) Fiber
 - Answer: C
-
5. *When managing the diet of a comatosed patient, which of the following is most important?*
 - A) Palatability
 - B) Nutritional balance and caloric needs
 - C) Food variety
 - D) Serving temperature
 - Answer: B

6. *In patients with multiple organ failure, what is a critical nutritional concern?*

- A) Excessive fiber intake
- B) Hyperglycemia
- C) Deficiencies in electrolytes
- D) Increased consumption of dairy

Answer: C

7. *Which nutrient is essential for immune support in critically ill patients?*

- A) Carbohydrates
- B) Vitamin C
- C) Omega-3 fatty acids
- D) Saturated fats

Answer: B

8. *What is the goal of nutrition support in patients recovering from comatose states?*

- A) To reduce body weight
- B) To improve cognitive function through dietary changes
- C) To provide sufficient energy and protein for healing
- D) To eliminate carbohydrates entirely

Answer: C

9. *For patients with heart failure, which dietary modification is typically advised?*

- A) High-sugar diet
- B) Low-sodium diet
- C) High-fat diet
- D) Increased fluid intake

Answer: B

10. *What should be prioritized in a feeding plan for a patient in a persistent vegetative state?*

- A) Flavoring food
- B) Hydration and basic nutritional needs
- C) High animal protein
- D) Regular meal times

Answer: B

11. *What is a critical consideration when managing the diet of a comatose patient?*

- A) Encouraging solid food intake
- B) Ensuring proper hydration and nutrition via enteral feeding
- C) Allowing unrestricted calorie intake
- D) Ignoring electrolyte balance

Answer: B

12. *Which method of feeding is most common for patients who cannot swallow due to coma?*

- A) Oral feeding

B) Total parenteral nutrition (TPN)

C) Enteral feeding via a tube

D) Soft diet

Answer: C

13. *What is an essential nutrient to monitor in patients with systemic failure?*

A) Fiber

B) Protein

C) Simple carbohydrates

D) Fats

Answer: B

14. *In caring for a patient with renal failure, which dietary modification is necessary?*

A) High potassium intake

B) Low protein and sodium intake

C) Increased fluid consumption

D) High carbohydrate intake

Answer: B

15. *Which feeding route is preferable for patients with impaired gastrointestinal function?*

A) Oral feeding

B) TPN (Total Parenteral Nutrition)

C) Nasogastric feeding

D) Enteral feeding through a percutaneous endoscopic gastrostomy (PEG) tube

Answer: B

16. *For a patient in septic shock, which dietary component is crucial for recovery?*

A) High-sugar foods

B) Adequate protein for immune support

C) Excess fat

D) Increased fiber

Answer: B

17. *What is the primary goal of dietary management in comatosed patients?*

A) Promoting weight gain

B) Preventing malnutrition and providing essential nutrients

C) Encouraging patient comfort

D) Reducing calorie intake

Answer: B

18. *Which dietary approach is commonly utilized for patients with hepatic failure?*

A) High protein diet

B) Low protein diet with increased carbohydrates

C) Low sodium and high-fat diet

D) Gluten-free diet

Answer: B

19. *What vital aspect should be monitored when providing enteral nutrition?*

- A) The patient's food preferences
- B) Gastrointestinal tolerance and absorption
- C) Caloric intake only
- D) Fiber quantity

Answer: B

20. *When managing a comatosed patient, how often should nutrition status be assessed?*

- A) Every week
- B) Daily
- C) Monthly
- D) Only at discharge

Answer: B

21. *What is the primary dietary concern for patients with kidney failure?*

- A) Increased fiber intake
- B) High protein consumption
- C) Sodium and potassium restriction
- D) Increased carbohydrates

*Answer: C)

22. *Which of the following is a common recommendation for patients with liver cirrhosis?*

- A) High protein diet
- B) Low carbohydrate diet
- C) Sodium restriction
- D) High fiber intake

*Answer: C)

23. *For patients with heart failure, which nutrient should be limited to help manage fluid retention?*

- A) Potassium
- B) Fiber
- C) Sodium
- D) Protein

*Answer: C)

24. *What dietary component is often increased for patients recovering from acute respiratory distress syndrome (ARDS)?*

- A) Carbohydrates
- B) Proteins
- C) Lipids
- D) Fiber

*Answer: B)

25. *Which of the following is the best source of carbohydrates for diabetic patients with kidney issues?*

- A) White bread
- B) Brown rice
- C) Vegetables and whole grains
- D) Sugary snacks

Answer: C)

26. *Patients with chronic kidney disease (CKD) are advised to limit which vitamin due to risk of toxicity?*

- A) Vitamin C
- B) Vitamin D
- C) Vitamin A
- D) Vitamin B12

Answer: C)

27. *In patients with heart failure, which dietary modification can help improve fluid management?*

- A) Increase caffeine intake
- B) Limit water and fluid intake
- C) Reduce protein intake
- D) No dietary changes necessary

Answer: B)

28. *Which nutrient may need to be restricted in patients with liver failure?*

- A) Fats
- B) Carbohydrates
- C) Proteins
- D) Vitamins

Answer: C) Proteins

29. *Patients with pancreatitis should avoid which type of foods?*

- A) Low-fat foods
- B) High-fiber foods
- C) Fatty and fried foods
- D) Whole grains

Answer: C) Fatty and fried foods

Chapter 9-Nutrition therapy for post-operative patients

1. *What is the primary goal of nutrition therapy for post-operative patients?*

 - a) Weight loss
 - b) Weight gain
 - c) Promote healing and recovery
 - d) Increase physical activity

Answer: c)

2. *Which nutrient is most critical for wound healing?*

 - a) Carbohydrates
 - b) Fats
 - c) Proteins
 - d) Vitamins

Answer: c)

3. *What should be the main focus of a post-operative diet in the first 24-48 hours?*

 - a) Solid foods
 - b) Clear liquids
 - c) High-protein foods
 - d) High-fiber foods

Answer: b)

4. *Which vitamin is essential for collagen synthesis?*

 - a) Vitamin A
 - b) Vitamin C
 - c) Vitamin D
 - d) Vitamin E

Answer: b)

5. *What type of diet is most appropriate for a patient recovering from abdominal surgery?*

 - a) High-fiber diet
 - b) Low-residue diet
 - c) Ketogenic diet
 - d) Mediterranean diet

Answer: b)

6. *What is the recommended protein intake for post-operative patients to promote healing?*

 - a) 0.5 g/kg of body weight
 - b) 1.0-1.5 g/kg of body weight
 - c) 2.0 g/kg of body weight
 - d) 0.8 g/kg of body weight

Answer: b)

7. *Which mineral is vital for wound healing and immune function?*
- a) Calcium
 - b) Iron
 - c) Zinc
 - d) Magnesium
- *Answer:* c)
8. *Post-operative patients are often at risk for what type of complications due to stasis?*
- a) Hypertension
 - b) Pneumonia
 - c) Deep vein thrombosis
 - d) Diabetes
- *Answer:* c)
9. *What should be avoided in the diet of a patient with delayed gastric emptying post-surgery?*
- a) Lean protein
 - b) Simple carbohydrates
 - c) High-fiber fruits
 - d) Healthy fats
- *Answer:* b)
10. *Which of the following is a better source of protein for a recovering surgical patient?*
- a) White bread
 - b) Chicken breast
 - c) Ice cream
 - d) Potato chips
- *Answer:* b)
11. *An adequate intake of which type of dietary fat is important for healing?*
- a) Trans fats
 - b) Saturated fats
 - c) Monounsaturated and polyunsaturated fats
 - d) Hydrogenated fats
- *Answer:* c)
12. *Why is hydration important for post-operative patients?*
- a) It helps reduce pain.
 - b) It maintains electrolyte balance and aids in digestion.
 - c) It prevents swelling.
 - d) It boosts energy levels.
- *Answer:* b)
13. *Which diet is often prescribed for patients recovering from bariatric surgery?*
- a) High-carb diet
 - b) Low-carb diet

c) Soft diet

d) High-fiber diet

Answer: c)

14. *How soon after surgery can most patients start with oral nutrition?*

a) 12 hours

b) 24-48 hours

c) 3-5 days

d) 1 week

Answer: b)

15. *What type of meal may be particularly beneficial immediately after surgery?*

a) Large, heavy meal

b) Small, frequent meals

c) High-sugar snack

d) High-protein shake

Answer: b)

16. *What is the role of fiber in the diet of post-operative patients?*

a) It helps to control blood sugar levels.

b) It aids in bowel regularity.

c) It promotes weight loss.

d) It increases muscle mass.

Answer: b)

17. *After surgery, which of the following should be minimized to prevent gastrointestinal discomfort?*

a) High-protein foods

b) Sugary foods

c) Sodas and carbonated beverages

d) Whole grains

Answer: c)

18. *What is a potential consequence of inadequate protein intake after surgery?*

a) Improved healing

b) Increased risk of infection

c) Better energy levels

d) Lower blood pressure

Answer: b)

19. *Which of these beverages is best for post-operative hydration?*

a) Soda

b) Coffee

c) Water or electrolyte solutions

d) Fruit juice

Answer: c)

20. *When should a patient experiencing nausea be reassessed for their nutritional plan?*
- a) 1 week post-op
 - b) 48 hours post-op
 - c) 24 hours post-op
 - d) If it persists beyond 2 hours
- *Answer:* c)
21. *Which food is best avoided in early post-operative nutrition?*
- a) Broth
 - b) Yogurt
 - c) High-fat fried foods
 - d) Applesauce
- *Answer:* c)
22. *For patients undergoing orthopedic surgery, what is a key nutrient to focus on?*
- a) Fiber
 - b) Carbohydrates
 - c) Calcium
 - d) Sugars
- *Answer:* c)
23. *What is the appropriate carbohydrate source for a post-operative patient?*
- a) Sugary cereals
 - b) Whole grains
 - c) White bread
 - d) Pastries
- *Answer:* b)
24. *Which type of post-operative surgery patients are often put on a low sodium diet?*
- a) Cardiothoracic surgery
 - b) Orthopedic surgery
 - c) Gastrointestinal surgery
 - d) All surgery types
- *Answer:* a)
25. *A post-operative patient should ideally consume a high intake of which fluid type to promote recovery?*
- a) Full-fat milk
 - b) Alcoholic beverages
 - c) Low-sugar electrolyte drinks
 - d) Energy drinks
- *Answer:* c)

26. *What symptom indicates a need for immediate nutritional reassessment?*

- a) Increased appetite
- b) Vomiting
- c) Mild discomfort
- d) Fatigue

Answer: b)

27. *In post-operative nutrition, which dietary modification may help improve wound healing?*

- a) Reducing fat intake
- b) Increasing protein and micronutrient intake
- c) Reducing carbohydrate intake
- d) Increasing sugar intake

Answer: b)

28. *How can nutritional needs be assessed for post-operative patients?*

- a) By guessing
- b) Through a formal dietary assessment or consultation
- c) By asking the patient's family
- d) By reviewing previous weight history

Answer: b)

29. *Completing a multidisciplinary care plan is important for which of the following reasons?*

- a) To increase hospital charges
- b) To ensure all aspects of care are coordinated
- c) To provide entertainment
- d) To speed up discharge

Answer: b)

30. *Which of the following is an appropriate source of Omega-3 fatty acids beneficial for post-operative patients?*

- a) Beef steaks
- b) Salmon
- c) White bread
- d) Potato chips

Answer: b)

31- In hepatitis patients, all needs to be increased except

- a) Protein
- b) Energy
- c) Carbohydrates
- d) Fat

32-Used after surgery or a heart attack

- a) Low protein diet
- b) High protein diet
- c) Liquid diet
- d) None of the above

33-Patients suffering from burns needs

- a) Low calorie diet
- b) Sodium restricted diet
- c) High protein diet
- d) None of the above

34-Salt restricted diet used for patients with

- a) Cardiovascular disease
- b) Kidney disease
- c) Edema
- d) All of the above

35-If signs of hepatic coma appears, the protein intake should be decreased to

- a) 1gm /kg body weight
- b) 1mg/ kg body weight
- c) 0.3 gm / kg body weight
- d) 1.5 mg/ kg body weight

36-The availability of fat soluble vitamins like vit A is affected due to decreased intake and impaired absorption of fat in patient with

- a) Liver disease
- b) Kidney disease
- c) Hypertension
- d) All of the above

37-In advanced cases of liver cirrhosis, presence of ascites and oedema necessitate the restriction of -----in diet

- a) Protein
- b) Sodium
- c) Calcium
- d) Fluids

38-- ----- tends to lower the serum cholesterol level in patients with atherosclerosis

- a) Animal fats
- b) PUFA
- c) Hydrogenated oil
- d) None of the above

39-Avoiding fats in meats, milk, cream ,butter ,the diets tend to be low in vitamin

- a) A
- b) B complex
- c) K
- d) None of the above

40-Calorie restriction is a major therapeutic tool in the treatment of hypertension especially in

- a) Obese patients
- b) Renal patients
- c) Diabetic patient
- d) Both a and c