## Universiti Teknologi Malaysia

### **Faculty of Computing**

## SECV2223 Web Programming

# Tutorial 3d CSS Properties (2)

## **Objective**

The objective of this tutorial is to test your understanding about CSS especially in the aspect of CSS *Properties* 

## **Preparing the Tutorial Material**

Before starting this tutorial, prepare the require file. Follow the steps below:

- 1. Create new folder (either on your *desktop* or your *pendrive*)
- 2. Download "Tutorial 3c Material" and save in the folder you have created.
- 3. Extract the file in the same folder.

#### Question

By using the Textpad, write HTML document to produce the pages below. Use the *template file* provided. Presentation for each page must use the CSS. The outcome of the display is shown in the output.pdf file. If you have forgotten, you can refer to the previous tutorial (especially Tutorial 3b). You are also provided with some answer section as guideline. Type in the shaded part in the related file and complete the file.

#### 1. File: **T3d-1.html**


Define back the *styles* for the *hyperlinks* as follow:

Hyperlinks: Color: green Font: verdana, 10 pt Bold	Active Links:  The font size of the link becomes two time bigger
Visited Links: The link color is changed to lightgrey	Hovering Link: The link color is changed to red.

#### **Answer Section T3d-1.html**

You only provided with part of the answer of the code. The rest of the code, do it on your own.

## 2. File: **T3d-2.html**



## a) Label text "Search for ID"

Font: verdana, 10 pt

Text: Underline and Bold

## b) Text Field

Background: lightgrey

Text: Bold and always in UPPERCACE

#### c) Button with icon

Text: Bold, Italic and green in color

Image: search.gif

#### **Answer Section T3d-2.html**


You only provided with part of the answer of the code. The rest of the code, do it on your own.

```
<body>
<span style="font-family:verdana;</pre>
             font-size:10pt;
             text-decoration:underline;
             font-weight:bold;">
Search for ID </span>
 
<input type="text" value="<type id here>"
       size="25" style="font-weight:bold;
       text-transform:uppercase;">
 
<input type="button" value="Start "</pre>
       style="text-align:right;
       vertical-align:middle;
       width: 90px;
       height: 35px;">
</body>
```

#### 3. File: **T3d-3.html**

Edit the file T3d-3.html that provided to produce the outcome as the tale that shown in the **output.pdf** file. *Styles* for the document also are explained in the related document.

## Output: T3d-1.html




#### Note:

Change *Fakulti Sains Komputer dan Sistem Maklumat* to Faculty of Computing (link to http://comp.utm.my/).

Change the words Comp Server to Web Programming Website (link to http://gmm.fsksm.utm.my/~sarina/wp\_section05/)

# Output: T3d-2.html



## Output: T3d-3.html

