

Yemen Wedding AI — Capacitor Build Guide

Android Play Store Deployment

Prerequisites

```
# Install dependencies
npm install -g @capacitor/cli
npm install @capacitor/core @capacitor/android

# Android Studio (latest stable)
# JDK 17+
# Android SDK API 34+
```

Step 1: Initialize Capacitor

```
# In your Next.js project root
npx cap init YemenWeddingAI com.yemenwedding.app --web-dir out

# Build the Next.js app (static export)
npm run build

# Add Android platform
npx cap add android
```

Step 2: Configure Android

android/app/build.gradle

```
android {
    namespace "com.yemenwedding.app"
    compileSdk 34

    defaultConfig {
        applicationId "com.yemenwedding.app"
        minSdk 24
        targetSdk 34
        versionCode 2
        versionName "2.0.0"

        // Enable large heap for image processing
        multiDexEnabled true
    }

    buildTypes {
        release {
```

```

        minifyEnabled true
        shrinkResources true
        proguardFiles getDefaultProguardFile('proguard-android-optimize.txt'), 'proguard-rules.pro'

        // Sign config (see Step 5)
        signingConfig signingConfigs.release
    }
}

compileOptions {
    sourceCompatibility JavaVersion.VERSION_17
    targetCompatibility JavaVersion.VERSION_17
}
}

dependencies {
    implementation 'androidx.core:core-ktx:1.12.0'
    implementation 'androidx.appcompat:appcompat:1.6.1'
    implementation 'com.google.android.material:material:1.11.0'
    implementation 'androidx.constraintlayout:constraintlayout:2.1.4'
    implementation 'androidx.webkit:webkit:1.9.0'
    implementation 'com.google.android.gms:play-services-auth:21.0.0'
}

```

android/app/src/main/AndroidManifest.xml

```

<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android">

    <uses-permission android:name="android.permission.INTERNET" />
    <uses-permission android:name="android.permission.ACCESS_NETWORK_STATE" />
    <uses-permission android:name="android.permission.READ_EXTERNAL_STORAGE" />
    <uses-permission android:name="android.permission.WRITE_EXTERNAL_STORAGE" />
    <uses-permission android:name="android.permission.CAMERA" />

    <application
        android:allowBackup="true"
        android:icon="@mipmap/ic_launcher"
        android:roundIcon="@mipmap/ic_launcher_round"
        android:label="@string/app_name"
        android:theme="@style/AppTheme"
        android:usesCleartextTraffic="false"
        android:networkSecurityConfig="@xml/network_security_config">

        <activity
            android:configChanges="orientation|keyboardHidden|keyboard|screenSize|locale|
            ↪ smallestScreenSize|screenLayout|uiMode"
            android:exported="true"
            android:label="@string/title_activity_main"
            android:launchMode="singleTask"
            android:name="com.yemenwedding.app.MainActivity">

```

```

        android:screenOrientation="portrait"
        android:theme="@style/AppTheme.NoActionBarLaunch"
        android:windowSoftInputMode="adjustResize">

        <intent-filter>
            <action android:name="android.intent.action.MAIN" />
            <category android:name="android.intent.category.LAUNCHER" />
        </intent-filter>

        <!-- Deep links -->
        <intent-filter android:autoVerify="true">
            <action android:name="android.intent.action.VIEW" />
            <category android:name="android.intent.category.DEFAULT" />
            <category android:name="android.intent.category.BROWSABLE" />
            <data android:scheme="https" android:host="yemenwedding.ai" />
        </intent-filter>
    </activity>

    <!-- File provider for sharing images -->
    <provider
        android:name="androidx.core.content.FileProvider"
        android:authorities="${applicationId}.fileprovider"
        android:exported="false"
        android:grantUriPermissions="true">
        <meta-data android:name="android.support.FILE_PROVIDER_PATHS" android:resource="@xml/
            ↪ file_paths" />
    </provider>
</application>
</manifest>

```

Step 3: Custom Native Plugins

Image Share Plugin (android/app/src/main/java/com/yemenwedding/app/ImageSharePlugin.java)

```

package com.yemenwedding.app;

import android.content.Intent;
import android.net.Uri;
import androidx.core.content.FileProvider;
import com.getcapacitor.Plugin;
import com.getcapacitor.PluginCall;
import com.getcapacitor.PluginMethod;
import com.getcapacitor.annotation.CapacitorPlugin;
import java.io.File;

@CapacitorPlugin(name = "ImageShare")
public class ImageSharePlugin extends Plugin {

    @PluginMethod

```

```

public void shareImage(PluginCall call) {
    String imagePath = call.getString("path");
    String packageName = call.getString("packageName"); // com.whatsapp, com.instagram.android

    File imageFile = new File(imagePath);
    Uri imageUri = FileProvider.getUriForFile(
        getContext(),
        getContext().getPackageName() + ".fileprovider",
        imageFile
    );

    Intent shareIntent = new Intent(Intent.ACTION_SEND);
    shareIntent.setType("image/jpeg");
    shareIntent.putExtra(Intent.EXTRA_STREAM, imageUri);
    shareIntent.addFlags(Intent.FLAG_GRANT_READ_URI_PERMISSION);

    if (packageName != null) {
        shareIntent.setPackage(packageName);
    }

    getActivity().startActivity(Intent.createChooser(shareIntent, "Share Image"));
    call.resolve();
}
}

```

Status Bar Plugin (android/app/src/main/java/com/yemenwedding/app/StatusBarPlugin.java)

```

package com.yemenwedding.app;

import android.graphics.Color;
import android.os.Build;
import android.view.View;
import android.view.WindowInsetsController;
import com.getcapacitor.Plugin;
import com.getcapacitor.PluginCall;
import com.getcapacitor.PluginMethod;
import com.getcapacitor.annotation.CapacitorPlugin;

@CapacitorPlugin(name = "StatusBar")
public class StatusBarPlugin extends Plugin {

    @PluginMethod
    public void setDark(PluginCall call) {
        getActivity().runOnUiThread(() -> {
            if (Build.VERSION.SDK_INT >= Build.VERSION_CODES.R) {
                getActivity().getWindow().getInsetsController().setSystemBarsAppearance(
                    0, WindowInsetsController.APPEARANCE_LIGHT_STATUS_BARS
                );
            } else {
                getActivity().getWindow().getDecorView().setSystemUiVisibility(
                    View.SYSTEM_UI_FLAG_LAYOUT_STABLE | View.SYSTEM_UI_FLAG_LAYOUT_FULLSCREEN
                );
            }
        });
    }
}

```

```

        });
    }
    getActivity().getWindow().setStatusBarColor(Color.TRANSPARENT);
    call.resolve();
});
}
}

```

Step 4: Web-to-Native Bridge

```

// lib/native-bridge.ts
import { Capacitor, registerPlugin } from '@capacitor/core';

const ImageShare = registerPlugin('ImageShare');
const StatusBar = registerPlugin('StatusBar');

export async function shareToWhatsApp(imagePath: string) {
  if (!Capacitor.isNativePlatform()) {
    // Fallback for web
    const blob = await fetch(imagePath).then(r => r.blob());
    const file = new File([blob], 'yemen-wedding.jpg', { type: 'image/jpeg' });
    if (navigator.share) {
      await navigator.share({ files: [file] });
    }
    return;
  }

  await ImageShare.shareImage({
    path: imagePath,
    packageName: 'com.whatsapp'
  });
}

export async function shareToInstagram(imagePath: string) {
  await ImageShare.shareImage({
    path: imagePath,
    packageName: 'com.instagram.android'
  });
}

export async function shareToTikTok(imagePath: string) {
  await ImageShare.shareImage({
    path: imagePath,
    packageName: 'com.zhiliaoapp.musically'
  });
}

export async function setDarkStatusBar() {
  if (Capacitor.isNativePlatform()) {

```

```

    await StatusBar.setDark();
  }
}

// Download image to device gallery
export async function downloadImage(imageUrl: string, filename: string) {
  if (!Capacitor.isNativePlatform()) {
    const a = document.createElement('a');
    a.href = imageUrl;
    a.download = filename;
    a.click();
    return;
  }

  // Use Capacitor FileSystem plugin
  const { FileSystem, Directory } = await import('@capacitor/filesystem');

  const response = await fetch(imageUrl);
  const blob = await response.blob();
  const base64 = await blobToBase64(blob);

  await FileSystem.writeFile({
    path: `Pictures/YemenWedding/${filename}`,
    data: base64,
    directory: Directory.ExternalStorage,
    recursive: true
  });
}

function blobToBase64(blob: Blob): Promise<string> {
  return new Promise((resolve, reject) => {
    const reader = new FileReader();
    reader.onloadend = () => resolve(reader.result as string);
    reader.onerror = reject;
    reader.readAsDataURL(blob);
  });
}

```

Step 5: Signing & Release

Generate Keystore

```

keytool -genkey -v -keystore yemen-wedding-release.keystore -alias yemenwedding -keyalg RSA
↵ -keysize 2048 -validity 10000 -storepass YOUR_STORE_PASSWORD -keypass YOUR_KEY_PASSWORD
↵ -dname "CN=Yemen Wedding AI, O=Yemen Wedding Studio, C=YE"

```

android/app/build.gradle (signing)

```

android {

```

```
signingConfigs {
    release {
        storeFile file("../yemen-wedding-release.keystore")
        storePassword System.getenv("STORE_PASSWORD")
        keyAlias "yemenwedding"
        keyPassword System.getenv("KEY_PASSWORD")
    }
}
```

Build Release AAB

```
# Sync web assets
npx cap sync android

# Build release bundle
cd android
./gradlew bundleRelease

# Output: android/app/build/outputs/bundle/release/app-release.aab
```

Step 6: Play Store Listing

Store Assets Required

Asset	Size	Purpose
App Icon	512x512 PNG	Play Store listing
Feature Graphic	1024x500 PNG	Play Store banner
Phone Screenshots	1080x1920 (9:16)	4-8 screenshots
Tablet Screenshots	2048x1536 (4:3)	Optional
Promo Video	30-120s	Optional

Play Store Description (Arabic)

000 000000 00 00 - 000 000000 0000 00000000 000000 00 000000 000 0000 000000 000000

🌟 000000 : 00000000

- 000000 000 0000000 0000000000 00000000 00000 00000000
- 0 00000 :0000 00000000 000000 000000 00000-00000 00000000
- 00000000 000000 :000000 0000 0000000 0000
- 0000000 :0000000000 000000 0000000000 000000 0000 000000
- 000000 000000 0000000000 0000000000 (GFPAN + CodeFormer)
- 000000 000000 4K 0 8K Ultra HD
- 00000000 00000000 000 0000000000 000000000000 000 0000

00000000 : 00000000

- ```
- 0000000 :0000000 000000 0000000 0000 0000
- 0000000 :0000000 000000 000000 000 000
```

- 00000 :0000 000000 0000 0000 0000
- 00000-:0000 0000 000000 000000
- 00000000 :0000 0000000 0000 0000000

🌟 000000000 :0000000000  
0000 000 0000 000000000 0000 0000 00000000 !00000

- 💎 000 :000000000
- :00000 0 00000000 0000000
  - :00000000 000 000000 + 4K + 0000 000000 000000
  - VIP Studio: 00000000 000 0000000 + 8K + 000000 AI

Yemen Wedding AI — Where Tradition Meets Technology 🇴🇴

### Step 7: CI/CD Pipeline (GitHub Actions)

```
.github/workflows/build-android.yml
name: Build Android Release

on:
 push:
 tags:
 - 'v*'

jobs:
 build:
 runs-on: ubuntu-latest
 steps:
 - uses: actions/checkout@v4

 - name: Setup Node
 uses: actions/setup-node@v4
 with:
 node-version: '20'
 cache: 'npm'

 - name: Setup JDK
 uses: actions/setup-java@v4
 with:
 java-version: '17'
 distribution: 'temurin'

 - name: Install dependencies
 run: npm ci

 - name: Build Next.js
 run: npm run build

 - name: Sync Capacitor
```



```

run: npx cap sync android

- name: Decode Keystore
 run: |
 echo "${{ secrets.KEYSTORE_BASE64 }}" | base64 -d > android/yemen-wedding-release.keystore

- name: Build Release AAB
 env:
 STORE_PASSWORD: "${{ secrets.STORE_PASSWORD }}"
 KEY_PASSWORD: "${{ secrets.KEY_PASSWORD }}"
 run: |
 cd android
 ./gradlew bundleRelease

- name: Upload to Play Store
 uses: r0adk11/upload-google-play@v1
 with:
 serviceAccountJsonPlainText: "${{ secrets.PLAY_STORE_SERVICE_ACCOUNT }}"
 packageName: com.yemenwedding.app
 releaseFiles: android/app/build/outputs/bundle/release/app-release.aab
 track: production
 status: completed

```

---

## Quick Reference Commands

```

Development
npm run dev # Start Next.js dev server
npm run build # Build static export
npx cap sync android # Sync web assets to Android
npx cap open android # Open Android Studio

Android
npx cap run android # Run on connected device
npx cap run android --livereload # Live reload

Release
cd android && ./gradlew assembleRelease # APK
cd android && ./gradlew bundleRelease # AAB (for Play Store)

iOS (future)
npx cap add ios
npx cap sync ios
npx cap open ios

```

---

Ready for Play Store 🚀