


-using fork in c example



```
GNU nano 8.3                                process_crete.c                                Modified
#include <stdio.h>
#include <unistd.h>
int main(){
pid_t pid=fork();
if(pid==0){
printf("this is the child process.Pid:%d/n",getpid());

}else if(pid>0){

printf("this is the parent process. pid:%d/n",getpid());

}else{
printf("fork failed/n:");

}
return 0;
}
```

-compiling the file of fork + execution

```
Tue 18 Nov - 20:41
@safandy nano process_crete.c

Tue 18 Nov - 20:57
@safandy gcc process_crete.c -o process_crete ./process_crete

Tue 18 Nov - 20:59
@safandy ./process_crete
this is the parent process. pid:13434/nthis is the child process.Pid:13435/n%

Tue 18 Nov - 20:59
@safandy |
```

- Start process at the back ground -showing processes who is sleep
- Terminating the process with the pid

```

Tue 18 Nov - 21:05
@safandy sleep 300 &
[2] 15406

* Tue 18 Nov - 21:06
@safandy jobs
[1] - running    sleep 300
[2] + running    sleep 300

* Tue 18 Nov - 21:06
@safandy ps aux | grep sleep
safandy    14075  0.0  0.0 230340  2152 pts/0    SN   21:01   0:00 sleep 300
safandy    15406  0.0  0.0 230340  2312 pts/0    SN   21:06   0:00 sleep 300
safandy    15490  0.0  0.0 231252  2536 pts/0    S+   21:06   0:00 grep --color=auto --exclu
de-dir=.bzip --exclude-dir=CVS --exclude-dir=.git --exclude-dir=.hg --exclude-dir=.svn --excl
ude-dir=.idea --exclude-dir=.tox --exclude-dir=.venv --exclude-dir=venv sleep

* Tue 18 Nov - 21:06
@safandy kill 14837
[1] - 14075 done      sleep 300

Tue 18 Nov - 21:06
@safandy kill 15406
[2] + 15406 terminated sleep 300

Tue 18 Nov - 21:06
@safandy ps aux | grep sleep
safandy    15636  0.0  0.0 231252  2536 pts/0    S+   21:06   0:00 grep --color=auto --exclu
de-dir=.bzip --exclude-dir=CVS --exclude-dir=.git --exclude-dir=.hg --exclude-dir=.svn --excl
ude-dir=.idea --exclude-dir=.tox --exclude-dir=.venv --exclude-dir=venv sleep

Tue 18 Nov - 21:06
@safandy |

```

-linker

```
Tue 18 Nov - 21:11 ~
@safandy nano file1.c

Tue 18 Nov - 21:12 ~
@safandy nano file2.c

Tue 18 Nov - 21:14 ~
@safandy gcc file1.c file2.c -o output_programe
file1.c: In function 'hello':
file1.c:3:34: error: expected ';' before '}' token
    3 | printf("hello from the layer1/n")
      |                               ^
      |                               ;
.....
    6 | }
      | ~

X Tue 18 Nov - 21:14 ~
@safandy nano file1.c

Tue 18 Nov - 21:15 ~
@safandy gcc file1.c file2.c -o output_programe

Tue 18 Nov - 21:15 ~
@safandy ./output_programe
hello from the layer1/n%

Tue 18 Nov - 21:15 ~
@safandy S|
```

Linker's job is to link two separate files and make these able to call each other's methods and communicate between each other and the output will be one executable file .

-loader

```
X Tue 18 Nov - 21:19 ~
@safandy gcc file3.c -o file3

Tue 18 Nov - 21:20 ~
@safandy ldd file3
linux-vdso.so.1 (0x00007f0d7e808000)
libc.so.6 => /lib64/libc.so.6 (0x00007f0d7e5f8000)
/lib64/ld-linux-x86-64.so.2 (0x00007f0d7e80a000)
```

Its job is to load the executable files to the ram and load the libraries and use both of them side by side

- Stopping the background process then resuming the work

```
Tue 18 Nov - 21:06 ~
@safandy sleep 300 &
1] 16185

Tue 18 Nov - 21:08 ~
@safandy kill -STOP 16185
1] + 16185 suspended (signal) sleep 300

Tue 18 Nov - 21:08 ~
@safandy kill -CONT 16185
```