

### Assignment 3

~~Software Engineering~~

- a) Display a list of all flights, airline sorted alphabetically

```
SELECT flight-number, Airline
FROM FLIGHT
ORDER BY Airline; -- Sorted by ascending by default
```

- b) For the fares with amount over \$50, display the restrictions, and amount after taxes (15%)

```
SELECT Restrictions, Amount * AS Amount-after-taxes
FROM FARE
WHERE Amount > 50;
```

- c) ~~Delete~~ Delete 5% from the records in SEAT-Reservation
- ```
UPDATE SEAT-RESERVATION
SET Seat-number = Seat-number * 0.95;
```

- d) For each AIRPLANE-TYPE, display a list of Airline-type-name and the number of seats the airplane has

```
SELECT Airplane-type-name, Max-seats
FROM AIRPLANE-TYPE
GROUP BY Airplane-type-name;
```

e) Retrieve the name of airplane type who name starts with E and ends with T

```
SELECT Airplane-type-name  
FROM AIRPLANE-TYPE  
WHERE Airplane-type-name LIKE 'E%T';
```

f) SELECT FLIGHT.Flight-number,  
Departure-airport.Name AS Departure-airport-name,  
Arrival-airport.Name AS Arrival-airport-name,  
FLIGHT-LEG.Scheduled-departure-time,  
FLIGHT-LEG.Scheduled-arrival-time,  
AIRPLANE-TYPE.~~AIRPLANE~~ Airplane-type-name  
FROM FLIGHT  
JOIN FLIGHT-LEG ON FLIGHT.Flight-number = FLIGHT-LEG.Flight-number  
JOIN AIRPLANE ON FLIGHT-LEG.Flight-number = AIRPLANE.Airplane-id  
JOIN AIRPLANE-TYPE ON AIRPLANE.Airplane-type = AIRPLANE-TYPE.Airplane-type-name  
JOIN AIRPORT AS Departure-airport ON FLIGHT-LEG.Departure-airport-code = Departure-airport.Airport-code  
JOIN AIRPORT AS Arrival-airport ON FLIGHT-LEG.Arrival-airport-code = Arrival-airport.Airport-code  
WHERE FLIGHT.Weekdays = 'Monday';



e) Retrieve the name of airplane type whose name starts with E and ends with T

```
SELECT Airplane_type_name
FROM AIRPLANE_TYPE
WHERE Airplane_type_name LIKE 'E%T';
```

f) 

```
SELECT FLIGHT.Flight_number,
       Departure_airport.Name AS Departure_airport_name,
       Arrival_airport.Name AS Arrival_airport_name,
       FLIGHT_LEG.Scheduled_departure_time,
       FLIGHT_LEG.Scheduled_arrival_time,
       AIRPLANE_TYPE.AIRPLANE Airplane_type_name
FROM FLIGHT
JOIN FLIGHT_LEG ON FLIGHT.Flight_number = FLIGHT_LEG.Flight_number
JOIN AIRPLANE ON FLIGHT_LEG.Flight_number = AIRPLANE.Flight_number
JOIN AIRPLANE_TYPE ON AIRPLANE.Airplane_type = AIRPLANE_TYPE.Airplane_type_name
JOIN AIRPORT AS Departure_airport ON FLIGHT_LEG.Departure_airport_code = Departure_airport.Airport_code
JOIN AIRPORT AS Arrival_airport ON FLIGHT_LEG.Arrival_airport_code = Arrival_airport.Airport_code
WHERE FLIGHT.Weekdays = 'Monday';
```



```
3) SELECT FLIGHT.Flight_number,  
          FLIGHT.Airline AS Airline_name,  
          Departure-airport.Name AS Departure-airport-name,  
          Arrival-airport.Name AS Arrival-airport-name,  
          FLIGHT_LEG.Scheduled_departure_time,  
          FLIGHT_LEG.Scheduled_arrival_time
```

```
FROM FLIGHT
```

```
JOIN FLIGHT_LEG ON FLIGHT.Flight_number=FLIGHT_LEG.
```

```
Flight_number  
JOIN AIRPORT AS Departure-airport ON FLIGHT_LEG.Departure-  
airport-code  
=Departure-airport.Airport-code  
JOIN AIRPORT AS Arrival-airport ON FLIGHT_LEG.Arrival-airport-code =  
Arrival-airport.Airport-code  
WHERE FLIGHT.Airline LIKE '%AIR%';
```