FIELD MANUAL / DAY-ONE EDITION

THE 8/10 SOURCING QUEST

Factory-new turbine valves through resellers, with a separate repair-kit side quest. A practical route from incomplete references to defensible purchase decisions.

START: ~3/10 procurement-ready. Twelve screened third-party RFQ routes exist, but no exact factory-new stock, fit or authorization is confirmed. **WIN:** every required item has a written exact match, new-condition proof, traceability and engineering approval. More scraped names alone do not add points.

Tap a level to jump to its playbook

00 / Inventory Separate valves from kit	01 / Identity Get original documents	02 / Specifications Make each line quoteable	03 / Tool loadout Spend only where useful
04 / Hunt Find and screen resellers	05 / RFQ arena Collect item-level replies	06 / Proof boss Earn 6, 7, then 8/10	07 / Finish Buy safely; run Day 1

Rules of the game

[ ] No manufacturer-direct purchase: find independent or authorized resellers; use original makers only to validate technical data or partner claims.

[ ] Factory-new only: unused, never installed; disclose manufacturing date, shelf life and storage. No refurbished or exchange units.

[ ] No guessed equivalence: the kit identity, PB pairing, pressure-filter claim and turbine model must be proved from original documentation.

Tomorrow's realistic win: a defensible identity pack, a screened contact list and RFQs sent. Firm quotations and approvals may take days.

LEVEL 00 / Inventory the quest items

MISSION: Create one line per valve and keep the possible repair set separate.

These are the **reported references**, not a validated maker's BOM. Ref A and Ref B are deliberately neutral labels until the plant confirms what each code means. Only line 04 has quantity two.

#	Reported function	Listed ref A	Listed ref B	Qty
01	Fuel-gas pilot control	MBMBP1J000-E13	404050912140	1
02	Fuel-gas premix control	MBMBP1H000-E13	404050912147	1
03	Fuel-gas stop	MBMBP1F000-E13	404050912154	1
04	Cooling-air butterfly	MBMBH1A000-E04/0003	405211540032	2
05	Cooling-air butterfly	MBMBH1A000-E04/0002	405211540033	1
06	Cooling-air butterfly	MBMBH1A000-E04/0001	405211540034	1
07	Purge-air ball	MBMBH4B000-E05/0004	405211311668	1
08	Purge-air ball	MBMBH4B000-E05/0003	405211311669	1
09	Purge-air ball	MBMBH4B000-E05/0002	405211311670	1

SIDE QUEST / repair kit: A screenshot reads **"0613656 KIT,VLV RPR:A2A50182217;CONTROL. 3575ST31"**. It suggests a valve-repair-kit lead, **not a complete valve**. The kit quantity and its connection to any of the nine lines are unknown. The pairing with **PB0000135690** is unverified.

The ambiguity radar

[ ] What do **MBMB...**, **404.../405...**, **0613656** and **3575ST31** identify: seller codes, asset tags, assemblies or material IDs?

[ ] Do the **/0001, /0002, /0003, /0004** suffixes change size, actuation, fail position, trim or approvals? Never collapse them.

[ ] Does each line require a **complete assembled valve**, including actuator and accessories, rather than a bare body or repair kit?

[ ] Is A2A50182217 really paired with PB0000135690; what are its manufacturer, contents and mating assembly?

Unverified AI claims: SGT5-2000E/V94.2 fit, pressure-filter assembly 74605.0002.1010.0031, kit contents and proposed filter element A2A50179079 / PB0000119810. Do not source substitutes on this basis.

LEVEL CLEAR / UNLOCK: Save the nine-line/ten-unit schedule plus a **separate kit line** with quantity marked UNKNOWN; assign an owner to every open question.

LEVEL 01 / Obtain the identity pack

MISSION: Ask the plant's maintenance, engineering and stores teams for source documents.

The six most valuable artifacts, in order

[ ] Original spare-parts catalog or exploded BOM: all nine item callouts, document number, revision/date, assembly drawing and approved supersessions.

[ ] Machine identity: turbine OEM, model/variant, package/skid model and serial, equipment tags and serial applicability. Do not assume SGT5-2000E from the earlier AI conversation.

[ ] Installed-part photos: clear plates on each valve, actuator, positioner and any pilot assembly, including maker's part number, revision, serial and rating.

[ ] Purchase trail: previous PO, delivery note, manufacturer CoC, maintenance work order or site store record for the same assembly.

[ ] Engineering rules: approved alternates and service bulletins; exact-only vs permitted substitute; required performance and safety tests.

[ ] Buying constraints: kit quantity, required delivery date/country, new-stock age and seal shelf-life limits, and whether traceable independent stock is acceptable or authorization is mandatory.

Five questions that unlock the right search

1. For each line, which is the original valve maker's exact part number and revision, and what do the two listed codes represent?
2. Is the requirement for a bare valve, complete assembled valve, actuator set or service kit?
3. Which turbine/serial and operating system does each part serve?
4. Can a manufacturer-authored page map A2A50182217 to PB0000135690 and list the repair-set contents?
5. Which differences between suffix variants are safety-critical?

Copy to the plant engineer: Please share the current illustrated parts-list/BOM pages and revision, turbine/package model and serial, nameplate photos of all valve/actuator assemblies, and prior part records for the attached nine lines. Please identify each code's type, original manufacturer number, complete assembly scope, approved supersessions and the separately listed repair kit. Mark unknowns explicitly.

Privacy rule: keep plant serials, internal drawings and purchase history in a private file; send only to vetted resellers under the owner's sharing rules or an NDA. Do not upload confidential pages to public scrapers.

LEVEL CLEAR / UNLOCK: You have a referenced identity record for each line. If a number's meaning is still unknown, label it UNKNOWN rather than inventing a match.

LEVEL 02 / Make each line quoteable

MISSION: Confirm the specification and assembly boundary with engineering.

Category	Ask engineering to state or attach
Identity	Maker, maker PN and revision; turbine/serial applicability; BOM callout; supersession approval.
Process and body	Fuel gas or cooling/purge air; DN/NPS, pressure class, flange/connection, materials, temperature and leakage rating.
Actuation	Body only or assembled unit; actuator model, fail action, control signal, supply voltage, switches and positioner.
Compliance	Hazardous-area rating if applicable, pressure/test certificates, required drawings and functional acceptance tests.
Repair set	Mating valve/assembly, maker kit PN, contents and quantities, replacement procedure, storage and seal expiry.
Commercial	Qty by line, need-by date and destination, permitted substitution, warranty, CoC and manufacturing-date rules.

Identity card: copy this once for EACH line

Line / qty: _____ Service/tag: _____ Turbine model/serial: _____
Listed refs A + B: _____ Document / revision / page: _____
Maker PN / revision: _____ Assembly scope: _____
Size/class/ends: _____ Actuator/control/fail action: _____
Required certificates: _____ Delivery / new-stock limit: _____

Three expensive misunderstandings to prevent

[ ] Suffixes are not cosmetic. The butterfly and purge-ball variants could differ in configuration or certification. Request the exact revision.

[ ] New is not the same as serviceable. Exclude used, refurbished, repaired and exchange; if old unused stock is offered, insist on age, storage and remaining seal shelf life.

[ ] A kit is not a valve. A proposal to reproduce seals or substitute a filter is not a verified cross-reference for safety-critical fuel-gas equipment; require written engineering approval.

LEVEL CLEAR / UNLOCK: A reseller could identify **each exact assembly** without guessing. Record UNKNOWN instead of providing invented dimensions or equivalences.

LEVEL 03 / Equip a smart tool loadout

MISSION: Use paid tools for discovery and contact enrichment, not as stock certificates.

Tool / platform	Useful for	Cannot establish
Public search + past tenders	Exact-code/PDF searches, awarded supplier trails and prior public purchases.	New stock or current authorization.
Kompass; Europages; Thomasnet; wlw	Business directories by region, activity and contact route.	A match to your exact Siemens references.
Apify; SerpApi	Repeatable searches and compliant collection of public pages; monitor new mentions.	Condition, chain of title or OEM certification.
GlobalSpec; catalogs	Technical keywords and original component-maker discovery.	Approved substitution or stock.
Sales Navigator	Named parts/sales contacts at already-screened businesses.	Company legitimacy or part fit.
Panjiva; ImportGenius	Historical trade relationships if the maker/seller trail goes cold.	Live inventory or authority to resell a specific SKU.
Marketplaces; B2B listings	Extra lead names and supplier aliases; use as a last resort.	Factory-new origin or authenticity.

Where an unlimited tools budget actually helps

1 / First pay for clarity: obtain the plant's BOM/nameplate record or a qualified turbine-valve engineer's review. **2 / Then pay for reach:** targeted search credits and one relevant directory/contact plan. **3 / Last pay for certainty:** third-party inspection, document authentication and logistics on finalists. Only consider expensive shipment-data subscriptions if ordinary sourcing has not located the original valve maker or credible dealers.

Tool safety setting: collect only public business data and respect site rules, privacy law and rate limits. No account bypass, private database access or leaked documents. A paid database record is a lead, not proof of authorization or availability.

Official starting URLs and the existing 12-supplier brief appear in the resource directory on the final page. Check current pricing and features with each vendor before subscribing; live access was unavailable here.

LEVEL CLEAR / UNLOCK: Create a spreadsheet/CRM with the nine valve lines and kit, plus separate supplier, evidence and follow-up tabs before buying any subscription.

LEVEL 04 / Hunt, then screen

MISSION: Split the problem into four markets instead of asking everyone for everything.

Lane A: fuel-gas pilot/premix/stop assemblies via turbine spares resellers. **Lane B:** cooling-air butterflies via the actual valve maker's authorized dealers once identified. **Lane C:** purge-air ball assemblies through its maker's dealers. **Lane D:** the repair kit only after its mating assembly and maker are documented. Do not assume SOMAS, Hartmann or a specific turbine model without the nameplate/BOM.

Search strings to run and adapt

```
"MBMBP1J000-E13" OR "404050912140"
```

```
"MBMBH1A000-E04/0003" OR "405211540032"
```

```
"MBMBH4B000-E05/0004" OR "405211311668"
```

```
"A2A50182217" "PB0000135690" [test, not assume, the pairing]
```

```
"original maker PN" ("new" OR "unused") ("dealer" OR "distributor")
```

Repeat without hyphens, with product descriptions and in relevant markets/languages. Search permitted historical POs and public tender awards for past sellers; an award does not prove stock today.

Two independent checks before a seller reaches the shortlist

[ ] Its own site shows the relevant turbine/valve/parts activity **and** an official business contact.

[ ] An independent registry, maker partner locator (if authorization is claimed) or credible industry record supports its identity. Two pages on the same seller site are not independent.

[ ] Note actual model/part relevance, new-only policy, legal entity, country, lead person and unresolved risk. Never mark stock VERIFIED from an indexed listing.

LEVEL CLEAR / UNLOCK: Aim for 10-15 **screened RFQ targets** drawn from the existing 12 and new candidates; do not describe them as confirmed suppliers.

LEVEL 05 / Enter the RFQ arena

MISSION: Contact resellers in parallel and insist on per-line answers.

SUBJECT: Factory-new turbine valves (9 lines / 10 units) + separate A2A50182217 kit identification

Please quote the attached line schedule **by reference and quantity**. For every offered item give the original manufacturer PN/revision, written cross-reference to our listed codes, complete assembly contents, turbine/serial fit, new/unused/never-installed condition, production date, storage evidence where relevant, original-manufacturer traceability/CoC, warranty, stock location or lead time, price, validity and delivery terms. No refurbished, repaired or exchange units. State whether you are an authorized distributor and provide a verifiable basis if claimed. **Separately:** can you document whether PB0000135690 corresponds to A2A50182217, identify its mating assembly and list kit contents? No substitution without written engineering approval.

Send, track, follow up

[ ] Send targeted requests to the strongest relevant resellers from the existing screened brief; route butterfly and purge items by the confirmed original maker, not a guessed one.

[ ] Log **per line:** supplier/legal entity, named contact, ref A+B, maker PN/revision, assembly, condition, documents, stock/lead date, price, validity, warranty, authorization claim and next action.

[ ] Call the published company number for promising quotes; verify the sender works there. Request missing proofs before a price comparison.

Reply status	Meaning and next action
NO REPLY / UNKNOWN	Set a follow-up date; do not infer stock.
CAN SOURCE	Ask for an itemized written quotation and new-part proof.
QUOTED / PENDING	Check fit, revision, assembly scope and provenance.
VERIFIED / REJECTED	Document proof and engineering sign-off / rejection reason.

LEVEL CLEAR / UNLOCK: A real move toward **6/10** needs documented part identity and written item-specific reseller replies; search-result count is irrelevant.

LEVEL 06 / Defeat the proof boss

MISSION: Turn offers into verified, factory-new, compatible supply routes.

Evidence pack for EACH proposed line

[ ] Exact fit: itemized maker PN/revision, your two references, drawing/BOM callout and full valve/actuator scope. Engineering signs off model/serial compatibility and any approved supersession.

[ ] New condition: unused, never installed; manufacturing date, original packaging, storage history and seal shelf life for kits. A dated photo alone is not a CoC.

[ ] Origin: manufacturer CoC or traceable chain of supply, warranty and seller's legal identity. Check claimed dealer authorization against the maker's published partner channel.

[ ] Executable offer: stock/lead time, quantity, firm price, validity, delivery/incoterms, export/import restrictions, inspection rights and documented acceptance criteria.

Score gates: evidence, not the number of search results

Readiness	What you must be able to show
3/10 / now	Plausible RFQ routes; no exact new stock or fit confirmed.
6/10	Machine/part identities documented; credible written exact-part and new-only replies for priority lines.
7/10	Most lines have itemized offers; documents support new condition and traceability; remaining gaps explicit.
8/10	All nine valve lines plus the kit, if required, are separately covered by firm documented offers, fit approval, traceability and verified claimed authorization.
9-10/10	Independent inspection and receipt/acceptance confirm the ordered items and documentation.

Hard stop: seller offers an unapproved substitute, a bare valve instead of a complete assembly, undocumented old stock, self-issued certification presented as the maker's CoC, or an unverified kit-code pairing. Reject or hold pending written engineering resolution.

LEVEL CLEAR / UNLOCK: The score rises only when the **missing documents and items** are closed, never because a directory displays more vendors.

LEVEL 07 / Finish safely / tomorrow's sprint

MISSION: Run a disciplined Day 1; complete purchasing only after the proof gate.

Eight-hour speedrun for tomorrow

Time	Objective	Leave with
00:00-00:45	Set up 9+1 line tracker; mark unknowns.	Clean schedule.
00:45-02:00	Request BOM, model/serial, plates and prior records.	Owner and ETA.
02:00-03:00	Map makers, scope and kit separately.	Identity gaps.
03:00-04:15	Search codes and makers in four lanes.	Candidate names.
04:15-05:15	Check registries, activity and partner claims.	Shortlist tiers.
05:15-06:30	Send tailored RFQs by item and supplier fit.	Sent log.
06:30-07:15	Call top contacts; request documentary proof.	Named follow-ups.
07:15-08:00	Score evidence and book next actions.	Updated quest log.

If blocked, use the right fallback

No BOM/model yet? Work on public distributor discovery, but do not claim part matches or spend on high-priced databases. **Seller says 'new' without documentation?** Request production date, CoC, storage history and a precise assembly quote. **Kit pairing not proved?** Keep the kit inquiry separate and ask engineering to identify its mating valve.

Award only after all item gates pass

[ ] Compare bids by line, not just by total price; keep primary and backup routes where feasible. Confirm legal seller, currency, delivery terms, warranty and import/export requirements.

[ ] For high-value or unfamiliar sellers, arrange independent inspection and document checks before final payment; write acceptance tests and rejection rights into the purchase order.

Day 1 win condition: a corrected identity pack (or named requests for it), 10-15 screened RFQ targets, focused inquiries sent and a list of unanswered questions. Reaching 8/10 may take multiple business days.

LEVEL CLEAR / UNLOCK: Advance only on item-level evidence; after award, verify delivered labels, quantities, CoCs and engineering acceptance against the PO.

QUEST LOG / carry this into tomorrow

Mark maker/revision, quote, new/CoC proof and owner for each line. A dash is an open task, not a verified match. Re-create this grid in a spreadsheet for live follow-ups.

Part / line	Qty	Maker PN + rev	Quote	New / CoC	Owner
01 Pilot	1	-	-	-	-
02 Premix	1	-	-	-	-
03 Stop	1	-	-	-	-
04 Cool /0003	2	-	-	-	-
05 Cool /0002	1	-	-	-	-
06 Cool /0001	1	-	-	-	-
07 Purge /0004	1	-	-	-	-
08 Purge /0003	1	-	-	-	-
09 Purge /0002	1	-	-	-	-
KIT A2A50182217	?	-	-	-	-

Official starting URLs / tap or copy on your phone

These platforms help discover companies or contacts, not certify inventory. Site access, features, fees and terms must be checked with each provider; these sites could not be opened live during preparation of this guide.

Apify: https://apify.com/

Kompass: https://www.kompass.com/

Thomasnet: https://www.thomasnet.com/

Europages: https://www.europages.com/

wlw: https://www.wlw.de/

GlobalSpec: https://www.globalspec.com/

SerpApi: https://serpapi.com/

LinkedIn Sales Navigator: https://www.linkedin.com/sales/

Panjiva: https://panjiva.com/

ImportGenius: https://www.importgenius.com/

UK Companies House: https://find-and-update.company-information.service.gov.uk/

Existing 12-supplier brief: Open the password-free, publicly hosted report. This roadmap is also publicly hosted; do not add confidential plant documents to its hosting repository.