

Report

carolina.moraes
30/04/2021

Table of Contents

1 Specifications.....	3
2 Model information.....	3
2.1 Card of model VelociHelptor DER.....	3
3 LDM Diagrams.....	4
3.1 Model level diagrams.....	4
3.1.1 Diagram Diagram_1.....	4
4 Entities.....	5
4.1 Model level.....	5
4.1.1 Entity Analista.....	5
4.1.2 Entity Chamado.....	8
4.1.3 Entity Identifier_1.....	13
4.1.4 Entity Log.....	17
4.1.5 Entity Status.....	21
4.1.6 Entity Usuario.....	24
5 Relationships.....	29
5.1 Model level.....	29
5.1.1 Relationship Abre.....	29
5.1.2 Relationship Atende.....	29
5.1.3 Relationship Cria.....	30
5.1.4 Relationship Funcionário da.....	30
5.1.5 Relationship Possui.....	31
5.1.6 Relationship Tem.....	32

1 Specifications

Include specifications here....


2 Model information**2.1 Card of model VelociHelptor DER**

<i>Name</i>	VelociHelptor DER
<i>Code</i>	VELOCIHELPTOR_DER
<i>Comment</i>	
<i>Author</i>	
<i>Version</i>	

3 LDM Diagrams

3.1 Model level diagrams

3.1.1 Diagram Diagram 1



4 Entities**4.1 Model level****4.1.1 Entity Analista****4.1.1.1 Card of entity Analista**

<i>Name</i>	Analista
<i>Code</i>	ANALISTA
<i>Parent</i>	Logical Data Model 'VelociHelptor DER'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.1.2 List of all dependencies of the entity Analista

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Atende	ATENDE	Relationship

4.1.1.3 List of relationships of the entity Analista

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Atende	ATENDE	X	Chamado	Analista		0,n	1,1

4.1.1.4 List of diagrams containing the entity Analista

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.1.5 List of attributes of the entity Analista

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
cod_analista	COD_ANALISTA	Integer	X	
nome_analista	NOME_ANALISTA	Text		
email_usuario	EMAIL_USUARIO	Text		

4.1.1.6 Entity attribute cod_analista of the entity Analista**4.1.1.6.1 Card of the entity attribute cod_analista of the entity Analista**

<i>Name</i>	cod_analista
<i>Code</i>	COD_ANALISTA
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.1.6.2 Check of the entity attribute cod_analista of the entity Analista

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	

<i>Unit</i>	No
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.1.6.3 Server validation rule of the entity attribute cod analista of the entity Analista

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.1.6.4 List of all dependencies of the entity attribute cod analista

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
? Identifier_1	? IDENTIFIER_1	Relationship Join Identifier

4.1.1.6.5 List of primary relationship joins of the entity attribute cod analista

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_analista	cod_analista

4.1.1.6.6 List of identifiers of the entity attribute cod analista

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Analista'	X

4.1.1.7 Entity attribute nome analista of the entity Analista

4.1.1.7.1 Card of the entity attribute nome analista of the entity Analista

<i>Name</i>	nome_analista
<i>Code</i>	NOME_ANALISTA
<i>Comment</i>	
<i>Data Type</i>	Text
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.1.7.2 Check of the entity attribute nome analista of the entity Analista

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.1.7.3 Server validation rule of the entity attribute nome analista of the entity Analista

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.1.8 Entity attribute email usuario of the entity Analista

4.1.1.8.1 Card of the entity attribute email usuario of the entity Analista

<i>Name</i>	email_usuario
<i>Code</i>	EMAIL_USUARIO

<i>Comment</i>	
<i>Data Type</i>	Text
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.1.8.2 Check of the entity attribute email_usuario of the entity Analista

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.1.8.3 Server validation rule of the entity attribute email_usuario of the entity Analista

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.1.9 List of identifiers of the entity Analista

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Analista'	X

4.1.1.10 Identifier Identifier_1 of the entity Analista

4.1.1.10.1 Card of the identifier Identifier_1 of the entity Analista

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.1.10.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
cod_analista	COD_ANALISTA	Integer	X	

4.1.1.10.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Atende	ATENDE	Relationship

4.1.1.10.4 List of relationships of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Atende	ATENDE	Logical Data Model 'VelociHelpTOR DER'	X	Chamado	Analista		0,n	1,1

4.1.2 Entity Chamado

4.1.2.1 Card of entity Chamado

<i>Name</i>	Chamado
<i>Code</i>	CHAMADO
<i>Parent</i>	Logical Data Model 'VelociHelpTOR DER'
<i>Comment</i>	
<i>Generate Number</i>	Yes

4.1.2.2 List of all dependencies of the entity Chamado

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Abre	ABRE	Relationship
Atende	ATENDE	Relationship
Cria	CRIA	Relationship
Possui	POSSUI	Relationship
Tem	TEM	Relationship

4.1.2.3 List of relationships of the entity Chamado

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Abre	ABRE	X	Chamado	Usuario		0,n	1,1
Atende	ATENDE	X	Chamado	Analista		0,n	1,1
Cria	CRIA	X	Log	Chamado		0,n	1,1
Possui	POSSUI	X	Chamado	Status		1,n	1,1
Tem	TEM	X	Chamado	Identifier_1		0,n	1,1

4.1.2.4 List of diagrams containing the entity Chamado

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.2.5 List of attributes of the entity Chamado

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
cod_chamado	COD_CHAMADO	Integer	X	

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
titulo_chamado	TITULO_CHAMADO	Characters (50)		
desc_chamado	DESC_CHAMADO	Text		
cod_empresa	COD_EMPRESA	Integer	X	
cod_usuario	COD_USUARIO	Integer	X	
cod_analista	COD_ANALISTA	Integer	X	
cod_status	COD_STATUS	Integer	X	

4.1.2.6 Entity attribute cod chamado of the entity Chamado

4.1.2.6.1 Card of the entity attribute cod chamado of the entity Chamado

<i>Name</i>	cod_chamado
<i>Code</i>	COD_CHAMADO
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.2.6.2 Check of the entity attribute cod chamado of the entity Chamado

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.2.6.3 Server validation rule of the entity attribute cod chamado of the entity Chamado

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.2.6.4 List of all dependencies of the entity attribute cod chamado

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.2.6.5 List of primary relationship joins of the entity attribute cod chamado

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_chamado	COD_CHAMADO

4.1.2.6.6 List of identifiers of the entity attribute cod chamado

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Chamado'	X

4.1.2.7 Entity attribute titulo chamado of the entity Chamado

<i>Name</i>	titulo_chamado
<i>Code</i>	TITULO_CHAMADO
<i>Comment</i>	
<i>Data Type</i>	Characters (50)
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.2.7.2 Check of the entity attribute titulo chamado of the entity Chamado

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.2.7.3 Server validation rule of the entity attribute titulo chamado of the entity Chamado

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.2.8 Entity attribute desc chamado of the entity Chamado

4.1.2.8.1 Card of the entity attribute desc chamado of the entity Chamado

<i>Name</i>	desc_chamado
<i>Code</i>	DESC_CHAMADO
<i>Comment</i>	
<i>Data Type</i>	Text
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.2.8.2 Check of the entity attribute desc chamado of the entity Chamado

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.2.8.3 Server validation rule of the entity attribute desc chamado of the entity Chamado

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.2.9 Entity attribute cod empresa of the entity Chamado

4.1.2.9.1 Card of the entity attribute cod empresa of the entity Chamado

<i>Name</i>	cod_empresa
<i>Code</i>	COD_EMPRESA
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes

<i>Inherited From</i>	<None>
-----------------------	--------

4.1.2.9.2 Check of the entity attribute cod_empresa of the entity Chamado

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.2.9.3 Server validation rule of the entity attribute cod_empresa of the entity Chamado

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.2.9.4 List of all dependencies of the entity attribute cod_empresa

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.2.9.5 List of foreign relationship joins of the entity attribute cod_empresa

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_empresa	cod_empresa

4.1.2.10 Entity attribute cod_usuario of the entity Chamado**4.1.2.10.1 Card of the entity attribute cod_usuario of the entity Chamado**

<i>Name</i>	cod_usuario
<i>Code</i>	COD_USUARIO
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.2.10.2 Check of the entity attribute cod_usuario of the entity Chamado

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.2.10.3 Server validation rule of the entity attribute cod_usuario of the entity Chamado

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.2.10.4 List of all dependencies of the entity attribute cod_usuario

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.2.10.5 List of foreign relationship joins of the entity attribute cod_usuario

<i>Parent Attribute</i>	<i>Child Attribute</i>
-------------------------	------------------------

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_usuario	cod_usuario

4.1.2.11 Entity attribute cod_analista of the entity Chamado

4.1.2.11.1 Card of the entity attribute cod_analista of the entity Chamado

<i>Name</i>	cod_analista
<i>Code</i>	COD_ANALISTA
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.2.11.2 Check of the entity attribute cod_analista of the entity Chamado

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.2.11.3 Server validation rule of the entity attribute cod_analista of the entity Chamado

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.2.11.4 List of all dependencies of the entity attribute cod_analista

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.2.11.5 List of foreign relationship joins of the entity attribute cod_analista

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_analista	cod_analista

4.1.2.12 Entity attribute cod_status of the entity Chamado

4.1.2.12.1 Card of the entity attribute cod_status of the entity Chamado

<i>Name</i>	cod_status
<i>Code</i>	COD_STATUS
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.2.12.2 Check of the entity attribute cod_status of the entity Chamado

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	

<i>Cannot Modify List Of Values</i>	No
---	----

4.1.2.12.3 Server validation rule of the entity attribute cod status of the entity Chamado

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.2.12.4 List of all dependencies of the entity attribute cod status

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.2.12.5 List of foreign relationship joins of the entity attribute cod status

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_status	cod_status

4.1.2.13 List of identifiers of the entity Chamado

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Chamado'	X

4.1.2.14 Identifier Identifier 1 of the entity Chamado**4.1.2.14.1 Card of the identifier Identifier 1 of the entity Chamado**

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.2.14.2 List of attributes of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
cod_chamado	COD_CHAMADO	Integer	X	

4.1.2.14.3 List of all dependencies of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Cria	CRIA	Relationship

4.1.2.14.4 List of relationships of the entity identifier Identifier 1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Cria	CRIA	Logical Data Model 'Veloci Helptor DER'	X	Log	Chamado		0,n	1,1

4.1.3 Entity Identifier 1

4.1.3.1 Card of entity Identifier 1

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Parent</i>	Logical Data Model 'VelociHelptor DER'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.3.2 List of all dependencies of the entity Identifier 1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Funcionário da Tem	FUNCIONARIO_DA TEM	Relationship Relationship

4.1.3.3 List of relationships of the entity Identifier 1

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinalit y</i>	<i>Entity 2 -> Entity 1 Role Cardinalit y</i>
Funcionári o da	FUNCIO NARIO_ DA	X	Usuario	Identifier_ 1		1,n	1,1
Tem	TEM	X	Chamado	Identifier_ 1		0,n	1,1

4.1.3.4 List of diagrams containing the entity Identifier 1

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.3.5 List of attributes of the entity Identifier 1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandat ory</i>	<i>Inherited From</i>
cod_empresa	COD_EMPRESA	Integer	X	
nom_empresa	NOM_EMPRESA	Text		
area_empresa	AREA_EMPRESA	Characters (30)		

4.1.3.6 Entity attribute cod_empresa of the entity Identifier 1**4.1.3.6.1 Card of the entity attribute cod_empresa of the entity Identifier 1**

<i>Name</i>	cod_empresa
<i>Code</i>	COD_EMPRESA
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.3.6.2 Check of the entity attribute cod_empresa of the entity Identifier 1

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	

<i>Unit</i> <i>Format</i> <i>Cannot Modify</i> <i>List Of Values</i>	No
---	----

4.1.3.6.3 Server validation rule of the entity attribute cod_empresa of the entity Identifier 1

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.3.6.4 List of all dependencies of the entity attribute cod_empresa

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
cod_empresa	COD_EMPRESA	Identifier
?	?	Relationship Join
?	?	Relationship Join

4.1.3.6.5 List of primary relationship joins of the entity attribute cod_empresa

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_empresa	cod_empresa
cod_empresa	cod_empresa

4.1.3.6.6 List of identifiers of the entity attribute cod_empresa

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
cod_empresa	COD_EMPRESA	Entity 'Identifier_1'	X

4.1.3.7 Entity attribute nom_empresa of the entity Identifier 1

4.1.3.7.1 Card of the entity attribute nom_empresa of the entity Identifier 1

<i>Name</i> <i>Code</i> <i>Comment</i> <i>Data Type</i> <i>Mandatory</i> <i>Inherited From</i>	nom_empresa NOM_EMPRESA Text No <None>
---	--

4.1.3.7.2 Check of the entity attribute nom_empresa of the entity Identifier 1

<i>Minimum Value</i> <i>Maximum Value</i> <i>Default Value</i> <i>Unit</i> <i>Format</i> <i>Cannot Modify</i> <i>List Of Values</i>	No
---	----

4.1.3.7.3 Server validation rule of the entity attribute nom_empresa of the entity Identifier 1

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.3.8 Entity attribute area_empresa of the entity Identifier 1

<i>Name</i>	area_empresa
<i>Code</i>	AREA_EMPRESA
<i>Comment</i>	
<i>Data Type</i>	Characters (30)
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.3.8.2 Check of the entity attribute area_empresa of the entity Identifier 1

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.3.8.3 Server validation rule of the entity attribute area_empresa of the entity Identifier 1

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.3.9 List of identifiers of the entity Identifier 1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
cod_empresa	COD_EMPRESA	Entity 'Identifier_1'	X

4.1.3.10 Identifier cod_empresa of the entity Identifier 1

4.1.3.10.1 Card of the identifier cod_empresa of the entity Identifier 1

<i>Name</i>	cod_empresa
<i>Code</i>	COD_EMPRESA
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.3.10.2 List of attributes of the entity identifier cod_empresa

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
cod_empresa	COD_EMPRESA	Integer	X	

4.1.3.10.3 List of all dependencies of the entity identifier cod_empresa

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Funcionário da Tem	FUNCIONARIO_DA TEM	Relationship Relationship

4.1.3.10.4 List of relationships of the entity identifier cod_empresa

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Funcionário da	FUNCI ONARIO_DA	Logical Data Model 'Veloci Helptor DER'	X	Usuario	Identificar_1		1,n	1,1
Tem	TEM	Logical Data Model 'Veloci Helptor DER'	X	Chamado	Identificar_1		0,n	1,1

4.1.4 Entity Log

4.1.4.1 Card of entity Log

<i>Name</i>	Log
<i>Code</i>	LOG
<i>Parent</i>	Logical Data Model 'VelociHelptor DER'
<i>Comment</i>	
<i>Generate</i>	No
<i>Number</i>	

4.1.4.2 List of all dependencies of the entity Log

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Cria	CRIA	Relationship

4.1.4.3 List of relationships of the entity Log

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Cria	CRIA	X	Log	Chamado		0,n	1,1

4.1.4.4 List of diagrams containing the entity Log

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.4.5 List of attributes of the entity Log

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
cod_log	COD_LOG	Integer	X	
COD_CHAMADO	COD_CHAMADO	Integer	X	
cod_usuario	COD_USUARIO	Integer	X	
cod_analista	COD_ANALISTA	Integer	X	
cod_status	COD_STATUS	Integer	X	

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
titulo_log	TITULO_LOG	Text		
corpo_log	CORPO_LOG	Text		

4.1.4.6 Entity attribute cod_log of the entity Log

4.1.4.6.1 Card of the entity attribute cod_log of the entity Log

<i>Name</i>	cod_log
<i>Code</i>	COD_LOG
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.4.6.2 Check of the entity attribute cod_log of the entity Log

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.4.6.3 Server validation rule of the entity attribute cod_log of the entity Log

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.4.6.4 List of all dependencies of the entity attribute cod_log

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Identifier_1	IDENTIFIER_1	Identifier

4.1.4.6.5 List of identifiers of the entity attribute cod_log

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Log'	X

4.1.4.7 Entity attribute COD_CHAMADO of the entity Log

4.1.4.7.1 Card of the entity attribute COD_CHAMADO of the entity Log

<i>Name</i>	COD_CHAMADO
<i>Code</i>	COD_CHAMADO
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.4.7.2 Check of the entity attribute COD_CHAMADO of the entity Log

<i>Minimum Value</i>	
----------------------	--

<i>Maximum Value</i> <i>Default Value</i> <i>Unit</i> <i>Format</i> <i>Cannot Modify</i> <i>List Of Values</i>	No
---	----

4.1.4.7.3 Server validation rule of the entity attribute COD CHAMADO of the entity Log

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.4.7.4 List of all dependencies of the entity attribute COD CHAMADO

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.4.7.5 List of foreign relationship joins of the entity attribute COD CHAMADO

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_chamado	COD_CHAMADO

4.1.4.8 Entity attribute cod usuario of the entity Log

4.1.4.8.1 Card of the entity attribute cod usuario of the entity Log

<i>Name</i>	cod_usuario
<i>Code</i>	COD_USUARIO
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.4.8.2 Check of the entity attribute cod usuario of the entity Log

<i>Minimum Value</i> <i>Maximum Value</i> <i>Default Value</i> <i>Unit</i> <i>Format</i> <i>Cannot Modify</i> <i>List Of Values</i>	No
---	----

4.1.4.8.3 Server validation rule of the entity attribute cod usuario of the entity Log

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.4.9 Entity attribute cod analista of the entity Log

4.1.4.9.1 Card of the entity attribute cod analista of the entity Log

<i>Name</i>	cod_analista
<i>Code</i>	COD_ANALISTA
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.4.9.2 Check of the entity attribute cod_analista of the entity Log

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.4.9.3 Server validation rule of the entity attribute cod_analista of the entity Log

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.4.10 Entity attribute cod_status of the entity Log**4.1.4.10.1 Card of the entity attribute cod_status of the entity Log**

<i>Name</i>	cod_status
<i>Code</i>	COD_STATUS
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.4.10.2 Check of the entity attribute cod_status of the entity Log

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.4.10.3 Server validation rule of the entity attribute cod_status of the entity Log

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.4.11 Entity attribute titulo_log of the entity Log**4.1.4.11.1 Card of the entity attribute titulo_log of the entity Log**

<i>Name</i>	titulo_log
<i>Code</i>	TITULO_LOG
<i>Comment</i>	
<i>Data Type</i>	Text
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.4.11.2 Check of the entity attribute titulo_log of the entity Log

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	

<i>Format</i>	No
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.4.11.3 Server validation rule of the entity attribute titulo_log of the entity Log

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.4.12 Entity attribute corpo_log of the entity Log**4.1.4.12.1 Card of the entity attribute corpo_log of the entity Log**

<i>Name</i>	corpo_log
<i>Code</i>	CORPO_LOG
<i>Comment</i>	
<i>Data Type</i>	Text
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.4.12.2 Check of the entity attribute corpo_log of the entity Log

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.4.12.3 Server validation rule of the entity attribute corpo_log of the entity Log

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.4.13 List of identifiers of the entity Log

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Log'	X

4.1.4.14 Identifier Identifier_1 of the entity Log**4.1.4.14.1 Card of the identifier Identifier_1 of the entity Log**

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.4.14.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
cod_log	COD_LOG	Integer	X	

4.1.5 Entity Status

4.1.5.1 Card of entity Status

<i>Name</i>	Status
<i>Code</i>	STATUS
<i>Parent</i>	Logical Data Model 'VelociHelptor DER'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.5.2 List of all dependencies of the entity Status

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Possui	POSSUI	Relationship

4.1.5.3 List of relationships of the entity Status

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinalit y</i>	<i>Entity 2 -> Entity 1 Role Cardinalit y</i>
Possui	POSSUI	X	Chamado	Status		1,n	1,1

4.1.5.4 List of diagrams containing the entity Status

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.5.5 List of attributes of the entity Status

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
cod_status	COD_STATUS	Integer	X	
nome_status	NOME_STATUS	Characters (30)		

4.1.5.6 Entity attribute cod_status of the entity Status**4.1.5.6.1 Card of the entity attribute cod_status of the entity Status**

<i>Name</i>	cod_status
<i>Code</i>	COD_STATUS
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.5.6.2 Check of the entity attribute cod_status of the entity Status

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.5.6.3 Server validation rule of the entity attribute cod_status of the entity Status

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.5.6.4 List of all dependencies of the entity attribute cod_status

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
? Identifier_1	? IDENTIFIER_1	Relationship Join Identifier

4.1.5.6.5 List of primary relationship joins of the entity attribute cod_status

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_status	cod_status

4.1.5.6.6 List of identifiers of the entity attribute cod_status

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Status'	X

4.1.5.7 Entity attribute nome_status of the entity Status**4.1.5.7.1 Card of the entity attribute nome_status of the entity Status**

<i>Name</i>	nome_status
<i>Code</i>	NOME_STATUS
<i>Comment</i>	
<i>Data Type</i>	Characters (30)
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.5.7.2 Check of the entity attribute nome_status of the entity Status

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.5.7.3 Server validation rule of the entity attribute nome_status of the entity Status

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.5.8 List of identifiers of the entity Status

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Status'	X

4.1.5.9 Identifier Identifier_1 of the entity Status**4.1.5.9.1 Card of the identifier Identifier_1 of the entity Status**

<i>Name</i>	Identifier_1
-------------	--------------

<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.5.9.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
cod_status	COD_STATUS	Integer	X	

4.1.5.9.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Possui	POSSUI	Relationship

4.1.5.9.4 List of relationships of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Possui	POSSUI	Logical Data Model 'VelociHelptor DER'	X	Chamado	Status		1,n	1,1

4.1.6 Entity Usuario**4.1.6.1 Card of entity Usuario**

<i>Name</i>	Usuario
<i>Code</i>	USUARIO
<i>Parent</i>	Logical Data Model 'VelociHelptor DER'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Number</i>	

4.1.6.2 List of all dependencies of the entity Usuario

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Abre	ABRE	Relationship
Funcionário da	FUNCIONARIO_DA	Relationship

4.1.6.3 List of relationships of the entity Usuario

<i>Name</i>	<i>Code</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Abre	ABRE	X	Chamado	Usuario		0,n	1,1
Funcionário da	FUNCIONARIO_DA	X	Usuario	Identifier_1		1,n	1,1

4.1.6.4 List of diagrams containing the entity Usuario

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

4.1.6.5 List of attributes of the entity Usuario

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
cod_usuario	COD_USUARIO	Integer	X	
nom_usuario	NOM_USUARIO	Text		
email_usuario	EMAIL_USUARIO	Text		
cod_empresa	COD_EMPRESA	Integer	X	

4.1.6.6 Entity attribute cod_usuario of the entity Usuario**4.1.6.6.1 Card of the entity attribute cod_usuario of the entity Usuario**

<i>Name</i>	cod_usuario
<i>Code</i>	COD_USUARIO
<i>Comment</i>	
<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.6.6.2 Check of the entity attribute cod_usuario of the entity Usuario

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.6.6.3 Server validation rule of the entity attribute cod_usuario of the entity Usuario

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.6.6.4 List of all dependencies of the entity attribute cod_usuario

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join
Identifier_1	IDENTIFIER_1	Identifier

4.1.6.6.5 List of primary relationship joins of the entity attribute cod_usuario

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_usuario	cod_usuario

4.1.6.6.6 List of identifiers of the entity attribute cod_usuario

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Usuario'	X

4.1.6.7 Entity attribute nom_usuario of the entity Usuario**4.1.6.7.1 Card of the entity attribute nom_usuario of the entity Usuario**

<i>Name</i>	nom_usuario
<i>Code</i>	NOM_USUARIO
<i>Comment</i>	
<i>Data Type</i>	Text
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.6.7.2 Check of the entity attribute nom_usuario of the entity Usuario

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.6.7.3 Server validation rule of the entity attribute nom_usuario of the entity Usuario

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.6.8 Entity attribute email_usuario of the entity Usuario**4.1.6.8.1 Card of the entity attribute email_usuario of the entity Usuario**

<i>Name</i>	email_usuario
<i>Code</i>	EMAIL_USUARIO
<i>Comment</i>	
<i>Data Type</i>	Text
<i>Mandatory</i>	No
<i>Inherited From</i>	<None>

4.1.6.8.2 Check of the entity attribute email_usuario of the entity Usuario

<i>Minimum Value</i>	
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	No
<i>List Of Values</i>	

4.1.6.8.3 Server validation rule of the entity attribute email_usuario of the entity Usuario

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.6.9 Entity attribute cod_empresa of the entity Usuario**4.1.6.9.1 Card of the entity attribute cod_empresa of the entity Usuario**

<i>Name</i>	cod_empresa
<i>Code</i>	COD_EMPRESA
<i>Comment</i>	

<i>Data Type</i>	Integer
<i>Mandatory</i>	Yes
<i>Inherited From</i>	<None>

4.1.6.9.2 Check of the entity attribute cod_empresa of the entity Usuario

<i>Minimum Value</i>	No
<i>Maximum Value</i>	
<i>Default Value</i>	
<i>Unit</i>	
<i>Format</i>	
<i>Cannot Modify</i>	
<i>List Of Values</i>	

4.1.6.9.3 Server validation rule of the entity attribute cod_empresa of the entity Usuario

%MINMAX% and %LISTVAL% and %CASE% and %RULES%

4.1.6.9.4 List of all dependencies of the entity attribute cod_empresa

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
?	?	Relationship Join

4.1.6.9.5 List of foreign relationship joins of the entity attribute cod_empresa

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_empresa	cod_empresa

4.1.6.10 List of identifiers of the entity Usuario

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Primary Identifier</i>
Identifier_1	IDENTIFIER_1	Entity 'Usuario'	X

4.1.6.11 Identifier Identifier_1 of the entity Usuario**4.1.6.11.1 Card of the identifier Identifier_1 of the entity Usuario**

<i>Name</i>	Identifier_1
<i>Code</i>	IDENTIFIER_1
<i>Comment</i>	
<i>Primary Identifier</i>	Yes

4.1.6.11.2 List of attributes of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Data Type</i>	<i>Mandatory</i>	<i>Inherited From</i>
cod_usuario	COD_USUARIO	Integer	X	

4.1.6.11.3 List of all dependencies of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Class Name</i>
Abre	ABRE	Relationship

4.1.6.11.4 List of relationships of the entity identifier Identifier_1

<i>Name</i>	<i>Code</i>	<i>Parent</i>	<i>Generate</i>	<i>Entity 2</i>	<i>Entity 1</i>	<i>Dependent Role</i>	<i>Entity 1 -> Entity 2 Role Cardinality</i>	<i>Entity 2 -> Entity 1 Role Cardinality</i>
Abre	ABRE	Logical Data Model 'Veloci Helptor DER'	X	Chamado	Usuario		0,n	1,1

5 Relationships**5.1 Model level****5.1.1 Relationship Abre****5.1.1.1 Card of relationship Abre**

<i>Name</i>	Abre
<i>Code</i>	ABRE
<i>Parent</i>	Logical Data Model 'VelociHelptor DER'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Usuario
<i>Entity 2</i>	Chamado
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	0,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.1.2 List of diagrams containing the relationship Abre

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.1.3 List of relationship joins of the relationship Abre

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_usuario	cod_usuario

5.1.1.4 Relationship join cod_usuario = cod_usuario of the relationship Abre**5.1.1.4.1 Card of the relationship join cod_usuario = cod_usuario of the relationship Abre**

<i>Child Attribute</i>	cod_usuario
<i>Parent Attribute</i>	cod_usuario

5.1.2 Relationship Atende**5.1.2.1 Card of relationship Atende**

<i>Name</i>	Atende
<i>Code</i>	ATENDE
<i>Parent</i>	Logical Data Model 'VelociHelptor DER'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Analista
<i>Entity 2</i>	Chamado
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	0,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.2.3 List of relationship joins of the relationship Atende

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_analista	cod_analista

5.1.2.4 Relationship join cod_analista = cod_analista of the relationship Atende

5.1.2.4.1 Card of the relationship join cod_analista = cod_analista of the relationship Atende

<i>Child Attribute</i>	cod_analista
<i>Parent Attribute</i>	cod_analista

5.1.3 Relationship Cria

5.1.3.1 Card of relationship Cria

<i>Name</i>	Cria
<i>Code</i>	CRIA
<i>Parent</i>	Logical Data Model 'VelociHelptor DER'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Chamado
<i>Entity 2</i>	Log
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	0,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.3.2 List of diagrams containing the relationship Cria

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.3.3 List of relationship joins of the relationship Cria

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_chamado	COD_CHAMADO

5.1.3.4 Relationship join cod_chamado = COD_CHAMADO of the relationship Cria

5.1.3.4.1 Card of the relationship join cod_chamado = COD_CHAMADO of the relationship Cria

<i>Child Attribute</i>	COD_CHAMADO
<i>Parent Attribute</i>	cod_chamado

5.1.4 Relationship Funcionário da

5.1.4.1 Card of relationship Funcionário da

<i>Name</i>	Funcionário da
<i>Code</i>	FUNCIONARIO_DA
<i>Parent</i>	Logical Data Model 'VelociHelptor DER'
<i>Comment</i>	

<i>Generate</i>	Yes
<i>Entity 1</i>	Identifier_1
<i>Entity 2</i>	Usuario
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.4.2 List of diagrams containing the relationship Funcionário da

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.4.3 List of relationship joins of the relationship Funcionário da

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_empresa	cod_empresa

5.1.4.4 Relationship join cod_empresa = cod_empresa of the relationship Funcionário da

5.1.4.4.1 Card of the relationship join cod_empresa = cod_empresa of the relationship Funcionário da

<i>Child Attribute</i>	cod_empresa
<i>Parent Attribute</i>	cod_empresa

5.1.5 Relationship Possui

5.1.5.1 Card of relationship Possui

<i>Name</i>	Possui
<i>Code</i>	POSSUI
<i>Parent</i>	Logical Data Model 'VelociHelptor DER'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Status
<i>Entity 2</i>	Chamado
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	1,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.5.2 List of diagrams containing the relationship Possui

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.5.3 List of relationship joins of the relationship Possui

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_status	cod_status

5.1.5.4 Relationship join cod_status = cod_status of the relationship Possui

5.1.5.4.1 Card of the relationship join cod_status = cod_status of the relationship Possui

<i>Child Attribute</i>	cod_status
------------------------	------------

<i>Parent Attribute</i>	cod_status
-------------------------	------------

5.1.6 Relationship Tem

5.1.6.1 Card of relationship Tem

<i>Name</i>	Tem
<i>Code</i>	TEM
<i>Parent</i>	Logical Data Model 'VelociHelptor DER'
<i>Comment</i>	
<i>Generate</i>	Yes
<i>Entity 1</i>	Identifier_1
<i>Entity 2</i>	Chamado
<i>Dependent Role</i>	<None>
<i>Entity 1 -> Entity 2 Role Cardinality</i>	0,n
<i>Entity 2 -> Entity 1 Role Cardinality</i>	1,1

5.1.6.2 List of diagrams containing the relationship Tem

<i>Name</i>	<i>Code</i>
Diagram_1	DIAGRAM_1

5.1.6.3 List of relationship joins of the relationship Tem

<i>Parent Attribute</i>	<i>Child Attribute</i>
cod_empresa	cod_empresa

5.1.6.4 Relationship join cod_empresa = cod_empresa of the relationship Tem

5.1.6.4.1 Card of the relationship join cod_empresa = cod_empresa of the relationship Tem

<i>Child Attribute</i>	cod_empresa
<i>Parent Attribute</i>	cod_empresa

