

LabXpert documentation

Diagramme de cas d'utilisation






Diagramme de classe



Les testes



The image displays two screenshots of an IDE's Run window, showing the execution of tests for the LabxpertApplication. Both screenshots indicate that the tests passed successfully.

Run Window Details:

- Run configuration: LabxpertApplicationTests
- Test results: Tests passed: 1 of 1 test - 393ms
- Test name: LabxpertApplicationTes

Test Output:

```
Hibernate: alter table if exists analyses drop constraint if exists FKdvmoxgahuqbdagys30sq0e2mt
Hibernate: alter table if exists echantillon drop constraint if exists FKrasm289iisavpdayf9o04vmtw
Hibernate: alter table if exists planifications drop constraint if exists FK5n0vsce6f8o1hi87agl2gfsi5
Hibernate: alter table if exists planifications drop constraint if exists FK8fhgppiisrt7xriybgylb9tks
Hibernate: alter table if exists reactif drop constraint if exists FK40sev8fmhp7ums407s3ea15o5
Hibernate: alter table if exists test drop constraint if exists FK91vpw2h687pmwnujc2xj25mie
Hibernate: alter table if exists test drop constraint if exists FKmm5e2vvki5ck9m3g9596ky6ry
Hibernate: drop table if exists analyses cascade
Hibernate: drop table if exists echantillon cascade
Hibernate: drop table if exists patient cascade
Hibernate: drop table if exists planifications cascade
Hibernate: drop table if exists reactif cascade
Hibernate: drop table if exists resultat cascade
Hibernate: drop table if exists test cascade
Hibernate: drop table if exists users cascade
```