

FEATURE SPECIFICATION

Medkart Savings Journey

MVP mobile experience and interaction specification

STATUS	Draft for prototype testing and implementation feasibility review
RELATED PRD	Medkart Savings Journey PRD v0.1
PLATFORM	Authenticated mobile app; responsive principles apply
MVP SCREENS	Purchase history, detail, savings, issue, issue status and purchase claim
EXCLUDED	Family assignment, refill consent integration and reorder
VERSION	0.1 • 19 July 2026
DISCLOSURE	Independent candidate exercise; not Medkart's actual interface

Design intent Make the customer's store purchase understandable and correctable while keeping identity, savings methodology and unavailable states explicit.

Prototype boundary The yellow "independent concept" strip and fictional-data labels are portfolio disclosures. They are not proposed production UI components.

1. Experience architecture

ID	Screen	Primary job	Entry	Exit
S01	Purchase history	Find a linked store purchase	Purchases tab	S02 or S06
S02	Purchase detail	Understand one transaction and access invoice	S01	S03, S04 or invoice
S03	Savings explanation	Understand how the saving was calculated	S02	S02
S04	Report issue	Identify a wrong, duplicate, adjusted or inaccessible record	S02	S05
S05	Issue status	Confirm protection and track correction	S04	S01 or support
S06	Claim purchase	Verify an unmatched store purchase before viewing detail	S01 / invite	S02 after verification or support

1.1 Navigation rules

- Purchases is a dedicated authenticated destination in bottom navigation or an equivalent discoverable app entry.
- Back returns to the previous screen without changing the transaction or issue state.
- Deep links must require authentication and re-check authorization before displaying purchase data.
- A failed or ambiguous claim never redirects to purchase detail; it remains in safe verification/support states.
- Issue submission protects the record when “not mine” is selected before presenting any further transaction detail.

1.2 Global state model

State	Required behaviour
Loading	Use stable skeletons; do not briefly flash cached data belonging to another account.
Empty	Explain that only eligible linked store purchases appear; offer safe claim/help actions.
Partial data	Show available transaction facts; suppress unverified invoice or savings sections.
Offline	Show last-known non-sensitive shell only if policy allows; defer protected detail until authorization can be checked.
Error	Use actionable retry/support copy without exposing identifiers or internal error detail.
Restricted	Hide transaction detail while ownership, correction or policy review is active.

2. Shared components and content rules


Component	Specification	Accessibility / trust requirement
Purchase card	Store, date, invoice reference, total, status and optional savings summary	Entire card is one accessible action; status is not communicated by colour alone.
Status tag	Completed, adjusted, returned, cancelled, corrected or restricted	Readable text label; screen-reader announcement; approved state mapping.
Money	Indian currency formatting with clear paid/comparator/savings labels	Never rely on typography alone to distinguish paid and saved.
Invoice action	View/download secured invoice	Reauthorize; non-predictable reference; visible error and retry.
Savings summary	Approved comparator, paid amount, saving and method link	Suppress if calculation is unavailable; use “example” only in prototype.
Issue category	Not mine, duplicate, amount/status, invoice unavailable	Avoid medical free text; protect “not mine” records promptly.
Claim verification	Invoice reference, purchase date and approved verification challenge	Reveal no transaction item, total or medicine data before verified match.

2.1 Content principles

- Use “Amount paid” instead of ambiguous “Price”.
- Use “Comparable price” only after pricing/legal define the approved comparator.
- Explain why savings are unavailable rather than displaying ₹0 saved.
- Do not imply that purchase history proves medicine consumption or adherence.
- Never ask customers to enter diagnosis, dosage or prescription detail in general support text fields.
- Use plain status language and provide next action for restricted, adjusted or unavailable records.

3. Purchase history

Help an authenticated customer find eligible in-store purchase records and understand their status at a glance.



ENTRY

Purchases navigation, post-login deep link or successful claim.

DATA

Store display name; date/time; masked or approved invoice reference; paid total; record status; optional approved savings summary.

PRIMARY ACTIONS

Open purchase detail; filter by date/store/status; start “claim a purchase” when needed.

REQUIRED STATES

Loading, populated, empty, offline, partial data, restricted card, pagination/end of list.

PRD TRACEABILITY

FR-03–FR-06, FR-10, FR-12; AC-01–AC-03, AC-10.

ANALYTICS

purchase_history_viewed; purchase_card_selected; claim_purchase_started.


NOTES

Cumulative savings is optional and must be suppressed until comparison coverage and methodology are approved.

Figure 3. Independent MVP wireframe using fictional transaction data.

4. Purchase detail

Present one authoritative transaction in a way that is understandable, downloadable and correctable.



ENTRY

Selection from S01 or successful verified claim.

DATA

Store/date; record state; approved line display; quantity; totals; discounts; invoice action; optional savings module.

PRIMARY ACTIONS

Open invoice; open savings explanation; report issue; return to history.

REQUIRED STATES

Loading, complete, partial data, invoice unavailable, savings unavailable, adjusted/returned/cancelled, restricted.

PRD TRACEABILITY

FR-07-FR-12; AC-04-AC-10.

ANALYTICS

purchase_detail_viewed; invoice_opened;
savings_explanation_opened; purchase_issue_started.


NOTES

The retail system remains authoritative for totals and status. The app must label stale/unavailable states rather than infer values.

Figure 4. Independent MVP wireframe using fictional transaction data.

5. Savings explanation

Explain the comparison method so a customer can understand and trust a displayed savings amount.



ENTRY

Savings module on S02.

DATA

Paid amount; approved comparator; saving; method name/version; eligible scope; limitation/unavailable explanation.

PRIMARY ACTIONS

Return to purchase detail; optionally open approved methodology/help.

REQUIRED STATES

Available, partially comparable, unavailable, method updated, calculation under review.

PRD TRACEABILITY

FR-09; BR-05; AC-05–AC-06.

ANALYTICS

savings_explanation_viewed; savings_method_help_opened.

NOTES

The interface cannot define the comparator. Pricing and legal owners must approve calculation rules before implementation.

Figure 5. Independent MVP wireframe using fictional transaction data.

6. Report a purchase issue

Give customers a safe, low-friction path to report ownership, duplication, amount/status or invoice problems.

9:41 ●●● 100%

INDEPENDENT CONCEPT • FICTIONAL DATA

← **Report a purchase issue**
Invoice MK10482

Do not include prescription, diagnosis or unnecessary medical details.

☒ **This purchase is not mine**
Protect the record and start identity verification.

☐ **I see a duplicate purchase**
The same invoice appears more than once.

☐ **Amount or status looks incorrect**
Total, refund, return or purchase status needs review.

☐ **I cannot open the invoice**
The digital invoice is missing or unavailable.

Optional note

Add only information needed to explain the issue

Submit Issue

ENTRY

“Something is wrong” on S02.

DATA

Transaction reference passed securely; selected issue category; optional minimal note; authenticated account.

PRIMARY ACTIONS

Select category; enter optional note; submit; cancel/back.

REQUIRED STATES

Default, selected, validation error, submitting, duplicate case, service unavailable.

PRD TRACEABILITY

FR-11–FR-13; AC-08, AC-10.

ANALYTICS

purchase_issue_started; issue_category_selected;
purchase_issue_submitted; purchase_issue_failed.


NOTES

For “not mine,” protect or restrict the record immediately according to policy. Free text must warn against unnecessary medical information.

Figure 6. Independent MVP wireframe using fictional transaction data.

7. Protected issue status

Confirm that the report was received and explain what happens next without continuing to expose disputed purchase details.



ENTRY

Successful S04 submission.

DATA

Case reference; issue category; safe status; next-step copy; support route.

PRIMARY ACTIONS

Return to history; contact support; later view case status if supported.

REQUIRED STATES

Received, reviewing, resolved, more verification required, unavailable.

PRD TRACEABILITY

FR-10–FR-13; AC-07–AC-08.

ANALYTICS

issue_status_viewed; support_contact_started.

NOTES

Do not promise a resolution time until support ownership and SLA are approved. Avoid showing disputed medicine/item details.

Figure 7. Independent MVP wireframe using fictional transaction data.

8. Claim unmatched purchase

Allow a customer to verify a purchase that was not linked automatically without revealing transaction details before identity is established.

9:41 ●●● 100%

INDEPENDENT CONCEPT • FICTIONAL DATA

← **Claim a store purchase**
For purchases not linked automatically

Verify before viewing details
Medicine, amount and invoice details remain hidden until the purchase can be matched safely.

 **Privacy-first claim**
A contact number alone may be insufficient when numbers are shared, changed or recycled.

Invoice number
MK-

Purchase date
18 / 07 / 2026

Verification code
6-digit code

The actual verification method must be approved by identity and privacy owners.

Verify and claim

I need help

This screen intentionally reveals no transaction or medicine detail before verification.

ENTRY

Empty/history help action or privacy-safe invitation.

DATA

Invoice reference; purchase date; approved verification challenge; match outcome.

PRIMARY ACTIONS

Verify and claim; request help; cancel.

REQUIRED STATES

Default, invalid input, no match, ambiguous match, challenge expired, too many attempts, verified, support required.

PRD TRACEABILITY

FR-05, FR-12, FR-14; AC-03, AC-10.

ANALYTICS

claim_purchase_started; claim_verification_submitted;
claim_match_outcome; claim_support_started.

NOTES

The wireframe uses a verification-code placeholder.
Identity/privacy owners must select the actual challenge and anti-abuse controls.

Figure 8. Independent MVP wireframe using fictional transaction data.

9. Interaction and transition matrix

From	Trigger	Guard / system check	To	Failure behaviour
S01	Select purchase	Authenticated and authorized record	S02	Show safe error; no cached detail flash
S01	Claim purchase	Authenticated account	S06	Require login first
S02	How calculated	Savings is approved and available	S03	Show unavailable explanation
S02	Something is wrong	Authorized record	S04	Offer support if service unavailable
S04	Submit issue	Valid category; authenticated request	S05	Preserve input and retry; avoid duplicate cases
S06	Verify claim	Approved identity challenge succeeds	S02	No detail; show no-match/ambiguous/support state
S05	Back to history	Authenticated account	S01	Restricted record remains appropriately labelled

10. Error and edge-state requirements

ID	Scenario	UX requirement	System requirement
UX-E01	Wrong account / not mine	Restrict details; confirm case; provide safe support route	Revoke or hide link; audit; urgent review
UX-E02	Duplicate transaction	Label duplicate review; do not double-count savings	Idempotency and reconciliation
UX-E03	Refund/return	Show adjusted state and revised amounts	Source-of-truth state event
UX-E04	Invoice unavailable	Keep transaction summary; explain and retry/support	Secured invoice service observability
UX-E05	Savings unavailable	Omit numeric saving; explain why	Suppress unapproved/incomplete calculation
UX-E06	Shared/recycled phone	Reveal nothing before stronger verification	Ambiguous match result and anti-abuse controls
UX-E07	App offline	Avoid exposing unverified cached protected data	Authorization-aware cache policy
UX-E08	Claim attempts exceeded	Explain temporary restriction and support route	Rate limit, risk logging and recovery

11. Accessibility and responsive requirements

- Minimum touch target follows the product design system; interactive cards expose one clear accessible name.
- Text supports device scaling without clipping, overlap or loss of actions.
- Status, savings and errors use text and icons in addition to colour.
- Focus order follows visual order; focus returns predictably after modal or error dismissal.
- Currency and dates are announced with meaningful labels, not as isolated numbers.
- Forms provide visible labels, field-level errors and a summary when submission fails.
- Reduced-motion preference is respected; no essential information depends on animation.
- On wider screens, content may expand but sensitive data and action hierarchy remain unchanged.

12. Privacy, security and analytics constraints

Area	Requirement
Authorization	Re-check authorization for history, detail, invoice, correction and claim endpoints; do not trust navigation state.
Caching	Define whether protected data may be cached; prevent account-switch leakage.
Identifiers	Use non-predictable references and approved masking in customer-visible UI.
Free text	Do not send general issue notes into analytics; warn against medical detail.
Analytics	Prefer status/category/method version and latency. Exclude item names, prescription images, diagnosis and unapproved identifiers.
Screenshots/support	Support tools must minimize exposure and follow role-based access.
Deletion/retention	Apply approved policy to links, issue records, analytics and audit data.

13. Design and engineering handoff checklist

- Final design-system components and production brand tokens applied.
- All screen states designed, including empty, error, restricted, adjusted and unavailable.
- Identity, eligibility, savings and state-transition rules linked to implementation tickets.
- API contracts define idempotency, authorization, status updates and error taxonomy.
- Production copy reviewed by product, operations, support, pricing/legal and privacy/compliance.
- Analytics schema reviewed for data minimization.
- Accessibility annotations and test cases included.
- Prototype tested with customers and store/support users before build approval.
- Feature flag, kill switch, dashboards and incident owners documented.

14. Prototype files and disclosure

The accompanying HTML prototype provides clickable navigation between the six screens. Static PNG exports are intended for the portfolio website, interview presentation and document preview. All store names, prices, invoices, case identifiers and transaction details are fictional.

Disclosure This feature specification and prototype are independent candidate work. They were not commissioned by Medkart and do not represent Medkart's current interface, roadmap or internal system design.

Document control

Version	Date	Change
0.1	19 July 2026	Initial MVP feature specification and six-screen independent prototype