

PROCESS DOCUMENTATION

Issue Resolution & Release Playbook

From customer report to correction, controlled pilot and rollback

STATUS	Draft operating model for review
AUDIENCE	Product, Engineering, QA, Security/Privacy, Support and Retail Operations
RELATED FILES	PRD, Feature Specification, QA Plan, QA Tracker and SOP
VERSION	0.1 • 19 July 2026
SCOPE	Savings Journey MVP concept

Purpose Define ownership, decision points, evidence and safe failure behavior across issue resolution and release management.

Disclosure Proposed portfolio operating model based on the Medkart Savings Journey case study. This is not Medkart's current SOP, policy or service commitment.

1. Issue-resolution process

Stage	Owner	Action	Evidence / exit
1. Receive	Store/Support	Classify missing, invoice, savings, amount/status, duplicate or not-mine.	Case ID and safe category.
2. Protect	Support + Security/Privacy	For ownership/privacy concerns, hide/restrict detail and preserve audit evidence.	Protection confirmed; incident path if needed.
3. Verify	Support/Product Ops	Use approved identity and transaction verification; reveal minimum data.	Verified outcome or safe no-match state.
4. Diagnose	Engineering/Product	Trace event, match, lifecycle, invoice and savings calculation.	Root cause or bounded hypothesis.
5. Correct	Authorized owner	Correct link/state/calculation through approved controls; preserve history.	Reconciled record and change evidence.
6. Validate	QA	Retest original case and risk-based regression set.	Passed evidence or reopened defect.
7. Communicate	Support	Provide approved outcome and next step without internal/sensitive detail.	Customer-safe closure note.
8. Learn	Product Ops	Trend cases, update SOP/tests and prioritize systemic fixes.	Linked insight/action.

1.1 Decision rules

- If identity is uncertain: fail closed.
- If savings cannot be verified: suppress the number.
- If state conflicts with the retail source: show a safe pending/unavailable state and reconcile.
- If linking is unavailable: checkout continues and recovery is asynchronous.
- If another customer's data may be exposed: protect first, activate the security/privacy path and assess scope.

2. Ownership and service model

Activity	Product	Engineering	QA	Security/Privacy	Support/Ops
Classify case	C	I	I	C	A/R
Protect disputed record	I	R	I	A	R
Diagnose technical root cause	C	A/R	C	C	I
Approve savings rule	A	C	C	C	I
Validate correction	C	C	A/R	C	I
Customer communication	C	I	I	C	A/R
Release decision	A	R	R	R	R
Rollback execution	A	R	C	C	I

R = Responsible • A = Accountable • C = Consulted • I = Informed

2.1 Safe status vocabulary

Internal state	Customer-safe status	Do not say
Received	We received your report.	Guaranteed resolution date without approved SLA.
Protected	Details are hidden while we review ownership.	Another customer's identity or purchase information.
Reviewing	We are checking the purchase record.	Unconfirmed technical blame or internal logs.
Corrected	The purchase record has been updated.	That medicine or usage was clinically correct.
Unable to verify	We could not safely match this purchase. Contact support.	Any hidden transaction detail.

3. Release process

1	Scope lock Confirm MVP, explicit exclusions, acceptance criteria, user groups and pilot boundary.
2	Readiness review Check the 17 release controls across Product, QA, Engineering, Privacy/Security, Data, Accessibility, Support and Operations.
3	Evidence review All P0 tests pass; no unresolved critical/high privacy or security defect; savings and lifecycle reconciliation are verified.
4	Pilot approval Record go/no-go participants, open risks, risk acceptances, feature-flag configuration and rollback owner.
5	Controlled enablement Enable the smallest approved cohort; confirm monitoring and support channels before expansion.
6	Daily pilot review Review privacy, identity match, duplicates, reconciliation, invoice, savings and issue metrics plus qualitative feedback.
7	Scale, hold or rollback Expand only after stable evidence and explicit approval; otherwise hold or execute rollback.

3.1 Entry and exit gates

Gate	Minimum condition
Build enters QA	Stable scope, synthetic data, authorized environment, observable event flow.
Build enters pilot	P0 tests passed, support/SOP ready, monitoring and rollback configured.
Pilot expands	No safety trigger, stable core indicators, issue ownership working.
Feature exits pilot	Recorded decision with results, risks, customer/store feedback and scale plan.

4. Go/no-go and rollback

4.1 Automatic no-go / rollback triggers

Trigger	Immediate action	Decision owner
Cross-account exposure or authorization bypass	Disable/restrict affected path; incident protocol; assess scope.	Security/Privacy + Product
Ambiguous match reveals metadata	Fail closed; stop expansion; fix and regress.	Product + Engineering
Savings shown without approved comparator	Suppress savings module; reconcile affected records.	Product + Data/Pricing
Duplicate or incorrect lifecycle materially affects totals	Hold rollout; reconcile; repair idempotency/state handling.	Engineering + Product
Linking failure interrupts checkout	Remove dependency/disable feature; restore store continuity.	Retail Ops + Engineering
“Not mine” cannot be protected	Stop rollout; activate support/privacy fallback.	Security/Privacy + Support

4.2 Rollback procedure

1	Declare Record trigger, scope, decision owner and time.
2	Contain Disable the feature or affected component through the approved feature flag/kill switch.
3	Confirm store continuity Verify checkout and core retail operations remain functional.
4	Protect and reconcile Protect disputed records; preserve audit data; define treatment for queued events and linked records.
5	Communicate and recover Notify relevant owners and pilot teams using approved copy. Fix the trigger, run regression, repeat readiness review and require explicit re-enable approval.

5. Monitoring and continuous improvement

Indicator	Question answered	Response
Eligible event → linked record	Is ingestion and matching healthy?	Investigate drops or abnormal segment differences.
Ambiguous/missing match rate	Are identity rules creating risk or friction?	Keep fail-closed; improve verification safely.
Duplicate rate	Is idempotency working?	Target zero; urgent diagnosis.
Reconciliation delay	Are lifecycle updates arriving?	Inspect queue/source/state handling.
Not-mine rate	Could records be mis-linked?	Privacy review and immediate protection.
Savings unavailable/error	Is comparison data trustworthy?	Suppress affected calculations and inspect source.
Issue resolution aging	Can support complete the loop?	Adjust ownership, tooling or SOP; do not invent an SLA.

5.1 Weekly review agenda

- Outcome and safety indicators versus expected range.
- New P0/P1 issues, blocked test cases and unresolved root causes.
- Customer and store feedback themes, separated from single anecdotes.
- Decisions made, owners, dates and dependencies.
- Changes required in PRD, feature spec, test coverage, SOP or user guide.
- Recommendation: continue, hold, expand, narrow or rollback.

6. Change control

Change	Required review
Identity/matching rule	Security/Privacy, Product, Engineering and QA.
Savings comparator/method	Product, Data/Pricing, Legal/Compliance as applicable, QA.
Customer-visible status/copy	Product, Support/Ops, Design and Privacy.
Analytics field/event	Product, Analytics and Privacy.
Pilot scope or release gate	Product, Engineering, QA, Security/Privacy and Operations.

Completion rule A process is complete only when the outcome, evidence, owner and customer-safe communication are recorded—not merely when a ticket changes status.