

PRODUCT REQUIREMENTS DOCUMENT

Medkart Savings Journey

Connecting eligible in-store purchases to the customer app

DOCUMENT STATUS	Draft for discovery and concept testing — not approved for implementation
RELEASE SCOPE	MVP: linked purchase record, digital invoice, explainable savings and correction handling
PRODUCT SURFACE	Customer app supported by retail transaction, identity and support workflows
PRIMARY USER	Authenticated Medkart customer completing an eligible in-store purchase
OWNER	Candidate-created independent product exercise
VERSION	0.1 • 19 July 2026
DEPENDENCIES	Capability audit, customer research, identity review, privacy/compliance review and store pilot

Problem hypothesis An in-store customer may benefit from a safe digital record of the purchase, invoice and savings. The need and the absence of an existing internal capability must both be validated before build approval.

MVP principle Prove reliable transaction-to-account linking and customer value before adding family assignment, refill preferences or reorder. Any ambiguous match must fail closed and reveal no medicine information.

1. Background

An exploratory store study was conducted across two Medkart locations through approximately five informal interactions with two experienced store representatives. The walkthrough covered billing, inventory lookup, membership identification using a contact number, CRM context and reporting. Representatives appeared comfortable with the existing process and did not identify an immediate feature request.

Medkart's public app listing already describes prescription upload, branded-versus-generic comparison, order tracking, refill reminders, family profiles and store discovery. The proposed opportunity is therefore not a standalone reminder feature. It explores whether an eligible in-store transaction can continue safely into the customer's existing digital relationship.

2. Problem and opportunity

2.1 Problem hypothesis

After an in-store purchase, customers may lack a durable, app-accessible record that connects the bill, purchase information and an explainable savings summary. The impact, frequency and current workarounds have not yet been measured.

2.2 Opportunity statement

How might Medkart connect an eligible in-store transaction to the correct authenticated customer so they can retain the invoice, understand savings and resolve errors—without slowing store checkout or exposing sensitive purchase data?

2.3 Why this is worth testing

- Makes the value of membership and generic-medicine savings more tangible after checkout.
- May reduce friction when customers need an earlier bill or purchase detail.
- Creates a foundation for later family, reminder and reorder journeys without bundling them prematurely.
- Tests a measurable store-to-app handoff while respecting identity, privacy and operational constraints.

3. Goals, non-goals and principles

Goals	Non-goals
Safely show eligible store purchases to the correct authenticated customer	Diagnose conditions, recommend dosage or infer adherence
Provide an accessible digital invoice and understandable transaction summary	Redesign the complete retail billing or inventory system
Explain savings using an approved, auditable comparison method	Automatically substitute prescribed medicines

Goals	Non-goals
Support correction, refund and duplicate states	Launch family assignment, refill integration or reorder in MVP
Measure customer value and operational impact through a controlled pilot	Assume that a positive concept reaction proves demand

3.1 Product principles

- Fail closed: uncertain identity means no customer-visible purchase details.
- Checkout independence: app-linking failure never blocks a valid in-store sale.
- Explain, do not imply: show how savings are calculated and when they are unavailable.
- Separate purposes: purchase visibility is not reminder consent or family authorization.
- Correctability: customers can report wrong, duplicate or outdated records through a visible path.
- Minimum necessary data: analytics and support tools avoid unnecessary medicine or prescription detail.

4. Users and jobs to be done

User	Job to be done
In-store customer	When I complete a store purchase, help me retain an accurate record so I can find the bill and understand what I paid later.
Customer managing household purchases	When I buy for more than one person, help me organize records safely without exposing them to the wrong person.
Store representative	When I finish checkout, let the digital handoff happen without adding complex steps or making me troubleshoot the app.
Support agent	When a customer reports a wrong or duplicate record, give me a traceable way to verify and correct it without exposing more data.
Product / operations	When piloting the journey, show whether it provides value without increasing privacy incidents or store effort.

5. Scope and prioritization

Priority	Capabilities
MVP / Must	Eligible transaction ingestion; safe account matching; purchase list and detail; digital invoice; approved savings explanation; correction path; refund/cancellation state; audit and monitoring
Pilot / Should	Verified claim flow for unmatched transactions; store locator/support handoff; lightweight customer education
Later / Could	Authorized family assignment; explicit refill preference integration; reorder from purchase; cumulative savings dashboard

Priority	Capabilities
Not planned	Clinical recommendations; automatic substitution; adherence scoring; full loyalty redesign; blocking checkout on app failure

5.1 Prioritization rationale

The MVP focuses on the smallest complete trust loop: create the right record, show it to the right person, explain it accurately and correct it when something goes wrong. Family assignment, refill integration and reorder increase authorization, consent and clinical-context complexity; they should follow only after the core link is safe and useful.

6. Proposed user journey

The diagram shows the complete concept. The MVP includes the verified transaction, account match, eligible record, digital purchase details and customer action. Optional family and communication branches remain future scope.

Proposed store-to-app workflow

Hypothesis for validation • safe account matching and explicit consent are mandatory

Core flow

Decision / consent

Exception




Figure 1. Proposed store-to-app journey. Family assignment and reminder preferences are post-MVP.

7. Functional requirements

ID	Capability	Requirement	Priority
FR-01	Transaction ingestion	Ingest an eligible completed store transaction using a stable unique transaction ID.	Must
FR-02	Idempotency	Repeated delivery of the same transaction event must not create duplicate customer records.	Must
FR-03	Eligibility	Evaluate transaction status and product/policy rules before any customer-visible record is created.	Must
FR-04	Account match	Use approved identifiers and verification rules to match the transaction to an authenticated customer.	Must
FR-05	Fail-closed match	If the match is missing, ambiguous or conflicts with account state, expose no item-level information.	Must

ID	Capability	Requirement	Priority
FR-06	Purchase list	Show eligible linked purchases ordered by transaction date with store, total and current status.	Must
FR-07	Purchase detail	Show store, date/time, item display data approved for the surface, quantities, amounts, total and status.	Must
FR-08	Digital invoice	Provide a viewable/downloadable invoice or approved receipt representation.	Must
FR-09	Savings explanation	Show paid amount, approved comparator, calculated savings and a plain-language methodology; suppress savings if inputs are unavailable.	Must
FR-10	Record states	Represent completed, partially returned, returned, cancelled, corrected and unavailable states as supported by source systems.	Must
FR-11	Correction	Allow the customer to report 'not mine', duplicate, wrong amount/item or invoice issue through a traceable support path.	Must
FR-12	Access control	Require authentication and authorization on every list, detail, invoice and correction request.	Must
FR-13	Audit	Record link creation, visibility changes, correction actions and access-control changes according to policy.	Must
FR-14	Unmatched claim	Offer a verified claim flow without showing item detail before verification.	Should
FR-15	Family assignment	Allow optional assignment only to an authorized family profile with reversible access.	Later
FR-16	Reminder preference	Collect separate purpose/channel/timing consent that can be withdrawn and synchronized with CRM.	Later
FR-17	Reorder	Allow a customer to initiate a reorder subject to prescription, availability and pharmacist rules.	Later

8. Business rules

ID	Rule
BR-01	A transaction is visible only when source status, eligibility and account match all pass.
BR-02	A phone number alone must not be assumed sufficient when shared, recycled, changed or otherwise ambiguous.
BR-03	The customer app is not the authoritative source for transaction totals; it reflects approved retail-system state.
BR-04	Purchase visibility does not constitute consent for refill, promotional or other communication.
BR-05	Savings appear only when the comparator, calculation method and source meet approved rules.
BR-06	Refunds, returns, cancellations and corrections update the visible record without deleting the required audit trail.
BR-07	An account-linking or app outage cannot prevent store billing from completing.

ID	Rule
BR-08	Analytics must not contain prescription images, diagnosis, free-text medical notes or item names unless explicitly approved and necessary.

9. Information and interface requirements

9.1 Logical information

Group	Logical fields	Purpose
Transaction identity	Stable transaction ID, store ID, transaction timestamp, source status	Linking, idempotency and support
Customer link	Approved account/member identifiers and match outcome	Authorization; restrict access
Purchase summary	Approved item display fields, quantities, line totals, discounts, tax/charges and total	Customer record
Invoice	Invoice identifier and secured view/download reference	Bill access
Savings	Paid amount, approved comparator, method version and calculated result	Explainability and audit
Record status	Completed, adjusted, returned, cancelled, corrected or unavailable	Customer expectation
Correction	Category, timestamp, status, owner and resolution	Support traceability

9.2 Required screens and states

Surface	Requirements
Purchase history	Eligible store purchases, status, date, store and total; loading, empty, error and unavailable states
Purchase detail	Transaction lines, totals, invoice action, savings explanation and support action
Savings explanation	Comparator source, method, limitations and unavailable state
Correction flow	Issue category, confirmation, case status and safe resolution messaging
Claim flow	Verification before detail; success, mismatch, expired and support-required states

10. Non-functional requirements

ID	Area	Requirement
NFR-01	Privacy	Minimize data; apply purpose limitation, retention and deletion rules approved by privacy/compliance.

ID	Area	Requirement
NFR-02	Security	Encrypt in transit/at rest as applicable; authorize every request; prevent predictable invoice references.
NFR-03	Reliability	Transaction ingestion is idempotent and retry-safe; failures are observable and recoverable.
NFR-04	Performance	Pilot targets must be set after baselining; app history should not materially slow primary app navigation.
NFR-05	Checkout isolation	No downstream app, identity or analytics dependency may block retail checkout.
NFR-06	Accessibility	Support readable contrast, scalable text, screen-reader labels, focus order and non-colour status cues.
NFR-07	Localization	Customer copy and savings explanations must support required languages and currency formatting.
NFR-08	Observability	Monitor ingestion failures, match outcomes, visibility changes, correction volume and access anomalies.

11. Acceptance criteria

ID	Acceptance criterion
AC-01	Given a completed eligible transaction with a verified account match, when ingestion succeeds, then one purchase record appears for that authenticated customer.
AC-02	Given the same transaction event is delivered more than once, when processed, then only one customer-visible record exists.
AC-03	Given an ambiguous or conflicting account match, when ingestion is evaluated, then no item, amount or invoice detail is exposed.
AC-04	Given an eligible record, when the customer opens detail, then store, date, approved line details, totals, status and invoice action are displayed.
AC-05	Given an approved savings calculation, when shown, then the comparator and method are accessible in plain language.
AC-06	Given savings inputs are unavailable or unapproved, when detail loads, then no unsupported savings amount is shown.
AC-07	Given a return, refund or cancellation update, when the source event is processed, then the app record reflects the new state and preserves traceability.
AC-08	Given a customer selects 'This is not mine', when submitted, then the detail is protected, a case is created and no additional data is exposed during verification.
AC-09	Given the app-linking service is unavailable, when store checkout completes, then billing remains successful and the event can be retried asynchronously.
AC-10	Given an unauthorized or unauthenticated request, when any purchase endpoint is called, then access is denied and the attempt is logged according to policy.

12. Measurement plan

Target-setting rule Do not invent commercial targets before baseline data exists. Set pilot targets after confirming eligible transaction volume, current app adoption, match reliability, checkout timing and support volume. Privacy incidents have zero tolerance.

Theme	Metric	Question	Target treatment
Adoption	Eligible linked purchases viewed within 7 days	Does the record attract real use?	Baseline during pilot
Task value	Invoice opens/downloads; repeat views; correction use	Which customer jobs occur?	Baseline during pilot
Link quality	Eligible match rate; ambiguous-match rate	Can the identity flow scale safely?	Set after architecture review
Data quality	Duplicate, stale-status and savings-suppression rates	Is displayed information dependable?	Pilot thresholds
Operational	Checkout time impact; representative support requests	Does the workflow burden stores?	No material degradation
Trust	Confirmed cross-account disclosures	Is privacy protected?	Zero tolerance
Support	Correction cases per linked record; resolution time	Can errors be corrected?	Set with support owner

12.1 Analytics events

Event	Purpose	Privacy constraint
store_purchase_link_evaluated	Eligibility and match outcome	No item name or prescription data
store_purchase_linked	Successful record creation	Transaction pseudonymous key, store cohort, latency
purchase_history_viewed	History opened	Count and surface version
purchase_detail_viewed	Record opened	Status and age bucket
invoice_opened	Invoice action	Success/failure only
savings_explanation_viewed	Explanation opened	Method version and availability
purchase_issue_reported	Correction started/submitted	Issue category, not free-text medical detail
purchase_record_state_changed	Refund/return/correction reflected	Old/new state and processing latency

13. Rollout and release plan

Stage	Scope	Exit gate
Gate 0 — Validate	Customer/store research; capability audit; identity, savings and privacy decisions	Problem, existing capability and owners confirmed
Gate 1 — Design	Wireframes, threat review, event contract, support and store SOP	Acceptance criteria and exception ownership approved
Gate 2 — Internal test	Synthetic transactions and authorized internal accounts	No cross-account exposure; retry and correction paths pass
Gate 3 — Limited pilot	One or two stores; controlled customer cohort; feature flag and kill switch	Stable data quality, safe matching and manageable support
Gate 4 — Expand	Incremental stores and cohorts with monitoring	Pilot decision criteria met; unresolved risks accepted by owners

13.1 Rollback triggers

- Any confirmed cross-account purchase disclosure.
- Systematic incorrect totals, invoice access or savings calculation.
- Store checkout degradation caused by the integration.
- Material spike in duplicate or stale records beyond pilot tolerance.
- Inability to stop visibility or communication after correction/withdrawal.

14. QA and validation strategy

Test layer	Coverage
Unit	Eligibility, idempotency, state transitions, savings suppression and access rules
Contract / integration	Retail event schema, retries, identity result, invoice authorization and correction updates
End-to-end	Eligible match, ambiguous match, no account, duplicate, return, cancellation and wrong-account report
Security / privacy	Authorization bypass, identifier enumeration, invoice-link leakage, shared/recycled number and audit review
Usability	History discovery, invoice retrieval, savings comprehension and correction completion
Operations UAT	Store checkout isolation, support case handling, incident escalation and kill switch
Accessibility	Keyboard/focus, screen reader, scalable text, contrast and non-colour status

15. Risks and mitigations

ID	Risk	Severity	Mitigation
R1	Purchase linked to wrong person	Critical	Fail-closed matching, additional verification, access controls, monitoring and urgent correction
R2	Savings claim is misleading	High	Approved comparator, method version, suppression and audit
R3	Feature already exists internally	High	Capability audit before design approval
R4	Low customer value	Medium	Behaviour-first research and limited pilot before scale
R5	Store checkout burden	High	Asynchronous integration and representative UAT
R6	CRM consent incorrectly inferred	Critical	Separate purpose-specific consent; no MVP reminder integration
R7	Refund/correction state is stale	High	Source-of-truth events, monitoring, reconciliation and visible status
R8	Analytics over-collects health data	High	Event review, allow-listed fields and no item/prescription detail by default

16. Dependencies and open decisions

ID	Decision	Owner	Required by
D1	Does linked in-store purchase history already exist in any customer surface?	Product / engineering	Before discovery approval
D2	What is the authoritative membership and account identifier model?	Engineering / identity	Before technical design
D3	Which matching evidence is sufficient for automatic display?	Identity / privacy	Before technical design
D4	Which transactions/items are excluded from automatic history?	Product / compliance	Before policy approval
D5	Is a digital invoice already issued, and through which channel?	Retail operations	Before UX design
D6	What is the approved savings comparator and calculation method?	Pricing / legal	Before savings design
D7	Who owns corrections and what service level applies?	Support / operations	Before pilot
D8	What baseline defines no material checkout degradation?	Store operations / analytics	Before pilot

17. Definition of ready

- Customer and store research has tested the problem and documented contradicting evidence.
- Existing internal capabilities and duplicate scope have been reviewed.
- MVP scope, workflows, wireframes and acceptance criteria are approved by relevant owners.
- Identity, privacy, savings and transaction-eligibility rules are documented.
- Event contract, source-of-truth ownership and reconciliation approach are agreed.
- Support SOP, incident path, feature flag and rollback mechanism are ready.
- Pilot metrics and thresholds are based on baseline data rather than invented targets.

18. Definition of done

- All MVP functional and non-functional acceptance criteria pass.
- Security, privacy, accessibility and operations reviews are complete.
- Synthetic and authorized end-to-end tests cover happy paths and exceptions.
- Monitoring, dashboards, alerts and audit logs are operational.
- Store and support training artifacts are published and acknowledged.
- Pilot release is feature-flagged, reversible and has named incident owners.
- Post-pilot findings and proceed/refine/stop decision are documented.

Document control

Version	Date	Change
0.1	19 July 2026	Initial discovery-stage PRD based on field observations, public product baseline and proposed workflows

Disclosure This is an independent candidate exercise. It was not commissioned by Medkart and is not based on access to Medkart's internal roadmap, architecture, customer data or product documentation.