


	ogvMQt	MTgOI (Mgv2Ov)	BO (NOIMch)	=nc (CtMFd)	PnZgl (dOvqt)	xgOtM (tgtMDAD)
			xntt:Q	xntt:Q		DM Nz
I(p & xhave ypAfink)	D	D	D	.	.	.
StkAt Fxy	D	D	.	.	.	D
xkeAg& Rink Fxy	D
Nagida& tipnba& sed	D	.	D	D	D	D
liRestaRen& based	D	.	D	D	D	D
Snamshpt wsgatipn	X	.	D	D	D	D
SSw	D	X	.	D	D	D



Q DeadgpAf in xSqy Rit Snamshpt wsgatipn
xgtODMncOtglethg2O

⇒

ogvMOtM Mgv2OvFgMD

c SAhkei& yeseTuKkirre veine lkansaftipnL
c yeseTuKkirre vRehkeke lkansaftipnenL
c Z_hkt lkansaftipnen aR St_Af aus
c




c

-I v,L <àF v,L -Fv,L <àI v,L

kvbblkFvbL(FvbLkFvALK4vdLk4vdLk3vb(4vdLk5vALK5\4vAL

kvbblkFvbL(FvbLkFvALK4vdLk3vbk5vALK5\4vdL(4vdL(4vAL



jntt DAclMhg I:ONFj3

„,afte fpnie dek KanTen DB

bcFvgagcDgittg I:ONFj3

SiAhekt nuk dir seit deR getTten BaAfum Kezndekten Daten:

mnhM Nzg I:ONFj3lroKmtJa3L

BgpAfiekt feine l_Z_k RittegKpsse DatenRenKeno intekfp&
matibeg Rit neuen x1Neksipnen und andeken MasAhinen:

dzs M Nzg I:ONFj3lwMtgos DgaL

Datenbanf Russ Kestpmmt (ekdeno sAhneggek ags gpKisAhes
BaAfumo masst nuk Tu deksegben «Ma;pk Neksipn» 9pn x1:

ijtDM(jgv MnclBncNjvvgcNsIBncDvntirj)BBL

.kRjKgiAh eso Rehkeken I KgeiAhTeitik Tu gauren: Bei ;edek
WndeKunK (ikd eine neue Neksipn dek Daten ekstegett: yesek
sehen die ztgeken Neksipneno (zhkend SAhkeibek die neu&s
ten Neksipnen sehen:

uVn(dzO glmnNMchlÄdmL

Steggt wsgatipn dek l siAhek

IL 1kp(inK xhasec Die t fann neue ypAfs ek(ekbeno

;edpAh feine rkeiKebe

FL ShkinfinK xhasec ypAfs fijnen rkeiKebeben (ekdeno
abek feine neuen Rehk ek(pkben (ekden

UvMDq(ezgOllmnhrUemL

SAhkeibt WndeKunKen dek l in ypKo dann PpRRit gpKKeno
dann 2mdates in DB: Gann bei)bstukT kemgaJed (ekden

ySYo lawDo xaKewDo –edpo 2ndpo xke9ySY

TvgMVgvDMhgImrVAIkseL