GENERICS

```
// class
class Box<T> { }
// variable
Box<String> b = new Box<String>();
// method
public <T> void doStuff(T value) { }
// Full Example
class OrderedPair<T, U> {
  T first;
  U second;
  public OrderedPair(T t, U u) {
    this.first = f;
    this.second = s;
  }
  public T getFirst() { return first; }
  public U getSecond() { return second; }
  @Override
  public int hashCode() {
      return Objects.hash(first.hashCode(),
                          second.hashCode());
  }
  @Override
  public boolean equals(Object obj) {
      if (obj == null ||
          obj.getClass() != getClass()) return false;
      @SuppressWarnings("unchecked")
      var other = (OrderedPair<T, U>)obj;
      return Objects.equals(first, other.first) &&
             Objects.equals(second, other.second);
  }
}


public class Employee implements Comparable<Employee>
{
  // ...
  @Override
  public int compareTo(Employee other) {
    return Double.compare(this.salary, other.salary);
  }
}
```

JAVA BEING STUPID

```
T obj = new T();          // error
obj instanceof T;         // error
T heh = (T) "asdf";       // no typechecking
var s = Stack<int>();     // no primitive types
private static T x;       // static no workey
Node<Number> s = new Node<Integer>; // error
class IThrowAnErrorBecauseWhyNot {
  void m(List<String> list) { }
  void m(List<Integer> list) { }
} // error because of type erasure & identifiability
static <T extends Comparable<T>> T m(T x, T y, T z) {
  return x > y ? z : x;
}
Integer n = m(1, 3.141, 0);// error
Number n = m(1, 3.141, 0); // ok
```

COMPARABLE

```
interface Comparable<T> {
  int compareTo(T o);
}
static <T extends Comparable> T doStuff(T a, T b) {
  // compareTo is possible with all types
  return a.compareTo("b") > 0 ? a : b;
}
static <T extends Comparable<T>> T doStuff(T a,T b) {
  // compareTo is possible only with T
  return a.compareTo(b) > 0 ? a : b;
}
```

EXAMPLE

```
class Graphic {
  public void draw() { }
}
class Rectangle extends Graphic { }
class Circle extends Graphic { }
class GraphicStack<T extends Graphic>
    extends Stack<T> {
  public void drawAll() {
    for (T item : this) item.draw();
  }
}
```

BYTECODE

JVM Architecture:
- Operand Stack (LIFO op vals)
- Local variables (op results)
- Constant pool (runtime refs)

TYPE ERASURE

- Introduced because of "bAcKwArDs CoMpAtAbIlItY"
- No type information at runtime (Non-Reifiable Type)

```
class MyStack<T> {
  Entry<T> top;
  int push(T value) { }
}
// becomes
class MyStack {
  Entry top;
  int push(Object value) { }
}
/* with bounds */
class MyStack<T extends Comparable<T>> {
  Entry<T> top;
  int push(T value) { }
}
// becomes
class MyStack {
  Entry top;
  int push(Comparable value) { }
}
/* what happens at/before runtime */
MyStack<String> s = new MyStack<String>();
s.push("Eh");
String x = s.pop();
// becomes
MyStack s = new MyStack();
s.push("Eh");
String x = (String) s.pop();
```

WILDCARDS

```
void printGs(List<Graphic> gs) { }
List<Graphic> gs1 = new ArrayList<>();
printGs(gs1);   // ok
List<Circle> gs2 = new ArrayList<>();
printGs(gs2);   // error
/* solution */
void printGs(List<? extends Graphic> gs) { }
```

GENERIC VARIANCE

	Type	*Compatible Type-Args*	*R*	*W*
Invariance	C<T>	T	✓	✓
Covariance	C<? extends T>	T and sub-types	✓	✗
Contravariance	C<? super T>	T and basis-types	✗	✓
Bivariance	C<?>	All	✗	✗

INVARIANCE

```
static <T> void move(Stack<T>, from, Stack<T> to) {
  while(!from.isEmpty()) to.push(from.pop());
}
var rectS = new Stack<Rectangle>();
var graphS = new Stack<Graphic>();
graphS.push(new Rectangle());          // ok
move(rectS, graphS);                   // error
Stack<Object> objS = graphS;           // error
/* anotherone */
String[] strA = new String[10];
Object[] objA = strA;                  // ok
objA[0] = Integer.valueOf(2);          // runtime err
/* anotherone */
ArrayList<String> sA = new ArrayList<>();
ArrayList<Object> oA = sA;             // error
```

TODO:

```
// compiles?
List<Graphic> list = new ArrayList<Rectangle>();
// compiles?
Rectangle[] rectangleStack = new Rectangle[10];
Graphic[] graphicStack = new Graphic[10];
graphicStack = rectangleStack;
// compiles?
Stack<Rectangle> rectangleStack = new Stack<>();
Stack<Graphic> graphicStack = new Stack<>();
```

```
graphicStack = rectangleStack;
// compiles?
Stack<Rectangle> rectangleStack = new Stack<>();
Stack<Graphic> graphicStack = new Stack<>();
for (Rectangle r : rectangleStack) {
  graphicStack.push(r);
}
```

COVARIANCE

```
public class Stack<E> {
  public void pushAll(Iterable<? extends E> src) { }
}
Stack<? extends Graphic> graphS;
graphS = new Stack<Rectangle>();    // ok
graphS = new Stack<Circle>();       // ok
graphS = new Stack<Object>();       // error (duh)
/* read only */
graphS.push(new Graphic());          // error
graphS.push(new Rectangle());        // error
graphS.push(new Triangle());         // error
```

CONTRAVARIANCE

```
static <T> void addToC(List<? super T> list, T e) {
  list.add(e);
}
addToC(new ArrayList<Number>(), 3); // ok
addToC(new ArrayList<Object>(), 3); // ok
/* shenanigans */
Stack<? super Graphic> s = new Stack<Object>();
s.add(new Graphic());               // ok
s.add(new Rectangle());             // ok
Graphic g = s.pop();                // error
Object g = s.pop();                 // ok
```

BIVARIANCE

- If concrete type doesn't matter

```
static void printList(List<?> list) {
  for (Object elem : list)
    System.out.print(elem + " ");
}
/* more shenanigans */
static void appendNewObject(List<?> list) {
  list.add(new Object());           // error
}
```

ANOTHERONE

```
public class VarianceExamples {
  public static double sum(
      Collection<? extends Number> numbers) {
    double sum = 0;
    for (Number num : numbers)
      sum += num.doubleValue();
    return sum;
  }
  public static void addNumbers(List<? super Integer>
      list, Collection<? extends Integer> source) {
    list.addAll(source);
  }
  public static <T extends Comparable<T>> T
      findMax(Collection<T> coll) {
    return coll.stream()
               .max(Comparator.naturalOrder())
               .orElse(null);
  }
  public static <T> List<T> filterByType(
      Collection<?> source, Class<T> clazz) {
    List<T> result = new ArrayList<>();
    for (Object obj : source)
      if (clazz.isInstance(obj))
        result.add(clazz.cast(obj));
    return result;
  }
}
```

PRODUCER / CONSUMER

`from` **produces** entries, `to` **consumes** entries

```
<T> void move(Stack<? extends T> from,
              Stack<? super T> to) {
  while (!from.isEmpty())
    to.push(from.pop());
}
```

MISC

```
<T extends Comparable & Collection> // multiple type
bounds

Set<Integer> set = new Set<>();
Integer[] c = set.toArray(new Integer[0]);
```

RECORDS

```
public record Person (String name, String address) {}
```

GENERICS STREAM TOMFOOLERY

```
List<? extends Media> mediaList;
public <S extends T> List<S>
  filterBySubtype(Class<S> subtype) {
    return mediaList.stream()
            .filter(subtype::isInstance)
            .map(subtype::cast)
            .collect(Collectors.toList());
}
```

ANNOTATIONS

- Metadata
- Macros for the poor people forced to work corporate
- @Override, @Test, @Json...

DEFINING

```
@Target(ElementType.TYPE)
@Retention(RetentionPolicy.RUNTIME)
public @interface Author {
  String name();
  String date() default "N/A";
}

@Author(name = "UwU", date = "idon'tvalidateinput")
public class WeeOoo { }
```

TODO:

Examples Woche03

REFLECTION

- Information of Class (private and public): Methods, Attributes, Parent class, Implemented interfaces
- Calling methods possible
- Usages: Debugger, Serialization, Frameworks, Remote Procedure Call, ORM

```
// all of these `throws SecurityException`
public Field[] getDeclaredFields()
public Method[] getDeclaredMethods()
public Constructor<?>[] getDeclaredConstructors()

System.out.println(dump(new Student("a", "b"), 0));
// {
//   firstName = a
//   lastName = b
// }
Class c = "s".getClass(); // java.lang.String
```

METHOD

```
@Retention(RetentionPolicy.RUNTIME)
@Target(ElementType.METHOD)
public @interface Init { }
// ...
public class User {
  private String needsInit;
  @Init
  private void initObj() {
    this.needsInit = "wowie";
  }
}
```

CLASS

TODO:

getDeclaredConstructor().newInstance()

```
@Retention(RetentionPolicy.RUNTIME)
@Target(ElementType.TYPE)
public @interface JsonSerializable { }
// ...
@JsonSerializable
public class User { }
```

ATTRIBUTE

```
@Retention(RetentionPolicy.RUNTIME)
@Target({ ElementType.FIELD })
public @interface JsonElement {
    public String key() default "";
}
// ...
public class User {
    @JsonElement
    private String firstName;
}
```

VALIDATION

```
@Min(value = 18, message = "Age must be ⩾ 18")
@Max(value = 99, message = "Age must be ⩽ 99")
private int age;
@NotNull(message = "Name cannot be null")
private String name;
```

EXAMPLE

```
@Target(ElementType.TYPE)
@Retention(RetentionPolicy.RUNTIME)
public @interface WebController { }
// ...
@Retention(RetentionPolicy.RUNTIME)
@Target(ElementType.METHOD)
public @interface Get {
    String path();
    String contentType() default "application/json";
}
// ...
@WebController
public class Controller {
  private User user = new User("frank", "meier");
  @Get(path = "/user")
  public String user() {
    return new ObjectToJsonConverter()
                .convertToJson(user);
  }
}
// ...
public class WebFramework {
  public void addController(Class<?> controllerClass)
              throws Exception {
  if (!controllerClass
        .isAnnotationPresent(WebController.class))
    throw new Exception("Is not a WebController");

  for (Method method : controllerClass
                .getDeclaredMethods())
    if (method.isAnnotationPresent(Get.class)) {
      method.setAccessible(true); // best practice or
sth, idk, i write code in actually good languages
      var annot = method.getAnnotation(Get.class);
      routeHandlers.put(
        annot.path(),
        new WebHandler<>(method,
                         controllerClass
                           .getDeclaredConstructor()
                           .newInstance(),
                         annot.contentType())
      );
    }
  }
}
```

ALGORITHMS

Brute-force: slow, stupid, go shame yourself
Greedy: Take best option each step (optimize locally). Fast. Not necessarily global optimum
Backtracking: Trial and error. Best overall option. Higher compute costs
Divide and conquer: Binary search
Dynamic programming: Recursion optimization? Tabulation. Iterative reuse of previous results

BACKTRACKING

TODO:
slides 87

TODO:
example

KNIGHTSTOUR

TODO:
diagram

```
boolean tour(int[][] visited, int x,int y, int pos) {
  visited[x][y] = pos;
  if (pos ⩾ N * N) return true;
  for (int k = 0; k < 8; k++) {
    int newX = x + row[k];
    int newY = y + col[k];
    if (isValid(newX, newY)
        && visited[newX][newY] == 0
        && tour(visited, newX, newY, pos + 1))
        return true;
  }
  visited[x][y] = 0;
  return false;
}
```

BIG O NOTATION

TODO:
tricky examples

- Upper bound of f
- Worst case scenario
- Atomic operations = constant time
- Runtime measured as sum of primitive operations

Notation

f	Algorithm	n	Size of Problem
g	Complexity Class	c	> 0
n_0	≥ 1		

$f(n)$ = Number of steps

g = complexity class



$f(n)$ is $O(g(n))$ if $c > 0 \wedge n_0 \geq 1$

$f(n) \leq cg(n)$ for $n \geq n_0$

f in order g:

$$f, g : \mathbb{N} \to \mathbb{N}$$
$$n_0, c \in \mathbb{N} \wedge \forall n \geq n_0 . (f(n) \leq c \cdot g(n))$$
$$\Rightarrow f \in O(g) \Leftrightarrow f = O(g)$$

$O(n)$ = Complexity class

RULES

If $f(n)$ is polynomial of degree d, then $f(n) \in O(n^d)$
- ignore lower powers
- ignore constants

Use most optimal function (lowest power)
- $2n$ is $O(n)$ better than $2n$ is $O(n^2)$

Simplify as far as possible
- $3n + 5$ is $O(n)$ instead of $3n + 5$ is $O(3n)$

COMPLEXITY CLASSES

Name	Class	Example
Constant	1	Array read
Logarithmic	$\log n$	Binary search
Linear	n	Linear search
Log-linear	$n \log n$	Merge+Quick sort
Quadratic	n^2	Bubble+Insertion sort
Cubic	n^3	Solve equation
Polynomial	n^k	Various algorithms
Exponential	2^n	Calculate all subsets
Factorial	$n!$	Calculate all permutations



MAFS

$$1 + 2 + ... + n = \sum_{k=1}^{n} = \frac{n(n+1)}{2}$$

$$1 + q + q^2 + ... + q^n = \sum_{k=0}^{n} q^k = \frac{1 - q^{n+1}}{1 - q}$$
$$\overset{q=2, n=\log_2(n)}{=} 2n - 1$$

SORTING ALGORITHMS

TODO:
Sorting diagrams

BOGOSORT

The best sorting algorithm

STALINSORT

The most efficient sorting algorithm

SELECTION SORT

- Search for smallest elem in unsorted part and move in front
- Less mutations in array
- Same performance even if list almost sorted

1	3	9	6	2
1	2	3	9	6
1	2	3	9	6
1	2	3	6	9

```
public static void selectionSort(int[] a) {
  int n = a.length;
  for (int i = 0; i < n - 1; i++) {
    int minimum = i;
    for (int j = i + 1; j < n; j++)
      if (a[j] < a[minimum])
        minimum = j;
    swap(a, i, minimum);
  }
}
```

$$(n-1) + (n-2) + ... + 1 = \sum_{i=1}^{n-1} i = \frac{n(n-1)}{2} = \frac{n^2 - n}{2} \sim O(n^2)$$

INSERTION SORT

- Take elem and put into correct place in sorted part
- Good for already partially sorted arrays

1	3	9	6	2
1	3	9	6	2
1	3	9	6	2
1	3	6	9	2

```
public static void insertionSort(int[] a) {
  int n = a.length;
  for (int i = 1; i < n; i++)
    for (int j = i; j > 0 && a[j] < a[j - 1]; j--)
      swap(a, j, j - 1);
}
```

$$1 + ... + (n-1) + n = \sum_{i=1}^{n} i = \frac{n(n+1)}{2} = \frac{n^2 + n}{2} \sim O(n^2)$$

BUBBLE SORT

- Compare neighboring elems and swap if needed

1	3	9	6	2
1	3	9	6	2
1	3	9	6	2
1	3	6	9	2

```
public static void bubbleSort(int[] a) {
  for (n = a.length; n > 1; n--)
    for (i = 0; i < n - 1; i++)
      if (a[i] > a[i + 1])
        swap(a, i, i + 1);
}
```

$$(n-1) + (n-2) + ... + 1 = \sum_{i=1}^{n-1} i = \frac{n(n-1)}{2} = \frac{n^2 - n}{2} \sim O(n^2)$$

COUNTING SORT

1	3	2	0	2
1	1	2	1	0
0	1	2	2	3

```
public static void countingSort(int[] a) {
  int k = Arrays.stream(arr).max().getAsInt();
  int[] c = new int[k + 1];
  for (int i : a) c[i] += 1;
  int pos = 0;
  for (int i = 0; i < k; i++)
    for (int j = 0; j < c[i]; j++) {
      a[pos] = i;
      pos++;
    }
}
```

$$n + n + k + n = 3n + k \sim O(n + k)$$

SHELL SORT

- Sort pairs of far away elems
- Sort the partially sorted array through insertion sort

1	3	9	6	2
1	3	9	6	2
1	2	9	6	3
1	3	9	6	2

```
public static void shellSort(int[] a) {
  int n = a.length;
  int h = 1;
  while (h < n/3) h = 3 * h + 1;
  while (h ⩾ 1) {
    for (int i = h; i < n; i++)
      for (int j = i; j ⩾ h && a[j] < a[j - h];
           j = j - h) swap(a, j, j - h);
    h /= 3;
  }
}
```

BINARY SEARCH

TODO:
iterative vs recursive (Woche04 Aufgabe3)

```
public static <T extends Comparable<T>> boolean bs(
    List<T> data, T target, int low, int high) {
  if (low > high) return false;
  int pivot = low + ((high - low) / 2);
  if (target.equals(data.get(pivot)))
    return true;
  else if (target.compareTo(data.get(pivot)) < 0)
    return searchBinary(data, target, low,pivot - 1);
  else
    return searchBinary(data, target, pivot+1, high);
}
```

$O(\log n)$

RECURSION

When a function calls itself. FP <3

LINEAR RECURSION

Recursive call starts ***at most one*** further recursive call

RECURSIVE → ITERATIVE

```
static int[] reverseArrRec(int[] a, int i, int j) {
  if (i < j) {
    int temp = a[j];
    a[j] = a[i];
    a[i] = temp;
    reverseArray(a, i + 1, j - 1);
  }
  return a;
}
static int[] reverseArrIter(int[] a, int i, int j) {
  while (i < j) {
    int temp = a[j];
    a[j] = a[i];
    a[i] = temp;
    i = i + 1;
    j = j - 1;
  }
  return a;
}
```

TAIL RECURSION

Linear recursion where the recursive call is ***last***

```
static int recsum(int x) {
  if (x == 0) return 0;
  else return x + recsum(x - 1);
  // no tail recursion because "+" is evaluated last
}
static int tailrecsum(int x, int total) {
  if (x == 0) return total;
  else return tailrecsum(x - 1, total + x);
}
```

BINARY RECURSION

All non-terminal calls have ***two*** recursive calls

```
static int binsum(int low, int high) {
  if (low > high)
    return 0;
  else if (low == high)
    return low;
  else {
    int mid = (low + high) / 2;
    return binsum(low, mid) + binsum(mid + 1, high);
  }
}
```

DATA STRUCTURES

ADT: Abstract Data Type (e.g. Interface). "What", not "How"



Data structure	Access	Search	Insertion	Deletion
Array	$O(1)$	$O(n)$	$O(n)$	$O(n)$
Linked list	$O(n)$	$O(n)$	$O(n)$	$O(n)$
Doubly Linked List	$O(n)$	$O(n)$	$O(1)$	$O(1)$
Stack	$O(n)$	$O(n)$	$O(1)$	$O(1)$
Queue	$O(n)$	$O(n)$	$O(1)$	$O(1)$
Binary Tree	$O(n)$	$O(n)$	$O(n)$	$O(n)$
Binary Search Tree	$O(n)$	$O(n)$	$O(n)$	$O(n)$
Hash Table	$O(n)$	$O(n)$	$O(n)$	$O(n)$

ARRAY

1	2	3	4

```
int[] aAaAhrray = {69, 420, 1337};
```

LINKED LIST




```
class LinkedList<T> {
  Node head;
  static class Node {
    T data;
    Node next;
    Node(T d) { data = d; }
  }
  public T insert(T data) {
    Node n = new Node(data);
    if (list.head == null)
      list.head = n;
    else {
      Node last = list.head;
      while (last.next ≠ null)
        last = last.next;
      last.next = n;
    }
    return data;
  }
}
```

DOUBLY LINKED LIST


```
class DoublyLinkedList<T> {
  Node head;
  static class Node {
    T data;
    Node next, prev;
    Node(T d) { data = d; }
  }
  public T insert(T data) {
    Node n = new Node(data);
    if (list.head == null)
      list.head = n;
    else {
      Node last = list.head;
      while (last.next ≠ null)
        last = last.next;
      n.prev = last;
      last.next = n;
    }
    return data;
  }
}
```

STACK

LIFO




```
class Stack<T> {
  private int maxSize;
  private T[] arr;
  private int top;
  public Stack(int size) {
    maxSize = size;
    arr = (T[]) new Object[maxSize];
    top = -1;
  }
  public void push(T value) {
    if (top == maxSize - 1)
      throw new StackOverflowError();
    arr[++top] = value;
  }
  public T pop() {
    if (top == -1)
      throw new StackUnderflowError();
    return arr[top--];
  }
}
```

QUEUE

FIFO




```
class Queue<T> {
  private int maxSize;
  private T[] arr;
  private int front, rear;
  public Queue(int size) {
    maxSize = size;
    arr = (T[]) new Object[maxSize];
    front = rear = -1;
  }
  public T front() {
    if (front == -1)
      throw new StackUnderflowError();
    return arr[front];
  }
  public T rear() {
    if (rear == -1)
      throw new StackUnderflowError();
    return arr[rear];
  }
  public void enqueue(T value) {
    if (this.empty()) {
      front = 0;
      rear = 0;
      arr[front] = value;
    } else {
      front++;
      if (front < maxSize) arr[front] = value;
      else // rebuild array
    }
  }
  public T dequeue() {
    if (this.empty())
      throw new StackUnderflowError();
    T ret = arr[rear];
    if (front == rear) front = rear = -1;
    else rear++;
    return ret;
  }
  boolean empty() {
    return front == -1 && rear == -1;
  }
}
```

TREE




```
public class Tree<T> {
  private Node<T> root;
  public Tree(T rootData) {
    root = new Node<T>();
    root.data = rootData;
  }
  public static class Node<T> {
    private T data;
    private Node<T> left, right;
  }
}
```

RING BUFFER




```
class RingBuffer {
  private int[] buffer;
  private int size;
  private int start;
  private int end;
  private boolean isFull;

  public RingBuffer(int size) {
    if (size ⩽ 0)
      throw new IllegalArgumentException("size > 0");
    this.size = size;
    this.buffer = new int[size];
    this.start = 0;
    this.end = 0;
    this.isFull = false;
  }

  public void append(int item) {
    buffer[end] = item;
    end = (end + 1) % size;
    if (isFull)
      start = (start + 1) % size;
    if (end == start)
      isFull = true;
  }

  public List<Integer> getData() {
    List<Integer> items = new ArrayList<>();
    if (!isFull) {
      for (int i = 0; i < end; i++)
        items.add(buffer[i]);
    } else {
      for (int i = start; i < size; i++)
        items.add(buffer[i]);
      for (int i = 0; i < end; i++)
        items.add(buffer[i]);
    }
    return items;
  }
}
```

PRIORITY QUEUE

- Saves priority with each element
- Returns elements with lowest/highest prio first

Method	Unsorted List	Sorted List
insert	$O(1)$	$O(n)$
min	$O(n)$	$O(1)$
removeMin	$O(n)$	$O(1)$

TODO:
impl

```
public interface Entry<K,V> {
  K getKey();
  V getValue();
}
public interface PriorityQueue<K,V> {
  int size();
  boolean isEmpty();
  Entry<K,V> insert(K key, V value);
  Entry<K,V> min();
  Entry<K,V> removeMin();
}
```

HEAP

- Binary tree
- Layers 0, ..., $h-1$ fully populated, layer h filled from left
- Operations always lowest RHS so that tree stays consistent

Min-Heap: Keys of nodes are **smaller** or equal than children's
Max-Heap: Keys of nodes are **larger** or equal than children's



ENQUEUE



DEQUEUE



HEAP SORT

Dequeue elems from head into list, resorting tree on each iter

```
public class HeapSort {
  private static <T> int getLargest(T[] array, int n,
      int parent, Comparator<T> comparator) {
    int left = 2 * parent + 1;
    int right = 2 * parent + 2;
    int largest = parent;
    if (left < n && comparator.compare(array[left],
                                       array[largest]) < 0)
      largest = left;
    if (right < n && comparator.compare(array[right],
                                        array[largest]) < 0)
      largest = right;
    return largest;
  }

  static <T> void heapify(T[] arr,
      Comparator<T> comparator) {
    int n = arr.length;
    for (int i = n / 2 - 1; i ⩾ 0; i--)
      heapify(arr, i, comparator);
  }

  public static <T> void heapify(T[] array,
      int parent, Comparator<T> comparator) {
    int largest = getLargest(array, array.length,
      parent, comparator);
    if (largest == parent) return;
    T temp = array[parent];
    array[parent] = array[largest];
    array[largest] = temp;
    heapify(array, largest, comparator);
  }

  static <T> void percolate(T[] array, int parent,
      int n, Comparator<T> comparator) {
    int largest = getLargest(array, n,
      parent, comparator);
    if (largest == parent) return;
    T temp = array[parent];
    array[parent] = array[largest];
    array[largest] = temp;
    percolate(array, largest, n, comparator);
  }

  static <T> void sort(T[] arr,
      Comparator<T> comparator) {
    int n = arr.length;
    heapify(arr, comparator.reversed());
    while (n > 1) {
      T temp = arr[0];
      arr[0] = arr[n - 1];
      arr[n - 1] = temp;
      n = n - 1;
      percolate(arr, 0, n, comparator.reversed());
    }
  }
}
```

BINARY SEARCH TREE (BST)

- All subnodes of **left** subtree are **smaller** than root
- All subnodes of **right** subtree are **larger** than root

TRAVERSING



MORE DATA STRUCTURES

Set: Elements of same type, no duplicates, without order
Multiset: Set with duplicates
Map: KV-pairs with unique keys (put, get, remove $O(n)$)
Multimap: Key can have multiple values

HASHING

Hash-function h maps e onto $[0, n-1]$. $h(e)$ = position of e

$$e \xrightarrow{\text{hash code}} \mathbb{Z} \xrightarrow{\text{compression function}} \overbrace{[0, n-1]}^{\text{Index}}$$

Properties of good hash functions:
- Equal distribution
- Fast computation
- Constant time complexity
- Deterministic
- Incorporates as much information from key as possible

HASH FUNCTIONS

- Modulo primes
- Memory address (`Object.hashCode()` default)
- Byte/Integer cast `ByteBuffer.wrap(b).getInt()`
- Component sum (eg. sum string char codepoints)
- Polynomial accumulation $a_0 + a_1 z + a_2 z^2 + \ldots + a_{n-1} z^{n-1}$
  - $z = 33$ for strings
- Horner-Schema (identical, but easier to compute):
  - $a_0 + z \cdot (a_1 + z \cdot (a_2 + \ldots + z \cdot a_{n-1}))$

EQUALITY

It is generally necessary to override `hashCode` whenever `equals` is overridden

```
x.equals(y) => x.hashCode() == y.hashCode()
```

HASHING OBJECTS

```
// Horner schema with z = 31 and start = 17
@Override
public int hashCode() {
  int result = 17;
  for (Object field : fields) result = 31 * result
      + (field == null ? 0 : field.hashCode());
  return result
}
```

ANOMALIES

- Empty spaces
- Collisions
- Overflow

MANAGING HASH COLLISIONS

CLOSED ADDRESSING/SEPARATE CHAINING

Each bucket is a list.
Search: O(entries/buckets)



- Larger storage overhead
- Acceptable performance under high load

OPEN ADDRESSING

e "overflows" into next empty bucket → Must probe 2 times in example

TODO:
Problem: Primary Clustering

Linear probing: $s(k,i) = h(k) + i$
Linear probing backwards: $s(k,i) = h(k) - i$
Quadratic probing: $s(k,i) = h(k) + i^2$

TODO:
diagram, slides 10,11

TODO:
deletion (slides 16-21)
- Only mark as "deleted"
- Move next best candidate to deleted position

TODO:
access (slides 22-27)
Probability for finding free spot:

n = entries $\quad N$ = buckets

$a = \frac{n}{N}$ = probability: occupied $\quad p$ = probing steps

$P(X = p) = a^{p-1}(1-a)$

$E(X) = \sum_{x=1}^{\infty} p \cdot P(X = p) = \frac{1}{1-a}$ = Nr. accesses

- Resize/Rehash compute intensive
- No storage overhead
- Bad performance under high load

CUCKOO-HASHING

$h_1(x) = x \bmod 5 \qquad h_2(x) = x/5 \bmod 5$

Insert: If $h_1(x) =$ null $\Rightarrow T_1$, else push y into T_2
If no cycle → $O(1)$, if rehash is needed → $O(n)$ (`MAX_CYCLE`)
Search: $O(1) \Rightarrow$ only has to check 2 positions
Rehashing: $x \bmod n \Rightarrow x \bmod (n+m)$

TODO:

EXTENDIBLE HASHING

TODO:

- Resize/Rehash easier
- Larger storage overhead
- Good performance under high load

```
// getting index
int idx = key.hashCode() & ((1 << globalDepth) - 1);
// when to rehash
if (bucket.getLocalDepth() == globalDepth)
  growHashTable();
else
  splitBlock();
// splitting block
int highBit = 1 << localDepth;
for (Entry e : page.entries) {
    int h = e.key.hashCode();
    Page newPage = (h & highBit) != 0 ? p1 : p0;
    newPage.put(e.key, e.value);
}
```

TODO:
slides 64



DESIGN PATTERNS

- Creational: Abstraction and instantiation (e.g., Factory, Singleton)
- Structural: Composition of classes and objects into larger structures (e.g., Adapter, Facade)
- Behavioral: Algorithms and distribution of responsibility among objects (e.g., Iterator, Visitor)

ITERATOR

```
interface Iterable<T> {
  Iterator<T> iterator();
}
public interface Iterator<E> {
  boolean hasNext();
  E next() throws NoSuchElementException;
  void remove() throws UnsupportedOperationException,
    IllegalStateException;
}

for (String s : stringList) { }       // ==
for (Iterator<String> i = stringList.iterator();
    i.hasNext()) String s = i.next(); // ==
Iterator<String> iter = stringList.iterator();
while (i.hasNext()) String s = i.next();
// Tree → Depth-first Iterator
//      → Breadth-first Iterator
```

VISITOR

- separate algorithms and data
- keep algorithms in one place and not distributed over objs

```
public interface TagVisitor {
  void visit(HtmlTag html);
  void visit(HeadTag head);
  void visit(BodyTag body);
}
public class HtmlTag implements Tag {
  @Override
  public void accept(TagVisitor visitor) {
    visitor.visit(this);
    headTag.accept(visitor);
    bodyTag.accept(visitor);
    visitor.leave(this);
  }
}
```

TEMPLATE METHOD

Break down an algorithm into a series of steps, turn these steps into methods, and put a series of calls to these methods inside a single template method.



EULER TOUR TRAVERSING

TODO:

COMPOSITE




```
interface Component {
  void printInfo();
}
class Item implements Component {
  private String name;
  public Item(String name) {
    this.name = name;
  }
  @Override
  public void printInfo() {
    System.out.println("Item: " + name);
  }
}
class Box implements Component {
  private List<Component> contents =
  new ArrayList<>();
  public void add(Component component) {
    contents.add(component);
  }
  public void remove(Component component) {
    contents.remove(component);
  }
  @Override
  public void printInfo() {
    for (Component c : contents)
    c.printInfo(); // Delegate to children
  }
}
```

TODO:
- Week 7 (knights, O(n) (slides 84))
- Week 11
- Week 12
- Week 13 (euler traversing)

TODO:
Die Aussagekraft der O-Notation ist für kleine n unter Umständen begrenzt. Auch wenn zwei Algorithmen eine identische Laufzeitkomplexität (O-Notation) haben, kann sich ihre tatsächliche Laufzeit für kleine n unterscheiden. Warum ist das der Fall? Gib ein konkretes Beispiel. Betrachte zum Beispiel die Algorithmen Insertion Sort und Selection Sort oder lineare und binäre Suche. (4P)