

HOST DELETION & MOVE

Host Deletion: When a host detaches, its ARP (default: 1500s) and MAC entry (default: 1800s) time out on the VTEP. Upon aging, the VTEP withdraws the host's MAC/L2VNI and IP/L3VNI advertisements.

WAN
Connects remote LANs via SPs for data/voice/video; key needs: bandwidth, control, design, resilience, mgmt. **Requirements:**
Bandwidth: App needs, peak usage, reserve for VoIP
Control/Security: Trust provider? No full control
Availability: Redundancy, SLA for failures
Mgmt: Inband vs out-of-band

Local Segments: Defined and installed only on originating node, Not forwarded by others, but must be understood network-wide (e.g. "Forward packet according to shortest path to Node1")

Global segments: Defined in the SR Global Block (SRGB) and should be consistent across all nodes; **local segments** are defined in the SR Local Block (SRLB) and are specific to the local SR node.

Global Load Reduction: Less long-distance traffic across the Internet

```

Route [0:0:0:0::]: 172.15.255.101:32777
  BGP routing table entry:
  [2]:[0]:[0]:[48]:[5254.08ac.69ae]:[32] [10.0.0.100]/272, version 19897
  Paths: 1 (available, best #0)
  Flags: (0x00002) (high32 00000000) on xmit-list, is not in 12rib/evpn,
  is not in HW
  Advertised path-id 0
  Path type: 0, path is valid, is best path, no labeled nexthop
  Imported to 2 destination(s)
  AS-Path: NONE, path sourced internal to AS
  Metric 254.181 (metric 254.181 from 172.15.255.1 (172.15.255.1)
  Origin IGP, MED not set, LocalPref 100, weight 0
  Received Label 30010 50900
  Originator: 172.15.255.101 RT-ID: 50900 ENCAP: 3
  Originator: 172.15.255.101 Cluster List: 172.15.255.1

```