OMEGA BIOLOGICAL LABORATORY, INC.

(FDA REG.)

56 PARK AVENUE, LYNDHURST, NJ 07071 Tel: (201) 883 1222 • Fax: (201) 883 0449

		Email: lab	@omegabio	chem.com	1			
Report M-0004								
CLIENT: JJL DATE SENT: 20							5-10-03	
TYPE OF TEST: rtyry	SAN	MPLE TYPE:	: yrrty	FORMULA #: yrtr				
DESCRIPTION: ryrtyr								
LOT #: yrty				MANUFACTURE DATE: 2025-10-03				
TEST SOP #: fgdsgf				DATE TESTED : 2025-10-03				
PRELIMINARY RESULTS: gfdgd			PRELIMINARY RESULTS DATE: 2025-10-03					
DATE COMPLETED: 2025-10-03								
TBC / TFC RESULTS:								
TYPE OF TEST	DILUTION	GRAM	1 STAIN	RESULT		SPECIFICATION		
Total Bacterial Count:	x 10^0	gdf		gdfg	CFU/ml	rtyrt		
Total Mold & Yeast Count:	x 10^0	yete		trt	CFU/ml	yrtyr		
PATHOGEN SCREENING (Please check the organism to be tested)								
ORGANISM	RESULT			т			SPECIFICATION	
E.coli		Absent	✓ Present	in 11g	of sample		Absent	
P.aeruginosa		✓ Absent	Present	in 11g	of sample		Absent	
S.aureus		✓ Absent	Present	in 11g	of sample		Absent	
Salmonella		Absent	Present	in 11g	of sample			
Clostridia species		Absent	Present	in 11g	of sample			
C.albicans		Absent	Present	in 11g	of sample			
B.cepacia		Absent	Present	in 11g	of sample			
Other		Absent	Present	in 11g	of sample			

DENOTES: NA (Not Applicable) / N.G. (No Growth) / GM.(+)B Gram (+) Bacilli / GM.(+)C Gram (+) Cocci / GM.NEG Gram Negative / NT (Not Tested) / TNTC (Too Numerous To Count)

Comments:erterter						
TESTED BY: ETRETERTEr	REVIEWED BY:					
DATE: 2025-10-03	DATE:					

Report ID cmgayqbdp000eszgm2ndgur9v Report # M-0004 Scan to open in LIMS

