Logic and Language: Exercise (Week 5)

Orestis Melkonian [6176208], Konstantinos Kogkalidis [6230067]

1 LG: continuation semantics

1.1

TERM	TYPE
$\lceil \mathbf{some} \rceil$	$(e^{\perp} \otimes e^{\perp})^{\perp}$
$\lceil \mathbf{popular} \rceil$	$(e^{\perp^{\perp}} \otimes e^{\perp})^{\perp}$
$\lceil \mathbf{saint} \rceil$	$e^{\perp}$
$\lceil \mathbf{arrived} \rceil$	$(e^{\perp} \otimes \perp^{\perp})^{\perp}$
α	$\perp^{\perp}$
z	$e^{\perp}$
y	$e^{\perp}$

1.2

SOURCE TYPE	CONSTANT	$\lceil . \rceil^{l}$
n/n	popular	$\lambda\langle c, y\rangle.(c\ (\lambda z.\ \wedge (y\ z)\ (\text{POPULAR}\ z)))$

1.3

1. We compute the interpretation below:

$$\lceil \ddagger \rceil = \lambda a_0.(\lceil \mathbf{arrived} \rceil\ \langle \lambda\beta_0.(\lceil \mathbf{some} \rceil\ \langle \beta_0, \lambda\gamma_0.(\lceil \mathbf{popular} \rceil\ \langle \gamma_0, \lambda a_1.(\lceil \mathbf{saint} \rceil\ a_1)\rangle)\rangle), a_0\rangle)$$

2. The adjucted $\cdot^{\ell}$ translations are the following:

$$\begin{aligned}
\lceil \mathbf{some} \rceil^{\ell} &= \lambda\langle x, k\rangle.(\exists \lambda z.(\wedge\ (k\ \lambda\theta.(\theta\ z))\ (x\ z))) \\
\lceil \mathbf{popular} \rceil^{\ell} &= \lambda\langle c, k\rangle.(c\ (\lambda z.(\wedge\ (\text{POPULAR}\ z)\ (k\ \lambda\theta.(\theta\ z))))) \\
\lceil \mathbf{saint} \rceil^{\ell} &= \lambda c.(c\ \text{SAINT}) \\
\lceil \mathbf{arrived} \rceil^{\ell} &= \lambda\langle k, c\rangle.(k\ \lambda z.(c\ (\text{ARRIVED}\ z)))
\end{aligned}$$

We can now corroborate the α-equivalence of the two $\cdot^{\ell}$ translations:

$$\begin{aligned}
\lceil \ddagger \rceil^{\ell} = {} & \lambda a_0.(\underline{\lambda\langle k, c\rangle.(k\ \lambda z.(c\ (\mathrm{ARRIVED}\ z)))} \\
& \quad \langle \lambda\beta_0.(\lambda\langle x, k\rangle.(\exists \lambda z.(\wedge\ (k\ \lambda\theta.(\theta\ z))\ (x\ z)))\ \langle \beta_0, \lambda\gamma_0.(\\
& \qquad \lambda\langle c, k\rangle.(c\ (\lambda z.(\wedge\ (\mathrm{POP}\ z)\ (k\ \lambda\theta.(\theta\ z)))))\ \langle \gamma_0, \lambda a_1.(\lambda c.(c\ \mathrm{SAINT})\ a_1)\rangle\rangle)), a_0\rangle) \\
\to_\beta^* {} & \lambda a_0.(\underline{\lambda\langle x, k\rangle.(\exists\lambda z.(\wedge\ (k\ \lambda\theta.(\theta\ z))\ (x\ z)))}\ \langle \lambda z.(a_0\ (\mathrm{ARRIVED}\ z)), \lambda\gamma_0.(\\
& \qquad \lambda\langle c, k\rangle.(c\ (\lambda z.(\wedge\ (\mathrm{POPULAR}\ z)\ (k\ \lambda\theta.(\theta\ z)))))\ \langle \gamma_0, \lambda a_1.(\lambda c.(c\ \mathrm{SAINT})\ a_1)\rangle)\rangle) \\
\to_\beta^* {} & \lambda a_0.(\exists\lambda z.(\wedge\ (\underline{\lambda\langle c, k\rangle.(c\ (\lambda z.(\wedge\ (\mathrm{POPULAR}\ z)\ (k\ \lambda\theta.(\theta\ z)))))} \\
& \quad \langle \lambda\theta.(\theta\ z), \lambda a_1.(\lambda c.(c\ \mathrm{SAINT})\ a_1)\rangle)\ (a_0\ (\mathrm{ARRIVED}\ z))) \\
\to_\beta^* {} & \lambda a_0.(\exists\lambda z.(\wedge\ (\underline{\lambda\theta.(\theta\ z)}\ (\lambda z.(\wedge\ (\mathrm{POPULAR}\ z)\ (\underline{\lambda c.(c\ \mathrm{SAINT})}\ (\lambda\theta.(\theta\ z))))))\ (a_0\ (\mathrm{ARRIVED}\ z))) \\
\to_\beta^* {} & \lambda a_0.(\exists\lambda z.(\wedge\ (\wedge\ (\mathrm{POPULAR}\ z)\ (\mathrm{SAINT}\ z))\ (a_0\ (\mathrm{ARRIVED}\ z))) \\
\to_\alpha {} & \lambda c.(\exists\lambda z.(\wedge\ (\wedge\ (\mathrm{POPULAR}\ z)\ (\mathrm{SAINT}\ z))\ (c\ (\mathrm{ARRIVED}\ z))) \\
\to_\alpha {} & \lambda c.(\exists\lambda x.(\wedge\ (\wedge\ (\mathrm{POPULAR}\ x)\ (\mathrm{SAINT}\ x))\ (c\ (\mathrm{ARRIVED}\ x))) \\
= {} & \lceil \dagger \rceil^{\ell}
\end{aligned}$$

2 Pregroups

2.1

(4)

$(\to)$

$$\dfrac{\dfrac{}{1^l \to 1^l 1}\,(1) \qquad \dfrac{}{1^l 1 \to 1}\,(2)}{1^l \to 1}\,\to$$

$(\leftarrow)$

$$\dfrac{\dfrac{}{1 \to 1^l 1}\,(2) \qquad \dfrac{}{1^l 1 \to 1^l}\,(1)}{1 \to 1^l}\,\to$$

(5) $(\to)$:

$$\dfrac{\dfrac{\dfrac{\dfrac{\dfrac{}{A^{rl} \to A^{rl} 1}\,(1) \qquad \dfrac{}{1 \to A^r A}\,(2)}{A^{rl} \to A^{rl}(A^r A)}\,\to}{A^{rl} \to (A^{rl} A^r) A}\,(1) \qquad \dfrac{}{A^{rl} A^r \to 1}\,(2)}{A^{rl} \to 1A}\,\to \qquad \dfrac{}{1A \to A}\,(1)}{A^{rl} \to A}\,\to$$

$(\leftarrow)$:

$$\dfrac{\dfrac{\dfrac{\dfrac{\dfrac{}{A \to A1}\,(1) \qquad \dfrac{}{1 \to A^r A^{rl}}\,(2)}{A \to A(A^r A^{rl})}\,\to}{A \to (AA^r) A^{rl}}\,(1) \qquad \dfrac{}{AA^r \to 1}\,(3)}{A \to 1A^{rl}}\,\to \qquad \dfrac{}{1A^{rl} \to A^{rl}}\,(1)}{A \to A^{rl}}\,\to$$

(6) $(\to)$:

$$\dfrac{\dfrac{}{(AB)^l \to (1(AB))^l}\,\to \qquad \dfrac{}{1 \to (B^lA^l)^r(B^lA^l)}\,(3)}{(AB)^l \to (((B^lA^l)^r(B^lA^l))(AB))^l}\,\to$$

$$\dfrac{(AB)^l \to (((B^lA^l)^r(B^lA^l))(AB))^l}{(AB)^l \to ((B^lA^l)^r((B^lA^l)(AB)))^l}\,(1)$$

$$\dfrac{(AB)^l \to ((B^lA^l)^r((B^lA^l)(AB)))^l}{(AB)^l \to ((B^lA^l)^r(B^l(A^l(AB))))}\,(1)$$

$$\dfrac{(AB)^l \to ((B^lA^l)^r(B^l(A^l(AB))))}{(AB)^l \to ((B^lA^l)^r(B^l((A^lA)B)))}\,(1)$$

$$\dfrac{(AB)^l \to ((B^lA^l)^r(B^l((A^lA)B))) \qquad \dfrac{}{A^lA \to 1}\,(2)}{(AB)^l \to ((B^lA^l)^r(B^l(1B)))^l}\,\to$$

$$\dfrac{(AB)^l \to ((B^lA^l)^r(B^l(1B)))^l \qquad \dfrac{}{1B \to B}\,(1)}{(AB)^l \to ((B^lA^l)^r(B^lB))^l}\,\to$$

$$\dfrac{(AB)^l \to ((B^lA^l)^r(B^lB))^l \qquad \dfrac{}{B^lB \to 1}\,(2)}{(AB)^l \to ((B^lA^l)^r1)^l}\,\textit{todo}$$

$$\dfrac{(AB)^l \to ((B^lA^l)^r1)^l \qquad \dfrac{}{(B^lA^l)^r1 \to (}}{(AB)^l \to ((B^lA^l)^r)^l}$$

$$\dfrac{(AB)^l \to ((B^lA^l)^r)^l}{(AB)^l \to B^lA^l}\,(5)$$