

CDS

VIDEO SUBMISSION (BACKEND)

Orestis Melkonian

January 27, 2017


CERN, IT-CDA-DR

Overview

- Currently, submission is handled externally
- Moved towards an in-house solution
- Single page with multiple deposits (i.e. **Project**)
- Specific workflow in the background for each project

The AV Workflow

Workflow



Invenio Video Toolkit

(Name in Progress)

Video Processing API

- Transcoding
 - *start_encoding*
 - *stop_encoding*
 - *get_encoding_status*
- *extract_metadata*
- *extract_frames*
- Configured as import strings, in order to allow **multiple backends**

Invenio Framework

This work will lead to the creation of a general video toolkit for *Invenio*, which will include the wrappers for **FFmpeg** and **Sorenson**.

Server-sent Events (SSE)

Motivation

- A way to update the UI **asynchronously**
- Better alternative to polling
 - Responsive
 - Data-driven

Usage

- Channel per project
- Type per task
- Access rights

Invenio Framework

Basic SSE functionality and integration with *InvenioDeposit* is implemented on the new *Invenio* module **InvenioSSE**.

Tasks

Webhooks

Extended REST API of *InvenioWebhooks*

- `hooks/receivers/<rid>/events/<eid>/tasks/<tid>`
- Allows fine-grained control of individual tasks on a single event
- **DELETE** → cancel
- **PUT** → restart

SSE Tasks

Extended *Celery*'s task base class for SSE integration.

Overloaded some task methods to additionally send appropriate SSE:

- *update_state*
- *on_success*
- *on_failure*
- *on_revoke*

Cancelable & Undo-able Tasks

Extended *Celery's* task base class for safe cancel/undo.

- Every task must implement the **clean** method, which should undo any side-effects from its execution.
- Imposes explicit resource management

Miscellaneous

File Tags

- Store video's metadata
- File relationships (e.g. *master file*)
- File types (e.g. *video*, *frame*)

Invenio Framework

Tags were added as an extra feature in [InvenioFilesRest](#).

Data Model

- Defined new schemas for **Project** and **Video**
- Inspired by widely-used solutions (e.g. schema.org)

Report Number Generation

- **Project**
 - Report number is automatically generated on publish
 - Uses the record's metadata (i.e. *category*, *type*, *year*)
- **Video**
 - Utilizes hierarchical sequences
 - Child sequence of *Project*

Invenio Framework

Complete rewrite of **InvenioSequenceGenerator**.