

Liver Lesion Timeline Report

Three CT dates · lesion-level trends · vessel proximity

25 DEC 2025

9.78%

166.82 mL segmented tumor

19 JAN 2026

10.22%

170.34 mL segmented tumor

23 AUG 2026

3.17%

46.56 mL segmented tumor

JAN → AUG TUMOR VOLUME

-72.7%

170.34 → 46.56 mL

LATEST TRACKED GROUPS

9 / 16

12 separated residual foci

Important: This report is generated from automated masks and image registration. It is not a radiologist-signed diagnosis, formal RECIST assessment, tumor-viability test, or surgical-planning document.

Substantially lower automated burden on the latest CT

TUMOR VOLUME

-72.7%

January → August

TUMOR BURDEN

3.17%

10.22% → 3.17%

INDEPENDENT MODEL

49.0 mL

Cross-check: 49.6 mL

RESIDUAL GROUPS

9

11 separated foci

Bottom-line image-only observations

- 01

The image-only automated models show substantially less segmented liver tumor volume in August than January, driven mainly by L01 and L02. This is compatible with interval treatment response, but protocol differences, registration, and segmentation uncertainty require radiologist confirmation.
- 02

The dominant segment 3 group decreased from 106.21 mL to 17.15 mL in the automated masks.
- 03

The segment 8 group is fragmented into two residual foci totaling 25.08 mL and lies close to automated hepatic-vessel and IVC masks.

Timeline

- **25 Dec 2025**

Tumor 166.82 mL · burden 9.78%
- **19 Jan 2026**

Tumor 170.34 mL · burden 10.22%
- **23 Aug 2026**

Tumor 46.56 mL · burden 3.17%

- 04


CT attenuation and low-attenuation fractions are imaging proxies only. A single portal-venous phase cannot determine whether tumor cells are alive or establish true necrosis.

Interpretation boundary: The direction and magnitude of change are model-derived. Different scanners, slice thickness, contrast timing, reconstruction, registration, and contour behavior can change volume and attenuation. Review the original DICOM studies with the treating radiologist before clinical decisions.


L01 · reference liver segment 3

L01 · automated comparison

19 Jan 2026
64.5 × 51.1 mm · 106.21 mL



23 Aug 2026
32.7 × 26.4 mm · 17.15 mL



Yellow: automated boundary · Red: long axis · Cyan: perpendicular axis · Verify with a radiologist

MARKED DECREASE

LONG AXIS

64.5 → 33.0 mm

Change -48.8%

SEGMENTED VOLUME

106.21 → 17.15 mL

Change -83.8%

LOW ATTENUATION <40 HU

5.4% → 33.3%

Appearance proxy only

Automated assessment

Marked automated volume decrease since January.



Hepatic Vessels: 2.6 mm

Portal Vein: 4.9 mm

Confidence: high

L02 · reference liver segment 8

L02 · automated comparison



Yellow: automated boundary · Red: long axis · Cyan: perpendicular axis · Verify with a radiologist

MARKED DECREASE

LONG AXIS

45.0 → 36.0 mm

Change -20.0%

SEGMENTED VOLUME

41.81 → 25.08 mL

Change -40.0%

LOW ATTENUATION <40 HU

0.4% → 10.1%

Appearance proxy only

Automated assessment

Automated volume decrease since January. The residual mask is split into 2 foci.


Hepatic Vessels: 0.6 mm

Ivc: 2.3 mm

Confidence: high

L03 · reference liver segment 7

L03 · automated comparison



Yellow: automated boundary · Red: long axis · Cyan: perpendicular axis · Verify with a radiologist

MARKED DECREASE

LONG AXIS

28.5 → 16.7 mm

Change -41.4%

SEGMENTED VOLUME

9.83 → 1.53 mL

Change -84.4%

LOW ATTENUATION <40 HU

0.0% → 18.9%

Appearance proxy only

Automated assessment

Marked automated volume decrease since January.

Hepatic Vessels: 14.4 mm

Portal Vein: 51.3 mm

Confidence: moderate

L04 · reference liver segment 4

REVIEW CHANGE

LONG AXIS

22.9 → 16.0 mm

Change -30.1%

SEGMENTED VOLUME

2.37 → 1.96 mL

Change -17.6%

LOW ATTENUATION <40 HU

0.3% → 0.0%

Appearance proxy only

Automated assessment

No large automated volume change. The residual mask is split into 2 foci.

Hepatic Vessels: 1.4 mm

Portal Vein: 17.8 mm

Confidence: moderate

L04 · automated comparison

19 Jan 2026
22.8 × 12.5 mm · 2.37 mL




23 Aug 2026
16.0 × 13.0 mm · 1.96 mL



Yellow: automated boundary · Red: long axis · Cyan: perpendicular axis · Verify with a radiologist

L05 · reference liver segment 8

L05 · automated comparison



Yellow: automated boundary · Red: long axis · Cyan: perpendicular axis · Verify with a radiologist

MARKED DECREASE

LONG AXIS

18.3 → 6.9 mm

Change -62.3%

SEGMENTED VOLUME

1.89 → 0.12 mL

Change -93.8%

LOW ATTENUATION <40 HU

0.0% → 5.7%

Appearance proxy only

Automated assessment

Marked automated volume decrease since January.

Hepatic Vessels: 4.5 mm
Portal Vein: 31.3 mm

Confidence: moderate

L06 · reference liver segment 7

MARKED DECREASE

LONG AXIS

16.1 → 4.7 mm

Change -70.8%

SEGMENTED VOLUME

1.85 → 0.04 mL

Change -98.0%

LOW ATTENUATION <40 HU

0.0% → 0.0%

Appearance proxy only

Automated assessment


Marked automated volume decrease since January.

Hepatic Vessels: 13.9 mm
Portal Vein: 56.1 mm


Confidence: moderate

L06 · automated comparison

19 Jan 2026
16.1 × 13.4 mm · 1.86 mL



23 Aug 2026
4.7 × 3.0 mm · 0.04 mL




Yellow: automated boundary · Red: long axis · Cyan: perpendicular axis · Verify with a radiologist


L07 · reference liver segment 6

L07 · automated comparison

19 Jan 2026
15.1 × 12.5 mm · 1.38 mL



23 Aug 2026
9.8 × 8.0 mm · 0.31 mL



Yellow: automated boundary · Red: long axis · Cyan: perpendicular axis · Verify with a radiologist

MARKED DECREASE

LONG AXIS

15.1 → 9.8 mm

Change -35.1%

SEGMENTED VOLUME

1.38 → 0.31 mL

Change -77.4%

LOW ATTENUATION <40 HU

0.0% → 17.6%

Appearance proxy only

Automated assessment


Marked automated volume decrease since January.

Hepatic Vessels: 2.3 mm
Ivc: 60.2 mm

Confidence: moderate

L08 · reference liver segment 5

L08 · automated comparison



Yellow: automated boundary · Red: long axis · Cyan: perpendicular axis · Verify with a radiologist

MARKED DECREASE

LONG AXIS

12.3 → 6.1 mm

Change -50.4%

SEGMENTED VOLUME

0.96 → 0.08 mL

Change -92.0%

LOW ATTENUATION <40 HU

0.0% → 8.8%

Appearance proxy only

Automated assessment

Marked automated volume decrease since January.

Hepatic Vessels: 9.1 mm

Portal Vein: 26.1 mm

Confidence: low

L09 · reference liver segment 5

MARKED DECREASE

LONG AXIS

12.9 → 8.4 mm

Change -34.9%

SEGMENTED VOLUME

0.88 → 0.21 mL

Change -76.0%

LOW ATTENUATION <40 HU

0.0% → 25.8%

Appearance proxy only

Automated assessment


Marked automated volume decrease since January.

Hepatic Vessels: 9.0 mm
Portal Vein: 49.3 mm

Confidence: high

L09 · automated comparison

19 Jan 2026
12.9 × 11.5 mm · 0.88 mL




23 Aug 2026
8.4 × 6.1 mm · 0.21 mL



Yellow: automated boundary · Red: long axis · Cyan: perpendicular axis · Verify with a radiologist

L10 · reference liver segment 7

L10 · automated comparison



NOT SEPARATELY DETECTED

LONG AXIS

12.0 → — mm

Change —

SEGMENTED VOLUME

0.71 → 0.00 mL

Change -100.0%

LOW ATTENUATION <40 HU

0.0% → —%

Appearance proxy only



Automated assessment

Not separately detected by the automated August model; this does not prove complete resolution.

Confidence: not separately detected

L11 · reference liver segment 6

L11 · automated comparison



Yellow: automated boundary · Red: long axis · Cyan: perpendicular axis · Verify with a radiologist

NOT SEPARATELY DETECTED

LONG AXIS

11.6 → — mm

Change —

SEGMENTED VOLUME

0.68 → 0.00 mL

Change -100.0%

LOW ATTENUATION <40 HU

0.0% → —%

Appearance proxy only


Automated assessment

Not separately detected by the automated August model; this does not prove complete resolution.

Confidence: not separately detected

L12 · reference liver segment 8

L12 · automated comparison



Yellow: automated boundary · Red: long axis · Cyan: perpendicular axis · Verify with a radiologist

NOT SEPARATELY DETECTED

LONG AXIS

11.4 → — mm

Change —

SEGMENTED VOLUME

0.62 → 0.00 mL

Change -100.0%

LOW ATTENUATION <40 HU

0.0% → —%

Appearance proxy only


Automated assessment

Not separately detected by the automated August model; this does not prove complete resolution.

Confidence: not separately detected

L13 · reference liver segment 4/5

L13 · automated comparison



Yellow: automated boundary · Red: long axis · Cyan: perpendicular axis · Verify with a radiologist

NOT SEPARATELY DETECTED

LONG AXIS

11.8 → — mm

Change —

SEGMENTED VOLUME

0.48 → 0.00 mL

Change -100.0%

LOW ATTENUATION <40 HU

2.4% → —%

Appearance proxy only



Automated assessment

Not separately detected by the automated August model; this does not prove complete resolution.

Confidence: not separately detected

L14 · reference liver segment 6

L14 · automated comparison



Yellow: automated boundary · Red: long axis · Cyan: perpendicular axis · Verify with a radiologist

NOT SEPARATELY DETECTED

LONG AXIS

7.9 → — mm

Change —

SEGMENTED VOLUME

0.23 → 0.00 mL

Change -100.0%

LOW ATTENUATION <40 HU

0.0% → —%

Appearance proxy only


Automated assessment

Not separately detected by the automated August model; this does not prove complete resolution.

Confidence: not separately detected

L15 · reference liver segment 2

L15 · automated comparison



Yellow: automated boundary · Red: long axis · Cyan: perpendicular axis · Verify with a radiologist

NOT SEPARATELY DETECTED

LONG AXIS

8.3 → — mm

Change —

SEGMENTED VOLUME

0.23 → 0.00 mL

Change -100.0%

LOW ATTENUATION <40 HU

0.3% → —%

Appearance proxy only


Automated assessment

Not separately detected by the automated August model; this does not prove complete resolution.

Confidence: not separately detected

L16 · reference liver segment 7

L16 · automated comparison



NOT SEPARATELY DETECTED

LONG AXIS

7.7 → — mm

Change —

SEGMENTED VOLUME

0.18 → 0.00 mL

Change -100.0%

LOW ATTENUATION <40 HU

0.0% → —%

Appearance proxy only

Automated assessment

Not separately detected by the automated August model; this does not prove complete resolution.

Confidence: not separately detected

Per-lesion January → August changes

ID	SEG	JAN MM	AUG MM	JAN ML	AUG ML	VOL Δ	<40 HU	VESSEL	STATUS
L01	3	64.5	33.0	106.21	17.15	-83.8%	33.3	2.6	detected
L02	8	45.0	36.0	41.81	25.08	-40.0%	10.1	0.6	detected
L03	7	28.5	16.7	9.83	1.53	-84.4%	18.9	14.4	detected
L04	4	22.9	16.0	2.37	1.96	-17.6%	0.0	1.4	detected
L05	8	18.3	6.9	1.89	0.12	-93.8%	5.7	4.5	detected
L06	7	16.1	4.7	1.85	0.04	-98.0%	0.0	13.9	detected
L07	6	15.1	9.8	1.38	0.31	-77.4%	17.6	2.3	detected
L08	5	12.3	6.1	0.96	0.08	-92.0%	8.8	9.1	detected
L09	5	12.9	8.4	0.88	0.21	-76.0%	25.8	9.0	detected
L10	7	12.0	—	0.71	0.00	-100.0%	—	—	not detected
L11	6	11.6	—	0.68	0.00	-100.0%	—	—	not detected
L12	8	11.4	—	0.62	0.00	-100.0%	—	—	not detected
L13	4/5	11.8	—	0.48	0.00	-100.0%	—	—	not detected
L14	6	7.9	—	0.23	0.00	-100.0%	—	—	not detected
L15	2	8.3	—	0.23	0.00	-100.0%	—	—	not detected
L16	7	7.7	—	0.18	0.00	-100.0%	—	—	not detected

How to interpret the automated timeline

Image-only workflow

Measurements and lesion matching were completed from image pixels and automated masks before any radiologist report review. Original DICOM files and identifiers are not included in this PDF or public app.

Registration and matching

January was aligned to August using rigid and affine mutual-information registration. Residual foci were linked to prior lesion masks by registered overlap, allowing one older lesion to split into multiple current foci.

Dimensions and volume

Long and perpendicular axes come from the largest axial contour. Craniocaudal and 3D measurements use voxel spacing. Volume is the sum of segmented voxels and is sensitive to contour boundaries.

Attenuation and “viability”

Median HU, lesion-to-liver ratio, and fractions below absolute and liver-relative thresholds describe appearance. They cannot determine living tumor fraction or establish pathologic necrosis on a single portal-venous CT.

Vessel proximity

Distances are nearest voxel-to-voxel distances between automated lesion and vessel masks. They are discussion prompts only and are not sufficient for resection, ablation, radiation, or other procedural planning.

Clinical use

This is not a formal RECIST/mRECIST assessment or medical diagnosis. A radiologist should verify every lesion boundary, segment assignment, match, and proximity measurement on the original studies.