```
ömer@DESKTOP-L49DMM5 MINGW64 ~ (main)
$ cd C:/Users/ömer/Desktop/ödev
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (main)
$ pwd
/c/Users/ömer/Desktop/ödev
 ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (main)
$ git init
Initialized empty Git repository in C:/Users/omer/Desktop/odev/.git/
 ómer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (main)
$ git status
On branch main
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
"G\304\260T DENEME.pdf"
nothing added to commit but untracked files present (use "git add" to track)
 bmer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/odev (main)
$ git add .
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (main)
$ git status
On branch main
No commits yet
Changes to be committed:

(use "git rm --cached <file>..." to unstage)

new file: "G\304\260T DENEME.pdf"
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (main)
$ git config --global --list
user.name=omer060106
user.email=mrfrkgg6@gmail.com
user.mail=mrfrkgg6@gmail.com
init.defaultbranch=main
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (main)
$ git commit -m "yoda yazılım 2.ödevi dosyaları "
[main (root-commit) b6edc32] yoda yazılım 2.ödevi dosyaları
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 "G\304\260T DENEME.pdf"
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (main)
$ git remote add origin https://github.com/omer060106/-merfaruk_oku-luk_YODA_OTO
NOM_YAZILIM.git
```

```
@DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (main)
$ git push -u origin main
Sight push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 24 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 444.86 KiB | 29.66 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/omer060106/-merfaruk_oku-luk_YODA_OTONOM_YAZILIM.git
* [new branch] main -> main
branch 'main' set up to track 'origin/main'.
  mer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (main)
$ git init
Reinitialized existing Git repository in C:/Users/ömer/Desktop/ödev/.git/
  mer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (main)
$ git checkout -b odev_2
Switched to a new branch 'odev_2'
  mer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (odev_2)
$ mkdir odev_2
omer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (odev_2)
$ cp /c/Users/Kullanici/Belgeler/ogrenci_odev.md ./Git ve GitHub nedir.md/
cp: target 'nedir.md/' is not a directory
  mer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (odev_2)
$ git add .
  mer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (odev_2)
$ git status
On branch odev_z
Changes to be committed:
   (use "git restore --staged <file>..." to unstage)
        new file: odev_2/Git ve GitHub nedir.md
 On branch odev_2
omer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (odev_2)

$ git commit -m "ödev2 yüklendi"

[odev_2 147a98e] ödev2 yüklendi

1 file changed, 99 insertions(+)

create mode 100644 odev_2/Git ve GitHub nedir.md
       @DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (odev_2)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
mer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/ödev (main)
$ git add .
```