```
$ C:/Users/ömer/Desktop/gitdeneme
bash: C:/Users/ömer/Desktop/gitdeneme: Is a directory
 mer@DESKTOP-L49DMM5 MINGW64 ~ (main)
$ cd /Users/ömer/Desktop/gitdeneme
bash: cd: /Users/ömer/Desktop/gitdeneme: No such file or directory
ömer@DESKTOP-L49DMM5 MINGW64 ~ (main)
$ cd C: /Users/ömer/Desktop/gitdeneme
bash: cd: too many arguments
 mer@DESKTOP-L49DMM5 MINGW64 ~ (main)
$ cd C:/Users/ömer/Desktop/gitdeneme
 mer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
bash: pdw: command not found
imer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ pwd
/c/Users/ömer/Desktop/gitdeneme
imer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
Reinitialized existing Git repository in C:/Users/ömer/Desktop/gitdeneme/.git/
imer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git status
On branch master
No commits yet
Untracked files:
 (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
imer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git add denemeee.txt
 mer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git satatus
git: 'satatus' is not a git command. See 'git --help'.
The most similar command is
       status
imer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git status
On branch master
No commits yet
Changes to be committed:
 (use "git rm --cached <file>..." to unstage)
omer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git config --global user.name ömer
mer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git config --global user.mail mrfrkgg6@gmail.com
imer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git commit -m "guvıu"
[master (root-commit) 09be44e] guvıu
 1 file changed, 1 insertion(+)
create mode 100644 denemeee.txt
 mer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git log
           44e917ea2e9043c844cdbf0706130d04f2ab (HEAD -> master)
Author: ömer <mrfrkgg6@gmail.com>
Date: Sat Oct 25 18:23:20 2025 +0300
```

```
omer@DESKTOP-L49DMM5 MINGW64 ~ (main)
$ cd C:/Users/ömer/Desktop/gitdeneme
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
/c/Users/ömer/Desktop/gitdeneme
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
Reinitialized existing Git repository in C:/Users/ömer/Desktop/gitdeneme/.gi
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git status
On branch master
Untracked files:
 (use "git add <file>..." to include in what will be committed)
"yeni deneme birkiki \303\274\303\247 ilmem neiiii.txt"
nothing added to commit but untracked files present (use "git add" to track)
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git add yeni deneme birkiki
fatal: pathspec 'yeni' did not match any files
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
"yeni deneme birkiki \303\274\303\247 ilmem neiiii.txt"
nothing added to commit but untracked files present (use "git add" to track)
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git add denemee
fatal: pathspec 'denemee' did not match any files
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ ait add denemeee
fatal: pathspec 'denemeee' did not match any files
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git add denemeee
fatal: pathspec 'denemeee' did not match any files
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git add sunum
fatal: pathspec 'sunum' did not match any files
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ 1s
'Yeni klasör'/ denemeee.txt sunum.txt
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git add denemeee.txt
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git add sunum.txt
```

```
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git add sunum.txt
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
new file: sunum.txt
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file: sunum.txt
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git config --global user.name ömer
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git config --global user.mail mrfrkgg6@gmail.com
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git commit -m "deniyorum"
[master 1f6bab7] deniyorum
1 file changed, 1 insertion(+)
 create mode 100644 sunum.txt
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git log
commit 1f6bab7005c7c5b870dfb9a35db93108b74c921c (HEAD -> master)
Author: ömer <mrfrkgg6@gmail.com>
        Sun Oct 26 02:55:43 2025 +0300
    deniyorum
commit 09be44e917ea2e9043c844cdbf0706130d04f2ab
Author: ömer <mrfrkgg6@gmail.com>
       Sat Oct 25 18:23:20 2025 +0300
Date:
    guviu
```

```
$ git diff
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git diff
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git diff sunum.txxt
fatal: ambiguous argument 'sunum.txxt': unknown revision or path not in
the working tree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ ^C
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
'Yeni klasör'/
                  denemeee.txt sunum.txt
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ ^C
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git diff sunum.txt
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git status
On branch master
nothing to commit, working tree clean
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
modified: denemeee.txt
modified: sunum.txt
no changes added to commit (use "git add" and/or "git commit -a")
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git diff
diff --git a/denemeee.txt b/denemeee.txt
index a73a203..1267794 100644


    a/denemeee.txt

+++ b/denemeee.txt
@ -1 +1 @@
No newline at end of file
-denedüme123 deneme yapıyorum
\ No newline at end of file diff --git a/sunum.txt b/sunum.txt
index db824df..29a47b9 100644
  a/sunum.txt
+++ b/sunum.txt
@@ -1 +1,2 @@
No newline at end of file
.
⊦yeni deneme birkiki<mark>.</mark>
⊦silmede yaptım ekleme de yaptım<mark>.</mark>
 No newline at end of file
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git add .
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
```

```
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git diff --staged
diff --git a/denemeee.txt b/denemeee.txt
index a73a203..1267794 100644
  - a/denemeee.txt
+++ b/denemeee.txt
@@ -1 +1 @@
-denedüme123
No newline at end of file
+denedüme123 deneme yapıyorum
\ No newline at end of file
diff --git a/sunum.txt b/sunum.txt
index db824df..29a47b9 100644
  a/sunum.txt
+++ b/sunum.txt
@@ -1 +1,2 @@
No newline at end of file
.
+yeni deneme birkiki
+silmede yaptım ekleme de yaptım
No newline at end of file
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git restore sunum.txt
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git retore .
git: 'retore' is not a git command. See 'git --help'.
The most similar command is
        restore
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git restore .
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
```

```
NINGW64:/c/Users/ömer/Desktop/gitdeneme
omer@DESKTOP-L49DMM5 MINGW64 ~ (main)
$ cd C:/Users/omer/Desktop/gitdeneme
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git init
Reinitialized existing Git repository in C:/Users/ömer/Desktop/gitdeneme/.git/
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git init
Reinitialized existing Git repository in C:/Users/ömer/Desktop/gitdeneme/.git/
bmer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git add .
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git commit -m "test commiti"
[master bb87b40] test commiti
2 files changed, 3 insertions(+), 2 deletions(-)
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git remote add origin https://github.com/omer060106/test-repo.git
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git push -u origin master
info: please complete authentication in your browser...
Enumerating objects: 10, done.
Counting objects: 100% (10/10), done.
Delta compression using up to 24 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (10/10), 837 bytes | 837.00 KiB/s, done.
Total 10 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'master' on GitHub by visiting:
               https://github.com/omer060106/test-repo/pull/new/master
remote:
remote:
To https://github.com/omer060106/test-repo.git
* [new branch]
branch 'master'
                       master -> master
                  set up to track 'origin/master'.
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
 mer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
```

BU TAMAMEN BENİM DENEME SÜRECİMİN BİR PARÇASI HATALAR YAPILMIŞTIR



```
ömer@DESKTOP-L49DMM5 MINGW64 ~ (main)
$ cd C:/Users/ömer/Desktop/gitdeneme
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git branch
  master
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master) $ git switch -c githubkolay-değil
Switched to a new branch 'githubkolay-değil'
$ git add .
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (githubkolay-değil)
$ git commit -m "branch ekleme branch öğrenme"
[githubkolay-değil dcf60d8] branch ekleme branch öğrenme
 1 file changed, 1 insertion(+)
 create mode 100644 "githubkolay-de\304\237il.txt"
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (githubkolay-değil)
$ git push -u origin githubkolay-değil
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 24 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 400 bytes | 400.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'githubkolay-değil' on GitHub by visiting:
                https://github.com/omer060106/test-repo/pull/new/githubkolay-de%C4%
remote:
9Fil
remote:
To https://github.com/omer060106/test-repo.git
* [new branch] githubkolay-değil -> githubkolay-değil
branch 'githubkolay-değil' set up to track 'origin/githubkolay-değil'.
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (githubkolay-değil)
$ git switch master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git pull origin master
From https://github.com/omer060106/test-repo
 * branch
                          master
                                       -> FETCH_HEAD
Already up to date.
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git merge githubkolay-değil
Updating bb87b40..dcf60d8
Fast-forward
 "githubkolay-de\304\237il.txt" \mid 1 +
 1 file changed, 1 insertion(+) create mode 100644 "githubkolay-de\304\237il.txt"
ömer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
$ git push
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/omer060106/test-repo.git
    bb87b40..dcf60d8 master -> master
 bmer@DESKTOP-L49DMM5 MINGW64 ~/Desktop/gitdeneme (master)
```

```
commit fc42b91f3061b977cfc3a8a3681b4dc7a3a09584 (HEAD -> master)
Author: omer060106 <mrfrkgg6@gmail.com>
       Sun Oct 26 06:00:30 2025 +0300
   commitekleme silmedensonrası
ommit bb87b408aa42d5d8719acd26402ddcd06a280138
Author: omer060106 <mrfrkgg6@gmail.com>
       Sun Oct 26 04:39:06 2025 +0300
Date:
   test commiti
commit 1f6bab7005c7c5b870dfb9a35db93108b74c921c
Author: ömer <mrfrkgg6@gmail.com>
       Sun Oct 26 02:55:43 2025 +0300
ate:
   deniyorum
commit 09be44e917ea2e9043c844cdbf0706130d04f2ab
Author: ömer <mrfrkgg6@gmail.com>
       Sat Oct 25 18:23:20 2025 +0300
ate:
   guvıu
...skipping...
commit fc42b91f3061b977cfc3a8a3681b4dc7a3a09584 (HEAD -> master)
Author: omer060106 <mrfrkgg6@gmail.com>
       Sun Oct 26 06:00:30 2025 +0300
Date:
   commitekleme silmedensonrası
ommit bb87b408aa42d5d8719acd26402ddcd06a280138
Author: omer060106 <mrfrkgg6@gmail.com>
       Sun Oct 26 04:39:06 2025 +0300
ate:
   test commiti
ommit 1f6bab7005c7c5b870dfb9a35db93108b74c921c
Author: ömer <mrfrkgg6@gmail.com>
       Sun Oct 26 02:55:43 2025 +0300
Date:
   denivorum
commit 09be44e917ea2e9043c844cdbf0706130d04f2ab
Author: ömer <mrfrkgg6@gmail.com>
Date:
       Sat Oct 25 18:23:20 2025 +0300
   guvıu
```