

FundFlow Admin Portal — Product Specification

Version: 1.0

Date: June 2026

Panel: Tenant admin portal (/admin)

Reference: docs/admin-portal-redesign-plan.md, docs/Claude/admin-portal-prototype.html

Table of Contents

1. [Product Overview](#)
 2. [Users & Roles](#)
 3. [Design System Specification](#)
 4. [Navigation & Shell Specification](#)
 5. [Dashboard Specification](#)
 6. [Members Module](#)
 7. [Loans Module](#)
 8. [Collections Module](#)
 9. [Disbursements Module](#)
 10. [Reconciliation Module](#)
 11. [Bank Clearing Module](#)
 12. [Reports Module](#)
 13. [Settings & Configuration Module](#)
 14. [Audit & System Module](#)
 15. [Bilingual Specification](#)
 16. [Output Documents Specification](#)
 17. [Missing Feature Specifications](#)
-

1. Product Overview

1.1 Purpose

The FundFlow admin portal is the operational control centre for cooperative savings fund administrators. It enables admins to manage the full lifecycle of a cooperative: member onboarding, monthly contribution collection, loan applications and disbursement, bank reconciliation, and fund health monitoring.

1.2 Design North Star

“An admin should be able to understand the fund’s health and take the most urgent action within 10 seconds of opening the dashboard.”

1.3 Design Principles

#	Principle	Implementation
P1	Dashboard as command centre	Top 4 urgent actions available from dashboard without navigation
P2	No information overload	Max 10 sidebar items; per-page KPI strips are collapsible
P3	Action-first	Every list row has a context action button visible; no buried menus
P4	Semantic colour	Green = collected/active, amber = pending/partial, red = critical/overdue, blue = informational

#	Principle	Implementation
P5	Bilingual parity	Arabic version is fully equivalent — not a translation afterthought
P6	Numeric consistency	All numbers always in Western (Latin) digits regardless of locale
P7	Mobile-aware	All pages usable on tablet (768px+); primary list pages functional at 375px
P8	Audit trail	Every admin action is logged with actor, timestamp, and entity reference

2. Users & Roles

2.1 Admin Roles (Tenant Panel)

Role	Access level	Typical user
Super admin	Full access to all modules including Settings, System maintenance, Fiscal year close	Fund director
Fund admin	Full operational access except Settings, Maintenance, Migration	Operations manager
Finance officer	Read/write on Collections, Disbursements, Reconciliation, Bank Clearing, Reports	Finance team member
Read-only viewer	View-only on all modules	Auditor, external observer

Role enforcement uses Filament’s built-in shield (`filament-shield`) which is already installed.

2.2 Language Preference

Each admin has a locale preference (stored in user profile). Default locale is English (`en`). Arabic (`ar`) can be set per user. The locale preference persists across sessions.

3. Design System Specification

3.1 Colour Tokens

Sky-blue primary is intentional — it distinguishes the admin portal from the member portal (purple #534AB7).

Primary: #0284c7 (sky-600 - Filament Color::Sky)
 Primary dark: #0369a1 (sky-700, hover state)
 Primary light: #e0f2fe (sky-100, tint backgrounds)
 Primary border: #7dd3fc (sky-300, focus rings)

Success: #1D9E75
 Success light: #E1F5EE

Warning: #EF9F27

Warning light: #FAEEDA

Danger: #E24B4A

Danger light: #FCEBEB

Info: #378ADD

Info light: #E6F1FB

Surface: #FFFFFF (cards, panels)

Page bg: #F9FAFB (canvas)

Border: #E5E7EB (all borders)

Muted: #6B7280 (secondary text)

Muted light: #9CA3AF (table headers, placeholders)

Text primary: #111827 (headings, values)

3.2 Typography

Element	Size	Weight	Colour	Notes
Page title	14px	600	#111827	Topbar
Section heading	12px	600	#111827	Panel head
Nav group label	10px	600	#9CA3AF	ALL CAPS
Nav item	12px	400	#6B7280	Active: 500, #111827
Table header	10px	600	#9CA3AF	ALL CAPS
Table cell	12px	400	#111827	
Stat number	20–22px	700	#111827	
Stat label	10px	400	#9CA3AF	
Stat sub-label	11px	400	semantic	
Chip	10px	600	semantic	
Button	11px	500	—	
Form label	11px	600	#6B7280	
Form input	12px	400	#111827	

Font stack: Instrument Sans, Noto Sans Arabic, system-ui, sans-serif

3.3 Component Specifications

Stat Card

Background: #FFFFFF

Border: 1px solid #E5E7EB

Border radius: 12px

Padding: 14px 16px

Label: 10px, #9CA3AF, margin-bottom 4px

Number: 22px, 700, #111827

Sub-label: 11px, semantic colour

Panel

Background: #FFFFFF

Border: 1px solid #E5E7EB

Border radius: 12px

Overflow: hidden

Panel head: padding 11px 14px, border-bottom 1px #E5E7EB

Panel title: 12px, 600, #111827
Panel link: 11px, #378ADD, cursor pointer
Panel body: padding 10px 14px

Status Chip

display: inline-block
font-size: 10px
padding: 2px 7px
border-radius: 20px
font-weight: 600

chip-green: bg #E1F5EE, text #0F6E56
chip-amber: bg #FAEEDA, text #854F0B
chip-red: bg #FCEBEB, text #A32D2D
chip-blue: bg #E6F1FB, text #185FA5
chip-sky: bg #e0f2fe, text #0369a1
chip-gray: bg #F3F4F6, text #6B7280

Notice/Alert

display: flex, align-items: flex-start, gap: 8px
padding: 10px 12px
border-radius: 10px
font-size: 12px
margin-bottom: 12px

notice-red: bg #FCEBEB, border 1px #E24B4A, text #A32D2D
notice-amber: bg #FAEEDA, border 1px #EF9F27, text #854F0B
notice-blue: bg #E6F1FB, border 1px #378ADD, text #185FA5
notice-green: bg #E1F5EE, border 1px #1D9E75, text #0F6E56

Progress Bar

Height: 6px
Background track: #E5E7EB
Border radius: 3px
Fill: semantic colour (green/amber/red/gray)

Button Variants

btn-primary: bg #534AB7, text white, border #534AB7 | hover bg #3C3489
btn-gray: bg white, text #6B7280, border #E5E7EB | hover bg #F3F4F6
btn-success: bg #E1F5EE, text #0F6E56, border #1D9E75
btn-danger: bg #FCEBEB, text #A32D2D, border #E24B4A

Size: padding 5px 12px, font-size 11px, border-radius 8px

Data Table

Header: font-size 10px, 600, #9CA3AF, ALL CAPS, bg #F9FAFB, border-bottom 1px #E5E7EB
Cell: padding 8px 10px, font-size 12px, border-bottom 1px #F3F4F6
Last row: no border
Hover row: bg #F9FAFB
Striped: alternating bg (Filament default --striped enabled)

```

Sidebar:      192px fixed, height 100vh, overflow-y auto
Topbar:      height 50px, position sticky top 0, z-index 5
Content area: margin-left 192px (LTR) / margin-right 192px (RTL)
Content padding: 20px

```

4. Navigation & Shell Specification

Header Block

Navigation Groups		OPERATIONS group:		Icon	Label (EN)	Label (AR)	Badge	Action	— —
Dashboard					—	Navigate		Members	amber: pending
applications count	Navigate			Loans	red: queue count	Navigate		Collections	amber: overdue count
	Navigate			Disbursements		—	Navigate		

SYSTEM group:	Icon	Label (EN)	Label (AR)	Badge	Action
Settings		Navigate	Audit & System		Navigate

```

Border-top: 1px solid #E5E7EB
Padding: 10px 8px
Contents:
  - Avatar circle (26px, bg #EEEDFE, initials in #3C3489, 11px 600)
  - Name (11px, 600)
  - Role (10px, #9CA3AF)
  - Hover bg: #F9FAFB, cursor pointer
  - Click: opens profile / logout menu

```

```
Height: 50px
Background: white
Border-bottom: 1px solid #E5E7EB
Z-index: 5 (sticky)
Content (left to right):
  - Page title (14px, 600, flex-1)
  - Cycle chip: " Cycle: MMM YYYY" (10px, #185FA5, bg #E6F1FB, radius 6px, 3px 8px) -
links to Collections
  - Notification bell button (btn-gray) with unread badge
```

- Language switcher (EN/AR toggle - existing component)
- Context primary action button (btn-primary, label changes per page)
- Export button (btn-gray, shown on list pages only)

Context primary actions by page:

Page	Primary action label (EN)	Label (AR)
Dashboard	Run batch	
Members	Add member	
Loans	Process next	
Collections	Run debit batch	
Disbursements	Post tranche	
Reconciliation	Run batch now	
Bank clearing	Import statement	
Reports	Generate	
Settings	Save all	
Audit & System	Export log	

5. Dashboard Specification

5.1 Page Header

Title: **Dashboard** /

No breadcrumb (root page).

5.2 KPI Strip — Row 1

Four equal-width stat cards. Data from `TenantDashboardService::snapshot()`.

Card	EN Label	AR Label	Value	Sub-label
Total members		member count	“+N this cycle” (green if +, gray if 0)	
Collected this cycle		collection %	“X of Y members” (gray)	
Active loans		active loan count	“N in queue” (amber if > 0, green if 0)	
Recon exceptions		open exception count	“N critical, N high” (red if critical > 0)	

Stat cards are clickable: members → Members page, loans → Loans page, recon → Reconciliation page.

5.3 Loan Queue Panel — Row 2 Left (60% width)

Title: **Loan queue — top requests** /

Link: “View all →” → Loans queue page

Table (4 rows max):

Column	EN	AR	Notes
#	#	#	Queue position
Member		—	Name only
Amount		—	SAR X,XXX (or X,XXX . in AR)
Type		—	Chip: Emergency (red) / Standard (blue)
Action	—	—	[Review] btn-primary

[Review] opens the loan review page directly.

5.4 Reconciliation Alerts Panel — Row 2 Right (40% width)

Title: **Reconciliation alerts** /

Link: “Open queue →” → Reconciliation page

Contents: List of open exceptions as **notice** components: - Critical (**notice-red**): + exception description
- High (**notice-amber**): + exception description - Info (**notice-blue**): + auto-resolved info

Empty state: **notice-green** “ All clear — no open exceptions”

5.5 Collection Progress Panel — Row 3 Left

Title: **Cycle collection progress** /

Progress bars (label / bar / percentage): - Collected (green) - Partial (amber) - Overdue (red) - Exempt (gray)

Below the bars, a breakdown table: | Late tier | EN label | AR label | Count | |———|———|———|———|
| Tier 1 | Late Tier 1 (day 3+) | - 1 | N members | | Tier 2 | Late Tier 2 (day 10+) | - 2 |
N members | | Tier 3 | Late Tier 3 (day 20+) | - 3 | **N — flagged** (red) |

5.6 Recent Activity Panel — Row 3 Centre

Title: **Recent member activity** /

Link: “All →” → Audit log

Feed of 8 most recent admin-relevant events. Each entry:

[Avatar: member initials, coloured] [Member name - event description] [status chip]

Event types with chips: - Contribution collected → chip-green “OK” - Overdue flag → chip-amber “T1/T2/T3” - Migration cleared → chip-purple “Mig” - Loan disbursed → chip-blue “Loan” - Loan applied → chip-purple “Apply” - Suspension → chip-red “Susp” - Admin override → chip-amber “Override”

5.7 Fund Tier Utilisation Panel — Row 3 Right

Title: **Fund tier utilisation** /

Progress bars per tier: - Tier A (1K–10K) - Tier B (11K–30K) - Tier C (31K–60K) - Tier E (Emergency)

Colour logic: < 70% = green, 70–89% = amber, 90% = red

Warning notice below bars if any tier 90% capacity.

5.8 Quick Actions Bar

Located between Row 1 and Row 2 (compact, single row):

[Run debit batch] [+ Add member] [Import bank statement] [Generate report]

All **btn-gray** style. No large gradient tiles.

6. Members Module

6.1 Members List

URL: /admin/members

Page title: Members /

Toolbar

- Search input (placeholder: “Search by name, ID, or status...” / “ (”...
- [+ Add member] btn-primary

Filter Pills (below toolbar)

- All (N) — primary active
- Active (N) — green outline
- Migration pending (N) — purple outline
- Delinquent (N) — red outline
- Suspended (N) — gray outline

Table Columns

Column	AR label	Type	Notes
ID		text	#XXXX
Name		text	Clickable → member detail
Status		chip	Active=green, Overdue=amber, Migration=purple, Delinquent=red, Suspended=gray
Cash balance		money	SAR / . formatted
Fund balance		money	SAR / . formatted
Active loans		number	0 gray, >0 blue badge
Actions	—	group	View (primary) + Edit (gray) + [Suspend/Reinstate] (danger/success)

Filters (sidebar filter panel)

- Status multi-select
- Date joined range
- Fund balance range
- Has active loans (ternary)
- Has overdue contributions (ternary)
- Migration status

6.2 Add Member

URL: /admin/members/create

Page title: Add new member /

2-column form grid: - Full name / - National ID / Iqama / / - Phone / -
Email / - Join date / - Migration cutoff date (optional) / ()

Opening balances section (collapsible, labeled “Opening balances — leave blank for new members”): - Cash account opening balance (SAR) - Fund account opening balance (SAR)

Actions: [Cancel] [Save member]

6.3 Member Detail

URL: /admin/members/{id}/edit

Page title: [Member name] / [] [

Breadcrumb: ← Members / [Name]

Action buttons (top right): - [Suspend] btn-danger (or [Reinstate] btn-success if suspended) - [Admin override] btn-gray - [Edit profile] btn-primary

Tab: Profile Left panel — **Member details** (2-col detail grid): - Full name / Join date / Status (chip) / Phone / Email / Tenure / Guarantor for (if any)

Right panel — **Activity timeline** (scrollable): - Chronological list of events (contribution, EMI, deposit, late fee, etc.) - Each entry: bold title + sub-label (amount · date) - AR locale: RTL text flow, EN for amounts

Tab: Accounts Left panel — **Cash account:** - Balance (large 18px) / Pending clearance / Last deposit / Last debit - [Post manual entry] btn-primary in panel head

Right panel — **Fund account:** - Balance (large 18px) / Loan multiplier / Max borrow limit / Total contributions / Opening balance

Tab: Loans Active loan panel (if exists): - Loan ID / Approved amount / EMI / Repayment threshold / Repaid to date / Fund tier / Guarantor - Actions: [View schedule] [Partial settle] [Full settle]

Past loans table (if any).

No active loan: notice-blue “This member has no active loans.”

Tab: Cycle history Table: | Cycle | Due | Status chip | Collected | Fee applied | |——-|——|———|——
——|———|

Tab: Transactions Full ledger table: | Date | Description | Amount (coloured: + green / - red) | Type chip (CR/DR) |

7. Loans Module

7.1 Loans List (Portfolio)

URL: /admin/loans

Cluster sub-nav: Loans / Loan queue / Loan tiers / Fund tiers

Compact KPI Section (collapsible)

- Active loans count
- Total disbursed (SAR)
- In repayment (SAR outstanding)
- Delinquent count (red)

Filter Pills

- All / Active / Pending queue / In repayment / Settled / Delinquent

Table Columns

Column	AR	Notes
Loan ID		#L-XXXX
Member		Clickable
Approved		Money
Disbursed		Money
Outstanding		Money
EMI		SAR/cycle
Fund tier		chip-blue
Status		chip
Actions	—	View / Edit

7.2 Loan Queue

URL: /admin/loans/queue

Filter Pills

- All (N) / Emergency (N) / Standard (N) / Pending approval / Partially disbursed

Table Columns

Column	AR	Notes
#	#	Queue position (priority-sorted)
Member		
Amount		Money
Fund tier		chip
Available in tier		green if request, red if <
Type		chip-red Emergency / chip-blue Standard
Priority score		Computed numeric
Actions	—	[Approve] btn-success + [Partial] btn-gray + [Reject] btn-danger

7.3 Loan Review

URL: /admin/loans/{id}

Page title: Review loan request — [Member name]

Breadcrumb: ← Loan queue / [Member]

2-column layout:

Left — **Request details** (detail grid): - Requested amount / Type chip / Fund tier / Tier available / Member portion / Master portion / Threshold / Guarantor / Grace period / EMI tier

Right — **Eligibility checks** (check rows): - / Tenure check - / Fund balance check - / No delinquency - / Active loans within limit - / Borrow limit within range - / Guarantor valid and active

check-pass: bg #E1F5EE, border #1D9E75

check-fail: bg #FCEBEB, border #E24B4A

Below — **Admin decision** panel: - Disbursement amount input - Decision dropdown (Full / Partial / Reject)
- Admin notes textarea (mandatory for Reject) - Actions: [Cancel] [Reject request] [Confirm disbursement]

7.4 Loan Tiers & Fund Tiers

Keep existing resource pages with visual cleanup to match new design tokens.

8. Collections Module

8.1 Collections Page

URL: /admin/collections (rename from /admin/contributions)

Page title: Collections /

KPI Strip

- Due (total members this cycle)
- Collected (count + SAR total)
- Overdue (count + SAR — red)
- Exempt (count — gray)

Cycle Selector Filter pills at top: - [Current cycle: Jun 2026] (active, purple) - [May 2026] - [Apr 2026] - [All cycles]

Table Header action: [Run debit batch] btn-success

Column	AR	Notes
Member		
Due		SAR
Status		Collected=green, Overdue=amber+row tint, Partial=blue, Exempt=gray
Collected		SAR
Days late		Red if > 0
Fee tier		Tier 1=amber, 2=orange, 3=red
Actions	—	[Post manual] if overdue; [View] otherwise

Row colour coding for overdue: - T1 (day 3–9): amber left border accent - T2 (day 10–19): orange left border accent - T3 (day 20+): red left border accent + bold name

9. Disbursements Module

9.1 Disbursements Page

URL: /admin/disbursements

Page title: Disbursements /

KPI Strip

- Pending disbursement (count)
- Total committed (SAR)
- Total disbursed this cycle (SAR)
- Awaiting bank match (count)

Filter Pills

- All / Pending / Partial / Fully disbursed

Table

Column	AR	Notes
Member / Loan	/	
Approved		SAR
Disbursed		SAR
Remaining		SAR (amber if > 0)
Status		Active=green, Partial=amber, Pending=blue
Actions	—	[View loan] if done; [Disburse] btn-primary if pending

9.2 Post Tranche Modal

Trigger: [Disburse] button on table row
Opens modal (not a new page):

Fields: - Loan ID (readonly) - Member (readonly) - Approved amount (readonly) - Previously disbursed (readonly) - Tranche amount (editable) — validates remaining - Fund tier (readonly) - Notes (optional textarea)

Actions: [Cancel] [Post disbursement]

Notice at top: **notice-blue** “Loan activates and repayment schedule is built only after full approved amount is disbursed.”

10. Reconciliation Module

10.1 Reconciliation Page

URL: /admin/reconciliation

Page title: Reconciliation /

KPI Strip

- Open exceptions (red if > 0)
- Auto-resolved (green, last batch)
- Last batch run (time + date)
- Next batch (time + date)

Critical Banner (conditional) If any critical exception open:

CRITICAL: [Exception description] - all batch posting is halted until resolved.

Exception Queue Panel Header action: [Run batch now] btn-primary

Table: | Column | AR | Notes | | | | Type | | Exception code | | Domain | | Master
account / Bank clearing / etc. | | Severity | | chip-red Critical / chip-amber High / chip-blue Medium
| | Delta | | SAR amount | | SLA | | “Immediate” (red) / “Today” (amber) / “48h” | | Actions | —
| [Resolve] btn-primary |

Auto-resolved Panel Table of exceptions resolved in last batch: | Type | Domain | Resolution | Time | |
— | — | chip-green Auto | — |

Recon History Tab Paginated history of all resolved exceptions with: resolved by, resolution type, correction amount, notes.

10.2 Resolve Exception

URL: /admin/reconciliation/{id}/resolve

Page title: Resolve — [Exception type]

2-column layout:

Left — **Exception details** (detail grid): - Exception ID / Domain / Severity chip / Delta / Raised at / Batch status (red if halted)

Right — **Resolution action:** - Action dropdown (Post rounding / Reverse / Reclassify / Escalate) - Correction amount input - Reason code dropdown - Notes textarea (mandatory for critical) - Actions: [Cancel]
[Post resolution & resume batch]

11. Bank Clearing Module

11.1 Bank Clearing Page

URL: /admin/bank (rename from /admin/bank-accounts)

Page title: Bank clearing /

KPI Strip

- Imported today (bank line count)
- Auto-matched (count + SAR — green)
- Unmatched (count — red if > 0)
- Stale pending >30d (count — amber)

Tabs **Unmatched** tab (default — shows action required):

Table: Date / Reference / Amount / Exception chip / Actions (Match manually / Adjust & clear)

Matched today tab:

Table: Bank line / Matched to / Amount / Status chip-green Cleared

Import history tab:

Table of import sessions with line counts and match rates.

SMS channel tab:

Embedded SMS import session management (existing workspace).

Import Action Header action: [Import statement] btn-primary — opens upload modal.

12. Reports Module

12.1 Reports Page

URL: /admin/reports

Page title: Reports /

2-column layout:

Standard Reports (left) Each report as a card:

[Icon box] [Report title + description] [PDF] [Excel]

Reports: 1. Monthly collection report — per-member collection status, fees, exemptions 2. Loan portfolio report — active, repaid, delinquent — all tiers 3. Reconciliation summary — exceptions, resolutions, auto-resolve log 4. Fund tier utilisation — availability, committed, disbursed per tier 5. Member statements (bulk) — generate all member statements for a cycle 6. Guarantor exposure report — guaranteed loans per guarantor, risk flags 7. Audit trail export — full admin action log for a date range

Custom Report Builder (right) Fields: - Report type (dropdown) - Date from / Date to - Member (optional search) - Fund tier (optional multi-select) - Status filter (optional) - Format: PDF / Excel / CSV

[Generate report] btn-primary full width

13. Settings & Configuration Module

13.1 Settings Page

URL: /admin/settings

Page title: Settings /

Tab: General

- Fund name
- Cycle day of month
- Bank account details (IBAN, account name)
- Fund logo upload
- Contact email / phone

Tab: Collection

- Collection window (days)
- Late fee model (Replacement / Cumulative)
- Tier 1 threshold + fee amount
- Tier 2 threshold + fee amount
- Tier 3 threshold + fee amount

Tab: Loans

- Minimum membership years
- Minimum fund balance (SAR)
- Borrow multiplier (×)
- Maximum active loans per member
- Settlement threshold (%)
- Grace period options

Tab: Fund tiers

- Tier A allocation (%) + range (SAR)
- Tier B allocation (%) + range (SAR)
- Tier C allocation (%) + range (SAR)
- Tier E emergency allocation (%)

Tab: Reconciliation

- Auto-resolve tolerance (SAR)
- Timing difference defer (hours)
- Bank match date range ($\pm$ days)
- Stale pending threshold (days)
- Unbanked cash alert (days)

Tab: Guarantor rules

- Missed EMIs before warning (X)
- Missed EMIs before guarantee transfer (Y)

Tab: Notifications

- Per-event-type toggles: SMS / Email / In-app
- SMS template editor per event
- Email template editor per event

Each tab has a [Save changes] btn-primary.

14. Audit & System Module

14.1 Audit & System Page

URL: /admin/audit

Page title: Audit & System /

Tab: Audit log Filter pills: All events / Admin actions / Overrides / Recon events / Loan events

Table: | Timestamp | Event | Actor | Entity | Tag chip | | — | — | Admin/System | #ID or Global | chip coloured |

Export action in header.

Tab: Notification log Table: Member / Channel / Event / Status chip (Delivered/Failed/Pending) / Sent at / Delivery time

Tab: Jobs & commands Table of scheduled jobs with last run, next run, status, [Run now] action.

Tab: System maintenance Database backup overview widget + DB backup table + purge controls.

Tab: Legacy migration Existing legacy migration workflow (CSV import, classify, resolve stubs).

Tab: Year-end close Existing fiscal year close workflow.

15. Bilingual Specification

15.1 Locale Switching

- Language switcher in topbar (existing `language-switcher` component)
- Locale stored in admin user session
- `SetApplicationLocale` middleware applies `app()->setLocale()` on each request
- `<html dir="rtl" lang="ar">` applied when locale = ar

15.2 String Keys Convention

Namespaced keys in `lang/ar.json` and `lang/en.json`:

```
admin.nav.{item}
admin.dashboard.kpi.{stat}
admin.dashboard.{panel}.title
admin.members.{label}
admin.loans.{label}
admin.collections.{label}
admin.disbursements.{label}
admin.recon.{label}
admin.bank.{label}
admin.reports.{label}
admin.settings.{tab}.{label}
admin.audit.{label}
```

15.3 Money Formatting

	English (LTR)	Arabic (RTL)
Full	SAR 1,234.50	1,234.50 .
Compact	SAR 1.2K	1.2K .
Chip	SAR	.
Digits	1,234	1,234 (Western only)

Currency symbol placement flips with text direction. Implemented in `MoneyDisplay::format()` and `MoneyDisplay::compact()`.

15.4 RTL Layout Rules

- Sidebar: `right: 0` in RTL (mirrors to right)
- Content: `margin-right: 192px` in RTL
- Table: text-align follows content type — amounts always left-aligned even in RTL (preserve readability of columns)
- Icons: directional icons (arrows, chevrons) flip with `transform: scaleX(-1)` in RTL context
- Breadcrumbs: arrow separator flips direction

15.5 Arabic Typography in PDFs

- Font: Amiri or Noto Naskh Arabic for body, Scheherazade New for headings
- `DomPdfFactory` already handles Arabic shaping
- All PDF templates output `<span lang="ar" dir="rtl">` for Arabic strings
- Tables in PDFs: English column headers even in AR locale for readability (open for review)

15.6 Status Chips & Enum Labels

Status	EN chip	AR chip
Active	Active	
Overdue	Overdue	
Delinquent	Delinquent	
Suspended	Suspended	
Collected	Collected	
Exempt	Exempt	
Partial	Partial	
Pending	Pending	
Cleared	Cleared	
Critical	Critical	

16. Output Documents Specification

16.1 Monthly Statement (member-facing PDF)

- Existing `StatementPdfController` + `monthly-statement.blade.php`
- EN: Header “Monthly Statement — [Month Year]”, “SAR” currency symbol
- AR: Header “ — [Month Year]”, ”. “ currency symbol, RTL layout
- All numbers in Western digits
- Fund name in both EN and AR in header
- Member name in native script (Arabic if Arabic name)

16.2 Loan Schedule PDF (new)

- `LoanSchedulePdfController` (new, already exists on branch)
- Repayment schedule table: Cycle / Due date / Principal / EMI / Outstanding
- Bilingual: EN and AR versions available via `?lang=ar` parameter
- All amounts in SAR / . per locale

16.3 Collection Report PDF (admin-facing)

- Generated from Reports page
- Per-member table: Member ID, Name, Due, Collected, Status, Late fee
- Summary row: Total due, Total collected, Collection rate %
- Admin generates from Reports page; available in PDF and Excel

16.4 Audit Trail Export

- CSV export from Audit log tab
- Columns: Timestamp, Event, Actor, Entity ID, Tag, Notes
- Always in English (audit trail is system-facing)

16.5 Member Notifications (in-app + SMS + email)

All outbound notifications are bilingual: - Member’s preferred language (stored in member profile) - Fallback: fund’s default locale - SMS: short-form with . for AR, SAR for EN - Email: HTML template with full formatting - In-app: title + body, locale-aware

17. Missing Feature Specifications

17.1 Fund Pool Health Panel

Location: Dashboard, between KPI strip and row 2 (or as a collapsible section)

Display:

Master fund: SAR 2,450,000 Balanced
Member funds: SAR 2,450,000

Master cash: SAR 180,000 Balanced
Member cash: SAR 180,000

Solvency: 142% (loan commitments vs fund)
30-day drift: ± SAR 0.00 No drift detected

Links to Reconciliation if any drift detected.

17.2 Bulk Member Announcement

Location: Messages inbox page → [Compose announcement] action

Form: - Recipients: All active / Overdue / Delinquent / With active loans / Selected - Message title (EN) / (AR) - Message body (EN) / (AR) - Delivery channels: In-app / SMS / Email - Schedule: Send now / Schedule for date+time

Preview section shows rendered message in both locales.

Confirmation: “This will send to N members. Confirm?”

17.3 Guarantor Exposure View

Location: Member detail → new “Guarantor” tab (shown only if member is a guarantor for any loan)

Table: Loan ID / Borrower / Approved amount / Outstanding / Status / Exposure risk

Summary: Total guaranteed SAR / Max single exposure SAR / Risk flag (red if any guaranteed loan is delinquent)

Also available as a report (§12.1 item 6).

17.4 EMI Collection Calendar

Location: Loans module → [Collection calendar] action in header

Month grid view: - Each cell = a day in the cycle month - Dots on days where EMIs are due - Colour: green (collected), amber (pending), red (overdue) - Click a day: slide-out showing which members’ EMIs are due that day

17.5 Support Ticket Workflow

Location: Members module → [Support] relation tab; Messages inbox → [Support requests] filter

Per request: - Status: Open / In progress / Resolved / Closed (admin changes) - Admin reply: textarea + [Send reply] — creates message to member - SLA indicator: days open (green <3, amber 3–7, red >7) - Escalate flag: marks request for supervisor attention

17.6 Loan Queue Priority Score

Algorithm:

`priority_score = base_type_score + tenure_bonus + days_in_queue_bonus + standing_bonus`

`base_type_score:` Emergency = 100, Standard = 50

`tenure_bonus:` min(member_years × 2, 20) max 20 points

`days_in_queue:` min(days_waiting × 1.5, 30) max 30 points

`standing_bonus:` clean_record ? 10 : 0 10 points if no delinquency

Score shown as numeric in queue table. Queue sorted by score descending by default.