

Member Portal Redesign — Analysis & Plan

This is the **master analysis document**. Detailed deliverables:

Document	Audience	Contents
Product specification	Product, QA, stakeholders	Functional requirements (FR-*), NFRs, acceptance criteria, scope
Design & implementation plan	Engineering	Architecture, phases, files, tests, git workflow, DoD

This is a planning document only. No implementation is proposed yet.

When implementation starts: all work happens on a dedicated git branch (`feature/member-portal-redesign`), branched from `main`. See [implementation plan §1.2](#).

Related assets: - Blueprint prototype: [docs/Claude/member-portal-prototype.html](#) - Current portal doc: [docs/member-portal.md](#)

1. Executive vision

Goal: Turn the member portal from a **15-item Filament sidebar with 11 stacked dashboard sections** into a **prototype-style hub**: one calm Overview where members see what matters and act immediately, with deeper pages reached only when needed.

Design north star: Match the tone of `docs/Claude/member-portal-prototype.html` — compact panels, soft color accents, clear chips, contextual notices — while keeping every real FundFlow capability (household, guarantor loans, eligibility overrides, bilingual/RTL, PWA).

Principle: *Dashboard = command center. Sidebar = wayfinding, not a feature dump.*

2. Current state — what’s wrong

2.1 Information architecture

Issue	Evidence
Finance fragmented 6 ways	Contributions, Deposits, Cash-outs, Statements, Accounts, Dependents — each with its own nav item and duplicate insights hero
Loans split 3 ways	My Loans, Guaranteed Loans, Loan Calculator — plus a Loans tab inside My Accounts
Two “talk to admin” paths	Messages (ungrouped) vs Support & requests (Settings) — same icon family, overlapping intent
Dashboard does everything twice	<code>MemberPortalDashboardWidget</code> already shows KPIs, cycle, loan card, arrears, recents, household — then list pages repeat similar heroes
QA in production nav	<code>BusinessDayTestingPage</code> in Settings

2.2 Dashboard cognitive load

Current scroll order (`member-portal-dashboard.blade.php`):

1. Greeting hero

2. 7 gradient quick-action tiles
3. Lifecycle journey steps
4. 8 KPIs + sparkline
5. Arrears block
6. Relation summaries (mini cards linking to every area)
7. Cycle + loan + eligibility card
8. Trend + activity + quick links
9. Recent contributions + deposits
10. Latest statement
11. Household

That is **comprehensive but not simple**. Members must scan ~2–3 screens on mobile before seeing “what do I do next?”

2.3 Visual / UX friction

- **Emerald Filament default** + heavy custom CSS (!important font overrides) fights the panel chrome instead of a cohesive product skin.
- **Gradient action tiles** (7 across on XL) feel busy vs prototype’s quiet **quick-action rows** with icon badges.
- **Insights duplicated** on 8+ list pages via separate Blade partials — hard to restyle globally.
- **No contextual top notice** (prototype’s amber EMI banner) — urgency is buried in arrears/KPIs.

2.4 What works and must be preserved

- `MemberPortalInsightsService` + sibling `*InsightsService` classes — solid data layer.
- `CurrentMember` scoping, policies, impersonation.
- `MemberNavigation` sort constants — good hook for IA changes.
- Mobile-first shared CSS (`mobile-panels.css`).
- Bilingual strings (`translateLabel()`, `lang/ar.json`).
- Filament resources for CRUD-heavy flows (deposits, cash-out, loan view).

3. Prototype blueprint — design language to adopt

The prototype (`docs/Claude/member-portal-prototype.html`) defines a **member product UI**, not admin Filament chrome.

3.1 Color system (adopt as tokens)

Token	Use	Hex (prototype)
Primary	CTAs, active nav, fund-adjacent accents	#534AB7 / #3C3489
Success	Credits, collected, active status	#1D9E75
Warning	Due soon, reserved EMI, amber notices	#EF9F27
Danger	Debits, arrears, missed cycles	#E24B4A
Info	Informational notices	#378ADD

Token	Use	Hex (prototype)
Neutrals	Panels, borders, labels	gray-50 → gray-900

Map these to `Filament Color::hex()` or CSS variables in `resources/css/filament/member/theme.css` — replace or soften **Emerald** as primary.

3.2 Layout patterns

Pattern	Prototype	Apply to FundFlow
Sidebar profile block	Avatar initials, member #, since date, status chip	Move from user-menu-only profile into collapsible sidebar header
Sticky page topbar	Title + contextual action (Statement, Export, etc.)	Filament topbar: page title + one primary action
Panel cards	<code>border-radius: 14px</code> , head/body split, “Details →” links	Replace mixed insight partials with one ff-panel component
Notice banners	Amber/blue/green/red contextual strips	Single ff-notice driven by priority rules (EMI due > arrears > info)
Quick actions	Icon square + title + subtitle rows	Replace 7 gradient tiles with 4–6 rows
Chip status	green/amber/red/blue/purple/gray	Unify loan/contribution/txn status rendering pills
Tab sub-nav	Loans: Active / History / Settle	Consolidate loan surfaces under one resource
Filter chips	Transactions page	Reuse on unified activity feed
Fund hero	Purple gradient card	Distinct visual identity for fund (not cash)

3.3 Typography & density

- Base **13px**, labels **10–11px uppercase**, amounts **22–34px bold**.
- Tighter than default Filament — aligns with existing `ExtraSmall` table defaults but needs **consistent panel spacing**, not per-widget overrides.

4. Target information architecture

4.1 Proposed sidebar (8–10 items vs 15)

```

Profile block (avatar, #, status)
Overview [home]
My accounts
  Cash account
  Fund account
Loans
  My loans [badge]
  Request a loan
  Guaranteed loans [conditional]
History
  Contributions
  Activity (transactions)

```

- Self-service
 - Cash out
 - Statements
- Help
 - Communications & FAQ [unread badge]
 - (Messages · Requests · Alert history)
- Settings
 - Profile & preferences (merged page)
- Sign out

Current item	New home
My Deposits	Cash account → Deposit panel + dashboard quick action
My Accounts (monolith)	Split into Cash / Fund focused pages
My Cash-Outs	Cash out page (request + history)
Loan calculator	Link inside Request a loan + loan detail
Contribution settings	Settings → Profile & preferences tab
Notification preferences	Settings tab
Support & requests	Help → Communications (Requests tab)
Messages (ungrouped)	Help → Communications (Messages tab); optional sidebar badge
Business calendar testing	Remove from member nav (admin/QA only)
My dependents	Overview household panel + Settings (parents only)

4.2 Page consolidation map

5. Dashboard redesign — “comprehensive yet simple”

Reorganize into **4 vertical zones** (prototype-aligned). Everything below fits **one mobile screen + one scroll** for typical members.

Zone A — Context (always first)

Single priority notice (only one visible; ranked):

1. Delinquent / suspended status
2. EMI due within N days (with amount + link to loan)
3. Contribution due / insufficient cash for open period
4. Pending deposit or cash-out status
5. Unread admin message
6. Eligibility override pending
7. Informational (e.g. exempt from contribution during loan)

Replaces: separate hero + arrears + cycle warnings scattered across sections.

Zone B — Balances (2-column grid)

Cash panel	Fund panel (gradient)
Large balance	Large balance

Cash panel	Fund panel (gradient)
Available vs reserved EMI	Borrow cap (×3), monthly contribution
Actions: Deposit, Cash out, History	Actions: History, Statement

Data source: existing `MemberPortalInsightsService` balances + `LoanDelinquencyService` for reserved EMI.

Retire from dashboard: 8-KPI strip as a separate row (see Zone D for condensed KPIs).

Zone C — Active obligation + quick actions (3fr / 2fr)

Left — Active loan panel (if any; else eligibility CTA):

- Progress bar (% to threshold, not just installment count)
- Chip row: EMIs, threshold, guarantor, next due
- Inline actions: Partial settle, Full settle → deep-link to loan settle tab

If no active loan: Eligibility checklist card (prototype step 1 preview) + “Request a loan”.

Right — Quick actions (max 5 rows):

1. Deposit funds
2. Request a loan (with max eligible)
3. Cash out (with available amount)
4. Download statement
5. Messages (if unread) / Guaranteed loans (if guarantor)

Retire: lifecycle journey steps (redundant with loan panel + notices), relation summary grid, separate quick links block.

Zone D — Recent activity (one panel)

Unified table (last 5–8 rows):

- Description | Date | Credit | Debit | Type chip
- “All activity →” links to History → Activity with filter chips

Merge: `portal-trend-activity`, `portal-recent-contributions`, duplicate transaction lists.

Conditional footer blocks (collapsed by default)

Block	When shown
Household	Parent with dependents or separated member
Guaranteed exposure	Member is guarantor on 1 active loan
Contribution sparkline	Optional “Insights” expander — not default visible

Dashboard data contract (refactor `MemberPortalInsightsService`)

Proposed snapshot shape:

```
[
  'notice' => ?array,           // single prioritized banner
  'cash_card' => array,
  'fund_card' => array,
  'loan_panel' => ?array,       // or eligibility_panel
  'quick_actions' => list<array>,
]
```




Figure 1: Diagram 1

```

    'recent_activity' => list<array>,
    'expandable' => [
        'household' => ?array,
        'guarantor' => ?array,
        'contribution_trend' => ?array,
    ],
]

```

Keep heavy queries; **change presentation grouping**, not business logic.

6. Secondary pages — consolidated widgets

6.1 Cash account (replaces Deposits list as primary entry)

Layout: 2-column top + full-width history.

Left	Right
Balance, pending clearance, reserved EMI, last deposit/debit	Deposit form (method, amount, notes) — wraps <code>MyFundPostingResource::create</code>

History: Cash ledger from `MyAccountResource` cash account transactions (not a separate nav item).

List page fate: `MyFundPostingResource` index becomes “Deposit history” subsection or redirect.

6.2 Fund account

Layout: Purple gradient hero (prototype) + 6-cell detail grid:

- Monthly contribution, borrow multiplier, total contributed, loan deductions, exemption status, exemption end

History: Fund ledger table (contributions + fund movements).

6.3 Loans hub (`MyLoanResource` enhanced)

Tabs:

Tab	Content
Active	Expandable loan cards with schedule table (installment relation manager inline)
History	Completed/cancelled loans table
Settle	Full/partial settlement (existing <code>MemberLoanFilamentActions</code>)
Apply	Embed <code>ApplyForLoan</code> wizard OR link with shared stepper UI

Guarantor loans: Separate nav item only when count > 0; same card language, read-only + exposure KPIs from `MemberGuaranteedLoanInsightsService`.

Loan calculator: Modal or sidebar drawer from Request flow — not standalone nav.

6.4 Contributions

Top: 4 stat cards (prototype): total contributed, this cycle, cycles missed, cycles exempt.

Body: Contribution history table with status chips.

Remove: Full insights hero duplicate of dashboard fund/cycle data.

6.5 Activity (new unified page)

Merge cash + fund + loan event streams with filter chips:

All | Contributions | EMI | Deposits | Late fees | Loan events | Cash outs

Implementation: New `MemberActivityPage` querying existing transaction/repayment models (same data as My Accounts “All” tab).

6.6 Cash out

Prototype layout: request form left, history right.

Surface **available** = **balance** — **reserved EMI** prominently (currently missing from dashboard).

6.7 Statements

Monthly statement list + **download center** (activity CSV, loan schedule PDF) — see §16.3. Keep PDF route `tenant.member.statement.pdf`.

6.8 Settings (single page, tabs)

Tab	Merges
Profile	<code>MyProfilePage</code> + <code>EditMyProfilePage</code>
Contributions	<code>MyContributionSettingsPage</code> + dependent allocations
Notifications	<code>MyNotificationPreferencesPage</code>
Security	Password change (if exposed)
Payout bank	Read-only cash-out destination; contact support to change (§16.6)

6.9 Help & communications

Single **Help** nav item — see §16.2:

Tab	Content
Messages	<code>MyMessageResource</code> embedded
Requests	Support tickets + household member requests
Alert history	Read-only <code>NotificationLog</code> for current user
FAQ	Accordion — prototype FAQs in lang files; tenant override later (§16.5)

7. Design system — components to build

Introduce a small **Blade component library** under `resources/views/components/member-portal/`:

Component	Purpose
<code>x-member.panel</code>	Head, body, optional link
<code>x-member.notice</code>	tone: amber/blue/green/red
<code>x-member.chip</code>	status variants
<code>x-member.stat-card</code>	label + value + footnote
<code>x-member.quick-action</code>	icon + title + subtitle row

Component	Purpose
<code>x-member.progress-bar</code>	loan repayment
<code>x-member.detail-grid</code>	2-col key/value
<code>x-member.filter-chips</code>	activity filters
<code>x-member.tab-bar</code>	sub-page tabs
<code>x-member.amount</code>	signed color (green CR / red DR)

CSS: Extend `theme.css` with `--ff-primary`, `--ff-success`, etc. Scope under `.fi-panel-member`. Retire per-widget accent classes where possible.

Icons: Replace emoji in prototype with Heroicons (already in Filament) — same visual weight via colored icon squares.

8. Technical architecture plan

8.1 Keep Filament; don't rewrite the panel

Stay on Filament v5 member panel — redesign is **presentation + IA**, not a new SPA.

Layer	Approach
Navigation	Update <code>MemberNavigation</code> sorts; hide/re-group resources
Dashboard	Rewrite <code>member-portal-dashboard.blade.php</code> + slim <code>MemberPortalInsightsService</code> output
Account pages	New custom <code>CashAccountPage</code> / <code>FundAccountPage</code> OR refactor <code>MyAccountResource</code> into two registered pages
List insights widgets	Phase out heroes on list pages; keep thin KPI strip only where needed
Services	Add <code>MemberActivityFeedService</code> ; reuse existing insights services
Dead code	Remove <code>MyFundOverview</code> , wire or delete <code>MemberArrearsAlert</code>

8.2 Feature gap: prototype vs FundFlow

Prototype feature	FundFlow status	Plan
Inline deposit form	Create via resource	Embed create form on Cash page
IBAN on cash out	<code>MemberCashOutService</code>	Show registered destination
Statement generator	Pre-generated monthly	Add date-range export if not exists; else filter existing

Prototype feature	FundFlow status	Plan
Bank details settings	May be partial	Show what member has; edit via support if not self-serve
FAQ	Not in app	Phase 2 — static markdown per tenant
Save draft (loan)	Unknown	Evaluate <code>ApplyForLoan</code> session persistence
Reserved EMI	Computable	Add to <code>MemberPortalInsightsService</code>
Threshold progress	On loan model	Show on loan panel (prototype has this)

FundFlow feature	Prototype	Plan
Household / dependents	Missing	Overview expandable + Settings
Impersonation	Missing	Unchanged; parent banner in topbar
Guaranteed loans	Missing	Conditional nav + expandable dashboard
Eligibility override	Missing	Notice + quick action when applicable
Arabic / RTL	Missing	All new components use logical properties (<code>ms-</code> , <code>pe-</code>)
PWA	Missing	Keep existing hooks

8.3 Bilingual / RTL (summary)

Full mandatory requirements are in **§13**. At minimum: Arabic + English UI copy, RTL layout, locale-aware currency symbol (**SAR** in English / **official Saudi Riyal sign U+20C1** in Arabic), and **Western digits (0–9) for all numeric display**.

9. Phased implementation roadmap

Phase 0 — Discovery & design freeze (1 week)

- ☐ Create branch `feature/member-portal-redesign` from `main`
- ☐ Sign-off on IA diagram and dashboard wireframe (Figma or HTML mock from prototype)
- ☐ Confirm Settings merge scope (password self-serve?)
- ☐ Decide: split My Accounts into pages vs tabbed single resource
- ☐ Sign-off on §16 value-add scope (communications, documents, analytics)
- ☐ Remove `BusinessDayTestingPage` from member navigation
- ☐ Update `docs/member-portal.md` to match target state

Phase 1 — Design system foundation (1–2 weeks)

- ☐ Color tokens + `x-member.*` components
- ☐ `member-portal-chrome.css` — scoped Filament overrides per implementation plan §4.4 (forms, tables, buttons, sidebar, topbar)
- ☐ Refactor `insights-kpi-strip` / chips to use tokens
- ☐ Sidebar profile block in `MemberPanelProvider` render hook
- ☐ Architecture test: no raw emoji in member views (optional)
- ☐ `x-member.amount`: Western digits + `__('SAR')` symbol (SAR / U+20C1); RTL-safe credit/debit colors
- ☐ **Saudi Riyal font**: bundle/load font with U+20C1 for member theme + PDF (§13.3)
- ☐ `lang/ar.json`: update "SAR": `"\u20C1"`; all new strings in same PR as UI
- ☐ `MemberLocale::using()` helper for async notification/PDF locale (§15)
- ☐ **Visual sign-off**: screenshot checklist vs prototype (375px + 1280px) on forms/tables/chrome

Phase 2 — Dashboard rewrite (1–2 weeks)

- ☐ Reshape `MemberPortalInsightsService::snapshot()`
- ☐ New dashboard Blade (Zones A–D)
- ☐ Priority notice builder (extract from hero + arrears + cycle)
- ☐ Feature tests: dashboard renders for active loan / no loan / delinquent / guarantor
- ☐ **Pest tests**: dashboard in `en` and `ar` locales; assert Western digits in amounts

Phase 3 — Navigation consolidation (1 week)

- ☐ Reorder/hide nav items per §4.1
- ☐ Merge Support + Messages under Help
- ☐ Move calculator inline to loan request

Phase 4 — Account & cash pages (2 weeks)

- ☐ Cash account page (balance + deposit + ledger)
- ☐ Fund account page (gradient hero + ledger)
- ☐ Cash out page polish (available balance)
- ☐ Redirect old deposit list → cash page

Phase 5 — Loans hub (2 weeks)

- ☐ Tabbed loan index (active/history/settle)
- ☐ Loan card + schedule inline
- ☐ Apply wizard shared stepper styling

Phase 6 — History & cleanup (1–2 weeks)

- ☐ Unified Activity page + filters
- ☐ Contributions page stat cards only

- ☐ Strip duplicate insights widgets from list pages
- ☐ Delete orphaned MyFundOverview

Phase 7 — Settings, household & help (1 week)

- ☐ Tabbed Settings page
- ☐ Household panel on overview (parents)
- ☐ Dependent impersonation entry from household block
- ☐ Help hub shell (FAQ accordion + links to Messages / Support)

Phase 8 — Value-add: communications, documents, analytics (1–2 weeks)

See §16 for full scope. Deliverables:

- ☐ Communications center (Messages + Support + alert history tabs)
- ☐ Fund bank-transfer details on Cash / deposit panel
- ☐ Documents: activity CSV export + loan schedule PDF
- ☐ Dashboard expandable insights strip (simple analytics)
- ☐ Pending actions surfaced in dashboard notice zone

Total estimate: 10–14 weeks incremental, shippable after each phase.

10. Success metrics

Metric	How to measure
Time to first action	Analytics: clicks from login to deposit/loan/cash-out < 2
Nav depth	Avg sidebar items used per session ↓
Dashboard bounce	% sessions that only view dashboard without action (target: meaningful notices drive clicks)
Mobile completion	Deposit/cash-out form completion rate on small viewports
Support tickets	“Where is X?” category ↓ after IA change

11. Risks & open decisions

Decision	Options	Recommendation
Primary color shift	Keep Emerald vs adopt prototype purple	Purple primary for member panel only; admin stays distinct
My Accounts resource	Split vs tabs	Two pages (Cash, Fund) — matches prototype mental model
Deposit UX	Inline form vs modal	Inline on Cash page (prototype)
Messages placement	Sidebar vs Help tab	Sidebar badge + Help tab duplicate for discoverability
Business day testing	Delete vs admin-only	Remove from member panel
List page widgets	Remove all vs minimal strip	Remove heroes ; optional 2-stat strip on Contributions only
Breaking URLs	Redirects needed	Add Filament redirects from old resource URLs for bookmarks
Prototype fidelity	Filament defaults vs HTML mock	Phase 1 member-portal-chrome.css scoped to <code>.fi-panel-member</code> (§4.4 implementation plan)

12. Summary

The current portal is **functionally rich but architecturally noisy**: too many sidebar destinations, too many dashboard sections, and repeated insight widgets that re-show the same numbers. The prototype shows the right direction — **panel-based layout, prioritized notices, account-centric navigation, and a dashboard that answers three questions**:

1. **What needs my attention now?** (notice banner + pending actions)
2. **What are my balances and obligations?** (cash + fund + loan panels)
3. **What can I do next?** (quick actions + recent activity)

Implementation should **not** replace Filament or the insights service layer. It should introduce a **member design system, reshape the dashboard data contract, and consolidate 15 nav items into ~9 purposeful destinations** while preserving household, guarantor, eligibility override, bilingual, and PWA behavior.

New value (§16) fills gaps in communications history, self-serve documents, and simple analytics — without adding a second dashboard or heavy reporting.

Git workflow: one feature branch (`feature/member-portal-redesign`); phase PRs; bilingual + Western-digit rules (§13–15) on every PR; Arabic currency uses **official Saudi Riyal sign U+20C1** via `__('SAR')`.

Appendix: Key file references

Area	Path
Panel provider	<code>app/Providers/Filament/MemberPanelProvider.php</code>
Navigation constants	<code>app/Filament/Member/Support/MemberNavigation.php</code>
Dashboard page	<code>app/Filament/Member/Pages/MemberDashboard.php</code>
Dashboard widget	<code>app/Filament/Member/Widgets/MemberPortalDashboardWidget.php</code>
Dashboard view	<code>resources/views/filament/member/widgets/member-portal-dash</code>
Insights service	<code>app/Services/MemberPortalInsightsService.php</code>
Member theme CSS	<code>resources/css/filament/member/theme.css</code>
Blueprint prototype	<code>docs/Claude/member-portal-prototype.html</code>
Bilingual UI rules	<code>.cursor/rules/bilingual-ui-strings.mdc</code>
Arabic typography	<code>resources/css/arabic-typography.css</code>
Currency formatting	<code>app/Filament/Support/MoneyDisplay.php</code>
Arabic currency key	<code>lang/ar.json</code> → <code>"SAR": "\u20C1"</code> (official Saudi Riyal sign)
Member notifications	<code>app/Notifications/Tenant/*</code>
Notification channels	<code>app/Notifications/Concerns/DeliversToMemberChannels.php</code>
User locale preference	<code>app/Models/Tenant/User.php</code> → <code>preferredLocale()</code>
Statement PDF	<code>resources/views/pdf/monthly-statement.blade.php</code>
Direct messages	<code>app/Services/Tenant/DirectMessagingService.php</code>
Notification prefs	<code>app/Services/Tenant/NotificationPreferenceService.php</code>
Notification delivery log	<code>app/Models/Tenant/NotificationLog.php</code>
Value-add features plan	§16 in this document

13. Bilingual implementation requirements (mandatory)

Stakeholder directives:

1. Arabic/English must be first-class across **all member touchpoints** — portal UI, PDFs, emails, SMS, WhatsApp, in-app notifications, messages, validation, and exports — not a follow-up pass.
2. All numeric values use **English (Western) digits** (0–9), even when the UI or document is in Arabic.

13.1 Locales & switching

Rule	Implementation
Supported locales	en (default), ar
Locale switch	Existing <code>LanguageSwitchComponent</code> in topbar; preserve on all new pages
Filament labels	<code>translateLabel()</code> on columns, fields, actions, filters, tabs — do not double-wrap with <code>__()</code>
Blade / custom widgets	Every user-visible string via <code>__()</code> or <code>trans()</code>
Interpolation	<code>__('EMI of :amount due in :days days', ['amount' => \$fmt, 'days' => \$n])</code> — never concatenate Arabic/English fragments
Missing keys	Add to <code>lang/ar.json</code> in the same PR as the UI change
User locale	<code>User::preferredLocale()</code> persisted on language switch (<code>LocalizationServiceProvider</code>)
Async / queued sends	Set <code>app()->setLocale(\$user->preferredLocale())</code> before building notification/PDF/email body (see §14.2)
Do not translate	Internal statuses, log messages, CSS classes, enum keys stored in DB

13.2 Numbers — always Western digits

Arabic locale must **not** render Arabic-Indic numerals (٣٢٤٠) anywhere in the member portal.

Display type	Rule	Example (Arabic UI)
Money amounts	Format with <code>locale: 'en'</code> (or <code>number_format</code>)	3,240.00 not Arabic-Indic digits
Percentages	Western digits + %	33%
Counts	Western digits	5 of 18 → translate words, keep digits
Member / loan IDs	Western digits	#1047, #L-0034
Phone / IBAN	Western digits + Latin letters for IBAN	SA44 0000...
Dates — day/year	Western digits	1 Jun 2026
Dates — month names	Localized words OK	or Jun via <code>translatedFormat()</code>
Form inputs	<code>inputmode="decimal"</code> / <code>type="number"</code>	types 1500
Sparklines / charts	Axis labels in Western digits	

Technical fix (implementation): Extend `MoneyDisplay::format()` (and new `x-member.amount`) to use `Number::format(..., locale: 'en')` for the numeric portion while `__('SAR')` supplies the currency

symbol. Audit `InsightFormatter::money()` and all member-portal Blade for raw `Number::format` with `app()->getLocale()`.

CSS safety net on member panel:

```
.fi-panel-member .ff-member-amount,  
.fi-panel-member .ff-member-numeric {  
    font-variant-numeric: lining-nums tabular-nums;  
}
```

13.3 Currency & monetary symbols

Saudi Arabia's **official riyal sign** (SAMA, approved February 2025; Unicode **U+20C1 SAUDI RIYAL SIGN**) replaces the legacy Arabic abbreviation `ر.` in all **Arabic-locale** member-facing UI and documents.

Locale	Symbol	Placement	Example
English	SAR (letters)	Before amount	SAR 3,240.00
Arabic	(U+20C1)	Before amount (SAMA convention)	3,240.00

Implementation (single source of truth):

- Keep using `__('SAR')` everywhere amounts are formatted — do not hard-code symbols in Blade.
- Update `lang/ar.json`: `"SAR": "\u20C1"` (not `ر.`, not `U+FDFF` which is the **Iranian** rial sign).
- `MoneyDisplay::format()` and `x-member.amount: {__('SAR')} {western_digits}` for both locales; spacing: one space between symbol and amount.
- Wrap the symbol in `<span class="ff-sar-symbol" dir="ltr">` when embedded in RTL paragraphs so the sign stays with the number.

Font support (required for implementation):

The glyph is new (Unicode 17.0); system fonts may not render it yet. Plan for:

1. **Web / member portal** — load a font that includes U+20C1 (e.g. SAMA-published *Saudi Riyal* font or updated Noto stack) via `theme.css + partials/arabic-fonts.blade.php`.
2. **PDF statements** — register the same font in DomPDF for Arabic PDFs.
3. **Fallback** — if a future runtime check shows missing glyph, fall back to SAR text (not `ر.`) and log once; prefer shipping the font over silent fallback.

```
.ff-sar-symbol {  
    font-family: 'Saudi Riyal', 'Noto Sans Symbols 2', var(--ff-font-arabic), sans-serif;  
    font-variant-numeric: lining-nums tabular-nums;  
}
```

Additional rules:

- **Credits** — green, optional + before symbol: `+SAR 2,000.00 / + 2,000.00`
- **Debits** — red, minus before symbol: `-SAR 1,500.00 / - 1,500.00`
- **Chip labels** — translate; amounts use symbol + Western digits
- **Long form** — `__('Managed in :currency (Saudi Riyal)', ['currency' => __('SAR')])` — in Arabic, `:currency` renders as
- **SMS** — short form `1500` (UTF-8); verify Twilio segment length for Arabic body
- **Do not use** `U+FDFF` (Iranian rial) or postfix `ر.` in new work (legacy `ar.json` value will be replaced)

13.4 RTL layout & typography

Area	Requirement
Direction	<code>html[dir='rtl']</code> when <code>app()->getLocale() === 'ar'</code> (existing behavior)
Spacing	Tailwind logical properties: <code>ms-</code> , <code>me-</code> , <code>ps-</code> , <code>pe-</code> , <code>start</code> , <code>end</code> — no <code>ml-/mr-/pl-/pr-</code> in new components
Icons	Chevron / arrow icons flip in RTL (<code>rtl:rotate-180</code> where directional)
Sidebar	Profile block and nav mirror; collapsible state preserved
Panels	Head actions use chevron icon + translated label, not hard-coded ASCII arrow
Tables	First column aligns <code>start</code> ; credit/debit columns stay scannable in RTL
Arabic fonts	<code>partials/arabic-fonts</code> + <code>arabic-typography.css</code> already loaded in <code>MemberPanelProvider</code>
Member names	<code>ff-arabic-name</code> class for Arabic names; <code>unicode-bidi: isolate</code> where mixed LTR/RTL

13.5 Per-surface bilingual checklist (portal UI)

Surface	English	Arabic	Digits	Symbols
Dashboard notices			Western	/ SAR
Cash / fund balance cards			Western	Currency prefix
Loan progress (% , EMIs)			Western	%
Quick actions			Western in subtitles	Currency in subtitles
Activity table			Western	CR/DR chips translated
Deposit / cash-out forms			Western in inputs	Currency hint
Loan request wizard			Western	Tier amounts
Settings tabs			Western	—
Login / profile picker			Western	—
Notification preferences UI			Western	—
Help / FAQ (when added)			Western	—

13.6 Testing (required before each phase merges)

Portal UI

- ☐ Member portal feature tests pass in **en**
- ☐ Same tests with locale **ar** where applicable
- ☐ Assert rendered HTML contains **no** Arabic-Indic digits (`\x{0660}`–`\x{0669}`) in amount nodes
- ☐ Assert (U+20C1) when locale is **ar** and **SAR** when **en**
- ☐ Manual smoke: language switch on dashboard, cash page, loan view — RTL layout intact

Outputs (§14)

- ☐ At least one notification class tested per category in **en** + **ar** (snapshot title/body)
- ☐ Statement PDF rendered for **ar** member: RTL `dir`, translated headings, Western amounts, (U+20C1)
- ☐ Queued notification job restores member `preferred_locale` before `toArray()` / `toMail()`
- ☐ Optional architecture test: new member Blade must not hard-code **SAR** without `__()`

13.7 Strings to add early (representative)

Add Arabic equivalents in `lang/ar.json` for all new portal copy, including:

- Navigation group labels (Overview, My accounts, History, Self-service)
- Notice templates (EMI due, contribution due, delinquent)
- Quick action titles/subtitles

- Chip statuses (Collected, Pending, Exempt, Cleared, Processed)
- Empty states (No recent activity, No active loans)
- Settlement wizard (Roll-up (compress), Skip cycles)
- Notification preference category labels/descriptions (currently English literals in `NotificationPreferenceService::CA`)

Keep keys identical to English source strings per project convention.

14. Member-facing outputs — full bilingual inventory

Every channel below must render in the member's `preferred_locale` (en or ar), with **Western digits** for all numbers and `__('SAR')` for currency display.

14.1 Output channels overview



Figure 2: Diagram 2

14.2 Locale resolution (critical for async)

Trigger	Locale source	Action
Live HTTP request (portal, PDF download)	<code>app()->getLocale()</code> from session / language switch	Already works if session locale matches user
Queued notifications	<code>\$notifiable->preferredLocale()</code>	Wrap <code>toArray</code> / <code>toMail</code> / <code>toSms</code> in locale setter
Scheduled commands (<code>contributions:notify</code> , <code>loans:send-due-notifications</code> , <code>statements:generate</code>)	Per-member <code>preferred_locale</code>	Loop members; <code>app()->setLocale()</code> per iteration
Admin-initiated send (broadcast, message)	Recipient's <code>preferred_locale</code>	Not the admin's UI locale
PDF on download	Requesting user's locale	<code>StatementPdfController</code> — set locale before <code>loadView</code>

Implementation pattern (add shared trait or helper):

```
// App\Support\MemberLocale::using($user, fn () => $notification->toArray($user));
```

Apply in `DeliversToMemberChannels`, queued jobs, and `MonthlyStatementService::sendNotification()`.

14.3 In-app notifications (Filament database)

Path: `app/Notifications/Tenant/*` (member-facing subset below)

All use `__()` for title/body **at send time** in the member's locale. Action button labels must also be translated (`View my contributions`, `Download statement`, etc.).

Notification	Category	Channels
ContributionDueNotification	Contributions	DB, mail, SMS, WA
ContributionPostedNotification	Contributions	DB, mail, SMS, WA
LoanRepaymentDueNotification	Loan repayment	DB, mail, SMS, WA
LoanRepaymentAppliedNotification	Loan repayment	DB, mail, SMS, WA
LoanSubmittedNotification	Loan activity	DB, mail, SMS, WA
LoanApprovedNotification	Loan activity	DB, mail, SMS, WA
LoanRejectedNotification	Loan activity	DB, mail, SMS, WA
LoanDisbursedNotification	Loan activity	DB, mail, SMS, WA
LoanPartialDisbursementNotification	Loan activity	DB, mail, SMS, WA
LoanSettledNotification	Loan activity	DB, mail, SMS, WA
LoanEarlySettledNotification	Loan activity	DB, mail, SMS, WA
LoanDefaultWarningNotification	Loan alerts	DB, mail, SMS, WA
LoanDefaultGuarantorNotification	Loan alerts	DB, mail, SMS, WA
GuarantorLoanApplicationNotification	Loan alerts	DB, mail, SMS, WA
LoanEligibilityOverrideApprovedNotification	Loan activity	DB, mail, SMS, WA
LoanEligibilityOverrideRejectedNotification	Loan activity	DB, mail, SMS, WA
FundPostingAcceptedNotification	Account alerts	DB, mail, SMS, WA
FundPostingRejectedNotification	Account alerts	DB, mail, SMS, WA
CashOutRequestAcceptedNotification	Account alerts	DB, mail, SMS, WA
CashOutRequestRejectedNotification	Account alerts	DB, mail, SMS, WA
MonthlyStatementNotification	Statements	DB, mail
DependentAllocationChangedNotification	Allocations	DB, mail, SMS, WA
DelinquencyDigestNotification	Loan alerts	DB (admin-facing digest — verify scope)

Admin broadcast (`MemberPortalNotificationService`): title/body are **free text** from admin — not auto-translated. Options:

- Document that admins should write in the member’s language or both; **or**
- Phase 2: optional bilingual title/body fields on send form.

Notification preferences (`MyNotificationPreferencesPage`): translate `NotificationPreferenceService::CATEGORIES` labels/descriptions via `__()` when rendering; channel names (**Email**, **SMS**, **In-app**) translated.

Notification bell UI: Filament renders stored title/body as-is (already localized at send). Empty states, “Mark all as read”, timestamps: translate chrome.

14.4 Email

Trait: `DeliversToMemberChannels::toMail()` — subject + body from `toArray()` payload.

Requirement	Detail
Subject / body	Built under member locale; amounts via shared money formatter
Laravel MailMessage	Consider custom markdown template with RTL dir for ar
Statement email	<code>MonthlyStatementNotification</code> — action button <code>__('Download statement')</code>
Footer / branding	Fund name may be Arabic; numeric content Western

14.5 SMS & WhatsApp

Trait: `DeliversToMemberChannels::toSms()` / `toWhatsApp()` — concatenated title + body.

Requirement	Detail
Length	Arabic messages may be longer; keep amounts short (1500)
Encoding	UTF-8 for Arabic text
Digits	Western only in amounts, dates, member numbers
Preference respect	<code>NotificationPreferenceService</code> + <code>MemberCommunicationPreference</code> per category

14.6 PDF — monthly statements

Files: `resources/views/pdf/monthly-statement.blade.php`, `StatementPdfController`, `MonthlyStatementService`

Item	Current state	Required
HTML dir	rtl when ar	Keep
Section headings	<code>__()</code> wrapped	Keep; audit all strings
Currency in PDF	Raw <code>\$currency</code> code (SAR)	Use <code>__('SAR')</code> / formatted money helper
Amounts	<code>number_format()</code>	Western digits; thousand separators OK
Transaction descriptions	Stored English ledger text from DB	Translate at render using reference type map (see below)
Transaction types	Raw <code>credit/debit</code>	Translate column header; type chip translated
Period label	<code>period_formatted</code> on model	Regenerate with member locale on download, not only at batch generation
Arabic font in PDF	DejaVu Sans (limited Arabic)	Evaluate DomPDF Arabic font (e.g. Noto Sans Arabic) for statement PDFs
Footer disclaimer	<code>StatementSettings::footerDisclaimer()</code>	Tenant may supply AR+EN text; document setting

Ledger description strategy: Prefer translating at PDF/UI render time from structured fields (`reference_type`, `reference_id`, `period`) rather than re-translating free-text descriptions. Add `Transaction::memberFacingDescription(?string $locale)` used by activity feed + PDF.

14.7 Direct messages

Paths: `DirectMessagingService`, `MyMessageResource`, `view-my-message.blade.php`

Element	Bilingual approach
UI chrome	Thread list, reply form, attachments, empty states — <code>__()</code>
Message body	Author's language (admin or member); do not machine-translate
Timestamps	Localized format; Western digits in date parts

Element	Bilingual approach
Admin compose (tenant panel)	UI translated; message content free text
Unread badge / notifications	<code>__('New message from :fund', ...)</code> for system-generated alerts

14.8 Support requests

Path: SupportPage, SupportRequest model

Element	Approach
Category options	<code>SupportRequest::categoryOptions()</code> → <code>Lang::transOptions()</code> or <code>__()</code> per category
Form labels / validation	Translated
Member message body	User-authored — no auto translation
Confirmation notification	Translated system message to member
Admin-facing	Tenant panel in admin locale (out of member portal scope)

14.9 Household & member requests

Flow	Strings to translate
Dependents list / impersonation	Actions, confirmations, status
Member requests (independence, add/remove dependent)	<code>MyMemberRequestsTableWidget</code> , modal headings, success toasts
Contribution allocation changes	<code>DependentAllocationChangedNotification</code> + settings UI
Parent portal return	<code>ReturnToParentPortalAction</code> label

14.10 Forms, validation & business errors

Applies to all member portal forms (deposit, cash-out, loan apply, contribution settings, profile edit):

Type	Rule
Filament validation	Custom rules use <code>__()</code> messages
Service exceptions shown to member	<code>InvalidArgumentException</code> messages via <code>__()</code> before throw or catch wrapper
Success toasts	<code>Notification::make()->title(__('...'))</code>
Eligibility reasons	<code>LoanService::checkEligibility()</code> reasons array — each reason translatable key
Blocked portal login	<code>MemberLoginPage</code> — status messages for suspended/delinquent/terminated

14.11 Statements list & downloads (portal UI)

Path: `MyStatementResource`, `member-monthly-statement-insights.blade.php`

- Column headers, period labels, download action, empty state — translated
- Download link hits PDF controller with member session locale
- Insights widget: Western digits, `__('SAR')`

14.12 Activity feed & exports (redesign)

Output	Bilingual
Unified activity page	Filter chip labels, column headers, type badges
Future CSV/Excel export	UTF-8 with BOM for Excel Arabic; headers translated at export time; Western digits
Loan schedule export	Same rules as PDF

14.13 Login, enrollment & public shell (adjacent)

Member journey often starts outside the panel:

Surface	Note
MemberLoginPage	Household profile picker, errors — bilingual
Membership enrollment wizard	Public tenant routes — same numeric/symbol rules
PWA meta / manifest	App name may be tenant-configured Arabic
Status footer banners	MemberPanelProvider render hooks — translate

14.14 What stays untranslated

Content	Reason
Internal enum values in DB	posted, pending, active
API / machine reference types	Mapped to labels at display
Admin-only tenant panel	Separate locale (admin's preference)
Log lines	English for operators
Attachment filenames	User-supplied

14.15 Implementation checklist by redesign phase

Phase	Bilingual deliverables
0	Sign-off: output inventory (this section); PDF font decision
1	MoneyDisplay + x-member.amount ; MemberLocale helper; translate notification preference categories
2	Dashboard notices + all new strings in ar.json ; notification snapshot tests
3	Nav labels; merged Help/Messages UI strings
4	Cash/fund pages, deposit/cash-out validation messages
5	Loan wizard, settlement, eligibility strings
6	Activity feed type map; strip duplicate widgets; Transaction::memberFacingDescription()
7	Settings tabs; FAQ strings; household copy

Phase	Bilingual deliverables
Cross-cutting	Audit all <code>Notifications/Tenant/*</code> for locale wrapper in queue; statement PDF currency + font; email RTL template

15. Shared formatting helpers (implementation)

Introduce or extend centralized helpers used by **UI, PDF, email, and SMS**:

Helper	Responsibility
<code>MoneyDisplay::format()</code>	Western digits + <code>__('SAR')</code> symbol
<code>MemberLocale::using(User \$user, callable \$fn)</code>	Temporarily set locale for async output
<code>Transaction::memberFacingDescription()</code>	Localized ledger line for activity + PDF
<code>MemberDateDisplay::format()</code>	<code>translatedFormat</code> for words, Western digits for numbers
<code>FundPostingNotificationFormatter</code>	Extend pattern to other domain formatters

Ensure `InsightFormatter`, statement PDF, and notification bodies **all call the same money helper** — no one-off `number_format` + hardcoded `SAR`.

16. Value-add features (simple, high-impact)

These are **missing today** but add clear member value. Scope is intentionally small: no custom report builder, no separate analytics app, no announcement CMS. Everything routes through existing data and settings where possible.

16.1 Gap analysis — what exists vs what's missing

Area	Have today	Missing (planned)
Communications	Direct messages, support tickets, notification bell (recent only)	Unified Communications page; alert history (past SMS/email/in-app); deposit bank instructions on portal
Documents	Monthly statement PDF (admin-generated periods)	On-demand activity export; loan schedule PDF ; optional deposit receipt view
Analytics	Buried KPIs, sparkline in dense dashboard	One expandable insights panel (4 stats + 6-month trend); pending actions list
Help	Support form only	FAQ accordion (tenant text, en/ar)
Settings	Scattered pages	Merged tabs incl. read-only payout bank details (if on file)

Explicitly out of scope (keep simple):

- Custom date-range statement PDF builder (beyond activity CSV + existing monthly PDFs)
- Member-facing notification log admin tools
- Machine translation of message bodies
- Real-time charts / third-party analytics
- Separate mobile app beyond existing PWA

16.2 Communications

A. Communications center (single Help nav destination) Replace fragmented Messages + Support with one page, **three tabs**:

Tab	Source	Purpose
Messages	MyMessageResource (embedded list)	Two-way admin member threads
Requests	SupportPage + MyMemberRequestsTableWidget	Support tickets + household requests
Alert history	NotificationLog scoped to auth()->id()	Read-only list: date, channel, subject, status

Alert history rules:

- Show database, mail, sms, whatsapp rows from `notification_logs` for the logged-in user
- Paginated table; no resend; Western digits in timestamps
- Bilingual column headers; subject/body already localized at send time (§14)
- Empty state: `__('No alerts yet')`

Dashboard link: unread messages badge stays on sidebar; “View all communications →” in notice zone when unread > 0.

B. Fund deposit instructions (Cash page) Enrollment already shows **Bank transfer details** from tenant settings; the member deposit flow does **not**.

Add a compact **info panel** on Cash account (above deposit form):

- Fund name, bank name, IBAN, reference hint (**Member #...**)
- Reuse settings keys from enrollment (**Settings** → membership fee bank fields or dedicated fund deposit settings)
- Fallback string already in `lang/ar.json`: “*Bank transfer details have not been configured...*”
- Copy-to-clipboard on IBAN (optional, simple)

C. New message notification (small polish) When admin sends a direct message, ensure member gets in-app notification with `__('New message')` + link to Communications → Messages tab (may already partial — verify in implementation).

16.3 Documents

Enhance **Statements** page (do not add a new nav item). Two sections:

A. Monthly statements (existing)

- List + PDF download per period (unchanged)
- Bilingual list UI; PDF per §14.6

B. Download center (new panel on same page) Simple form — **no** multi-step wizard:

Export	Format	Scope
Activity	CSV	Date from / to; all account types; uses unified activity query (§6.5)
Loan schedule	PDF	Active loan only; installments table + summary

Export	Format	Scope
Contributions	CSV	Optional phase 8b — all posted contributions

Rules:

- UTF-8 BOM on CSV for Excel + Arabic headers
- Western digits throughout
- Filename pattern: `activity-{member_number}-{from}-{to}.csv`
- Loan schedule PDF: reuse statement PDF stack + Arabic font decision from §14.6

Not in v1: combined cash+fund custom PDF builder (prototype “Generate statement” with many types) — defer until usage proves need.

C. Deposit receipt (optional, phase 8b) When `FundPosting` status → `accepted`, show **View receipt** on deposit history row:

- Minimal PDF or printable HTML: amount, date, reference, fund name
- Bilingual template; no new data model

16.4 Analytics (simple — dashboard only)

No separate Analytics nav item. One collapsible panel on Overview: **“My insights”** (default collapsed on mobile).

Widget	Data source	Display
6-month contributions	<code>EnrichesMemberPortalDashboard::contributionsSparkLine()</code>	Spark line (reuse)
YTD contributed	Sum posted contributions current calendar year	Stat chip
YTD repaid	Sum loan repayments current year	Stat chip
Borrow headroom	<code>LoanSettings::maxLoanAmountForMember(fund)</code> — active exposure	Stat chip
Cycles missed (12 mo)	Contribution query <code>is_late</code> or missed status	Stat chip (red if > 0)

Guarantor exposure (conditional): if guarantor on active loans, show one line: `__('Guarantor on :n active loans')` + link — reuse `MemberGuaranteedLoanInsightsService` counts; no chart.

Pending actions (not analytics — operational): small list in notice zone or above quick actions:

- Pending deposit review
- Pending cash-out
- Pending loan application
- Unread messages count

Reuse existing models; no new analytics service — extend `MemberPortalInsightsService::snapshot()` with `insights_expandable` and `pending_actions` keys.

16.5 Help & FAQ

Static **FAQ accordion** on Help page (below tabs or fourth tab):

- Tenant-configurable via **Settings** → two textarea fields: `member_faq_en`, `member_faq_ar` (markdown or plain Q&A JSON)

- **Phase 8 minimum:** ship with hard-coded FAQ entries from prototype (`member-portal-prototype.html` lines 686–695) in `lang/en` + `lang/ar.json` as structured keys — tenant override later
- Bilingual; Western digits in answers where numeric

16.6 Settings additions

Tab	Addition
Profile	Existing
Payout details	Read-only member bank fields used for cash-out (if stored); “Contact support to update”
Notifications	Existing preferences page merged in
Contributions	Existing contribution settings merged in

16.7 Feature × phase map

Feature	Phase
Design system + bilingual helpers	1
Dashboard zones + pending actions	2
Communications center shell	3
Cash page + bank instructions	4
Loan schedule PDF	5
Activity CSV + insights expandable	6
FAQ + Settings merge + alert history	7–8

16.8 Tests (value-add)

- ☐ Member sees only own `NotificationLog` rows
- ☐ Activity CSV export respects date range and locale headers
- ☐ Loan schedule PDF renders in `ar` with Western digits
- ☐ Bank instructions panel shows configured IBAN or fallback message
- ☐ Insights expandable hidden when member has no contribution history

16.9 Bilingual note

All §16 surfaces follow §13–15: translated UI, `/SAR`, Western digits, RTL layout, `MemberLocale` for any async document generation.