

Bank Clearing Workspace — Implementation Plan

Field	Value
Version	1.1
Status	Implemented (June 2026)
Date	June 2026
Related	bank-clearing-workspace-exploration.md (pre-restructure analysis) · admin-portal-redesign-plan.md §7.6 · Reconciliation workspace (reference pattern)
Primary entry	<code>BankAccountsResource</code> → <code>ListBankAccounts</code> (<code>/bank-accounts</code>)
SMS entry	<code>SmsImportsPage</code> (<code>/sms-imports</code>)

Table of contents

1. [Executive summary](#)
 2. [Pre-restructure state \(historical\)](#)
 3. [Implemented state](#)
 4. [Target experience](#)
 5. [Information architecture](#)
 6. [Workflow redesign](#)
 7. [Presentation & UI](#)
 8. [Technical architecture](#)
 9. [Implementation phases](#)
 10. [File map](#)
 11. [Testing strategy](#)
 12. [Bilingual & accessibility](#)
 13. [Success criteria](#)
 14. [Out of scope / deferred](#)
-

1. Executive summary

The **Bank clearing** workspace was reorganized from **data-type tabs** (statements, statement lines, ledger, pending match) into a **workflow-first** experience. Admins now work from a single queue, with ledger and import history reserved for audit.

Delivered outcomes:

1. **Work queue** — unified inbox for bank-file and operational open items.
2. **Clear vs match** — distinct actions: *Match to bank line* (CSV evidence) vs *Clear without evidence* (operational only).
3. **Bank ledger** and **Import history** — reference tabs; history shows batches + collapsible closed lines.
4. **SMS imports** — separate sidebar page (`/sms-imports`); bank clearing is bank-only.

Non-goals (unchanged): Domain services (`BankImportService`, `BankClearingMatchService`, `FundFlowService`, ledger posting rules) were not altered — this is a **UX and IA refactor** on top of existing logic.

Reference implementation: Mirror patterns from the reconciliation overhaul:

- `ReconciliationTabRegistry` + pill navigation

- `ReconciliationOverviewPage` workspace shell + shortcuts
- `ReconciliationExceptionPresenter` + grouped row actions
- `EmbedsAsAuditWorkspacePanel` for header actions

2. Pre-restructure state (historical)

Snapshot before June 2026 restructure. See [exploration doc](#) for full as-is analysis.

2.1 Navigation layers (bank channel)

Layer	Control	Values
Channel	<code>?channel= / setChannel()</code>	Bank · SMS
Main tab	Filament <code>activeTab / ?tab=</code>	Pending bank match (default) · Statement lines · Master bank ledger · Statements
Sub-section	<code>?importsSection=</code>	Unmatched · Matched / closed (Statement lines only)

2.2 Tables and responsibilities

Table class	Tab	Purpose
<code>PendingOperationalClearanceTable</code>	Pending bank match	Synthetic operational rows awaiting CSV match
<code>BankTransactionsTable</code>	Statement lines	Real imported CSV lines; post / match / ignore
<code>MasterBankLedgerTable</code>	Master bank ledger	Master bank Transaction ledger
<code>BankStatementsTable</code>	Statements	Import batch metadata

2.3 Duplication surfaces

Action	Workspace	Master account RM
Clear / Match	Pending + Statement lines	<code>PendingOperationalClearanceRelationManager</code>
Post to cash / member	Statement lines	<code>BankLinesAwaitingPostingRelationManager</code> (master cash)
Delete pending	Pending	Same RM

2.4 Pain points (prioritized)

1. **Wrong default** — opens Pending bank match; most sessions start with unmatched imports.
2. **Concept overload** — uncleared vs pending match vs unmatched vs imported/mirrored/posted.
3. **Scattered actions** — same workflows in workspace + master account pages.
4. **Heavy insights** — full KPI widget competes with queue on mobile.
5. **Badge mismatch** — nav badge = all `uncleared()`; tab badge = `pendingOperationalClearanceCount()` only.
6. **Mixed tab systems** — Filament tabs + custom `ff-tenant-tab-pills` for channel/SMS/imports.

7. **Virtual column search bugs** — e.g. `clearance_kind` (fixed); audit other `->state()` columns for `->searchable(false)`.
8. **Virtual column search bugs** — e.g. `clearance_kind` (fixed); audit other `->state()` columns for `->searchable(false)`.

3. Implemented state

3.1 Navigation (June 2026)

Surface	Control	Values
Bank clearing tabs	<code>?tab= / setBankTab()</code>	Work queue (default) · Bank ledger · Import history
Queue filters	<code>?queueFilter=</code>	All open · From bank file · From operations
History	<code>?historySection=closed</code>	Expands closed-lines panel (legacy deep links)
SMS	Sidebar SMS imports	<code>/sms-imports</code> (<code>?smsSubTab=transactions\ history</code>)
Legacy SMS URL	<code>?channel=sms</code> on <code>/bank-accounts</code>	Redirects to <code>/sms-imports</code>

3.2 Primary tables

Table / widget	Tab / page	Purpose
<code>BankClearingQueueTable</code>	Work queue	Unified open items (bank file + operations)
<code>MasterBankLedgerTable</code>	Bank ledger	Master bank Transaction ledger
<code>BankImportBatchesTableWidget</code>	Import history	Statement import batches
<code>BankClosedStatementLinesTableWidget</code>	Import history (collapsible)	Posted / ignored / duplicate lines (audit)
<code>SmsTransactionsTableWidget</code>	SMS imports	Parsed SMS rows
<code>SmsImportSessionsTableWidget</code>	SMS imports → History	SMS import batches

3.3 Row actions (work queue)

Group	Actions
Resolve	Post to cash · Post to member · Match automatically · Match to bank line · Clear without evidence
Review	View details (modal with <code>BankClearingQueuePresenter</code>)
Remove	Ignore · Remove pending bank match · Delete

Vocabulary:

User label	Meaning
Match to bank line	Pair with imported CSV statement line (evidence)
Clear without evidence	Close operational synthetic row without CSV pairing
Match automatically	<code>findUniqueCandidate()</code> returns exactly one import line

3.4 Master account drill-down

RM	Behaviour
PendingOperationalClearanceRelationshipManagerPreview + Open in bank clearing (queueFilter=operations)	
BankLinesAwaitingPostingRelationshipManagerPreview + Open in bank clearing (queueFilter=bank_file)	

3.5 Badge & insights

- Sidebar badge: `BankClearingQueueService::openCount()` (actionable queue only).
- Work queue: slim KPI strip + optional **Show balances & trends** toggle for full `BankAccountsInsightsWidget`.

4. Target experience

3.1 User mental model

Organize around **workflow stages**, not database tables:

```

flowchart LR
    subgraph daily [Daily work]
        Q[Work queue]
    end
    subgraph reference [Reference]
        L[Bank ledger]
        H[Import history]
    end

    Import["Import CSV"] --> Q
    Q -->|"Post / Match"| L
    Q --> H

```

3.2 One-line tab purpose

Tab	Admin question answered
Work queue	What do I need to do right now?
Bank ledger	What has been posted to the master bank account?
Import history	What files did we import and what happened to them?

3.3 Vocabulary (user-facing)

Internal / code	User label
imported, mirrored (needs action)	Needs posting
Operational synthetic rows	Needs bank match
posted, ignored, duplicate	Closed
is_cleared = true	Matched to bank

Apply consistently in tab helpers, badges, empty states, and notifications.

5. Information architecture

4.1 Bank channel — three primary tabs

Replace four Filament tabs + imports sub-pills with **one pill row** (like Reconciliation):

Tab key	Label	Default
queue	Work queue	Yes
ledger	Bank ledger	
history	Import history	

Registry: App\Filament\Tenant\Support\BankClearingTabRegistry (new), analogous to ReconciliationTabRegistry.

URL: ?tab=queue|ledger|history (migrate aliases: `clearance` → `queue`, `imports` → `queue` with filter, `statements` → `history`, `transactions` → `queue`).

4.2 Work queue filter chips (not tabs)

Within **Work queue**, horizontal chips:

Chip key	Scope
all	Union of open import lines + pending operational rows
bank_file	CSV import lines needing post or match
operations	Synthetic operational rows needing bank match

URL: ?queueFilter=all|bank_file|operations (default all).

4.3 SMS channel

Phase 4 decision (recommended): Move SMS to separate sidebar item **SMS imports** (SmsImportSessionsResource or dedicated page), not a channel toggle on Bank clearing.

Interim (Phase 1): Keep Bank/SMS channel pills; hide SMS behind **More channels** expander to reduce visual noise.

4.4 Master account drill-down

On **ViewMasterAccount** for master cash / expense / fees / invest:

- Replace full duplicate tables with **summary strip + deep link**:
 - “{n} pending bank matches → Open in Bank clearing (filtered)”
- Optional: show **5-row preview** (read-only), no duplicate Clear/Match actions.
- Keep **Transactions** relation manager (account ledger history).

6. Workflow redesign

5.1 Unified work queue query

New service: `App\Services\BankClearingQueueService`

Responsibilities:

Method	Returns
<code>openItemsQuery(QueueFilter \$filter)</code>	Eloquent builder for unified queue
<code>counts(): array</code>	KPIs for queue summary strip
<code>kindsForRecord(BankTransaction \$record): string</code>	<code>csv_import</code> <code>deposit</code> <code>expense</code> ...
<code>primaryActionForRecord(BankTransaction \$record): ?string</code>	Suggested next action name

Composition (no new tables):

- **Bank file slice:** existing `BankTransactionsTable` unmatched query (imported/mirrored, real CSV lines).
- **Operations slice:** existing `BankClearingMatchService::applyPendingOperationalClearanceScope()`.
- **Union presentation:** single `BankClearingQueueTable` (new) with shared columns and contextual row actions.

5.2 Row action groups

Mirror `ReconciliationExceptionActions` grouping:

Group	Actions
Resolve	Post to cash · Post to member · Clear / Match · Auto-match (when unique candidate)
Review	View details (drawer/modal)
Remove	Ignore · Remove pending bank match · Delete (policy-gated)

Bulk (Work queue toolbar):

- Match all with unique candidates
- Post selected to cash (bank file rows only)
- Ignore selected (bank file rows only)
- Refresh

5.3 Auto-match

Extend `BankClearingMatchService`:

- `findUniqueCandidate(BankTransaction $pending): ?BankTransaction`
- `autoMatchWhenUnique(BankTransaction $pending): bool`
- Row action **Auto-match** visible only when unique candidate exists.
- Bulk: **Match all unique** with summary notification (matched / ambiguous / skipped).

5.4 Import history tab

Combine:

- **Statements** table (top) — batches, errors, delete, view
- **Closed lines** table (collapsible) — posted/ignored/duplicate lines (read-only audit)

Import statement CTA: primary header action on Work queue; secondary on Import history.

5.5 Bank ledger tab

Keep `MasterBankLedgerTable` behaviour:

- Manual Credit / Debit / Refund via `AccountTransactionManualAdjustmentHeaderActions`
- View-only row actions
- No import/post actions on this tab

5.6 Navigation badge

Align sidebar badge with **actionable work queue count** (not all `uncleared()`):

`BankClearingQueueService::openCount()`

7. Presentation & UI

6.1 Page shell

Refactor `ListBankAccounts` to use workspace layout similar to Reconciliation:

Bank clearing [Import] [More]
Subheading: one sentence - what to do next

[Work queue] [Bank ledger] [Import history]

Queue KPI strip (4 cards) - Work queue tab only
Shortcut cards → Master cash, Reconciliation, Settings

Filter chips: All open | From bank file | Operations

TABLE

New / updated views:

- `resources/views/filament/tenant/pages/bank-clearing.blade.php` (shell)
- `resources/views/filament/tenant/pages/partials/bank-clearing-tab-pills.blade.php`
- `resources/views/filament/tenant/pages/partials/bank-clearing-queue-insights.blade.php`
- `resources/views/filament/tenant/pages/partials/bank-clearing-shortcuts.blade.php`
- `resources/views/filament/tenant/pages/partials/bank-clearing-workspace-actions.blade.php`

Trait: `EmbedsAsAuditWorkspacePanel` or new `EmbedsAsBankClearingWorkspacePanel` for workspace panel actions.

6.2 Insights widget

Phase 1: On Work queue tab only, show **slim 4-KPI strip** (Imported today · Auto-matched · Open queue · Stale pending).

Phase 2: Move full BankAccountsInsightsWidget (pipeline bars, balances, trends) behind “**Show balances & trends**” collapsible panel.

6.3 Row detail drawer

New presenter: App\Support\BankClearing\BankClearingQueuePresenter

- Human title, kind badge, amount, member, recommended action, links to related master account / reconciliation.
- Used by View action on queue rows (compact modal, not full page navigation for routine review).

6.4 CSS

Extend resources/css/filament/tenant/tenant-portal-components.css:

- ff-bank-clearing-* classes (mirror ff-recon-*)
- Queue KPI cards, shortcut cards, filter chips
- Mobile-first: no horizontal scroll for critical queue columns

6.5 Confirmation modals

Reuse TenantPortalActionModal for destructive queue actions (delete, remove pending match, bulk match).

8. Technical architecture

7.1 New classes

Class	Role
BankClearingTabRegistry	Tab keys, labels, icons, URL helpers
BankClearingQueueService	Unified query, counts, kind resolution
BankClearingQueuePresenter	Row copy, context links, guidance
BankClearingQueueTable	Filament table config for Work queue
BankClearingQueueActions	Row + bulk actions (wraps existing services)
BankClearingQueueFilter	Enum: All, BankFile, Operations

7.2 Modified classes (primary)

Class	Change
ListBankAccounts	Workspace shell, tab state, default queue
BankAccountsResource	resolveListBankAccountsTab() → registry; listUrl() helpers
BankAccountsInsightsWidget	Tab-aware; slim mode on queue
PendingOperationalClearanceRelationManager	Summary + link (Phase 3)
BankLinesAwaitingPostingRelationManager	Summary + link (Phase 3)
ReconciliationOverviewPage	Update shortcut URLs if tab keys change

7.3 Unchanged domain services

Do **not** change posting/clearing logic in:

- BankClearingMatchService
- BankImportService
- FundFlowService

- `FundPostingService` / `MemberCashOutService`
- `MasterExpenseDisbursementService` / `fee` / `invest` disbursement services
- `BankTransactionDeletion` / `PendingOperationalClearanceDeletionService`

Queue UI calls these services; no duplicate business rules in Filament actions.

7.4 URL backward compatibility

`BankAccountsResource::resolveListBankAccountsTab()` match map:

Legacy ?tab=	New tab	Notes
clearance	queue	<code>queueFilter=operations</code>
imports, transactions	queue	<code>queueFilter=bank_file</code>
ledger	ledger	
statements	history	

Preserve `?channel=sms` until Phase 4.

9. Implementation phases

Phase 0 — Prep

- ☒ Baseline tab URL tests (`BankAccountsListTabResolutionTest`)

Phase 1 — Navigation & shell

- ☒ `BankClearingTabRegistry`, `bank-clearing.blade.php`, workspace shell, default Work queue
- ☒ Legacy URL aliases, import CTA in `workspacePanelActions()`, slim KPIs, shortcuts, `ff-bank-clearing-*CSS`, `lang/ar.json`

Phase 2 — Unified work queue

- ☒ `BankClearingQueueService`, `BankClearingQueueTable`, filter chips, `BankClearingQueuePresenter`, badge alignment
- ☒ **Show balances & trends** toggle on queue tab

Phase 3 — Workflow polish

- ☒ Auto-match (`findUniqueCandidate`, bulk **Match all unique**)
- ☒ Grouped actions: Resolve / Review / Remove
- ☒ **Clear vs match** split (`matchToBankLine`, `clearWithoutEvidence`)
- ☒ Import history: batches + collapsible closed lines
- ☒ Master account RMs: read-only preview + deep links
- ☒ Shared `BankClearingQueueActions` on queue/history tables

Phase 4 — SMS decoupling

- ☒ `SmsImportsPage` in sidebar (`TenantNavigation::SORT_SMS_IMPORTS`)
- ☒ Legacy `?channel=sms` redirect; bank clearing bank-only
- ☒ Removed `bank-workspace.blade.php`, `imports-section-pills.blade.php`

Phase summary

Phase	Effort	User-visible outcome
0	0.5 d	Baseline
1	2–3 d	Cleaner nav, default queue, shortcuts
2	3–4 d	True unified inbox
3	2–3 d	Faster matching, less duplication
4	1–2 d	SMS separated
Total	~9–12 d	Full target experience

10. File map

10.1 New / primary files

```

app/Filament/Tenant/Support/BankClearingTabRegistry.php
app/Filament/Tenant/Concerns/EmbedsAsBankClearingWorkspacePanel.php
app/Filament/Tenant/Pages/SmsImportsPage.php
app/Services/BankClearingQueueService.php
app/Support/BankClearing/BankClearingQueueFilter.php
app/Support/BankClearing/BankClearingQueuePresenter.php
app/Filament/Tenant/Resources/BankAccounts/Tables/BankClearingQueueTable.php
app/Filament/Support/BankClearingQueueActions.php
app/Filament/Tenant/Widgets/BankImportBatchesTableWidget.php
app/Filament/Tenant/Widgets/BankClosedStatementLinesTableWidget.php

resources/views/filament/tenant/pages/bank-clearing.blade.php
resources/views/filament/tenant/pages/sms-imports.blade.php
resources/views/filament/tenant/partials/bank-clearing-*.blade.php
resources/css/filament/tenant/tenant-portal-components.css (ff-bank-clearing-*)

```

10.2 Tests

```

tests/Feature/Tenant/BankClearingTabRegistryTest.php
tests/Feature/Tenant/BankClearingWorkspaceSmokeTest.php
tests/Feature/Tenant/BankClearingWorkspaceLocaleSmokeTest.php
tests/Feature/Tenant/BankClearingQueueWorkflowTest.php
tests/Feature/Tenant/BankClearingPhaseThreeAndSmsTest.php
tests/Feature/Tenant/BankClearingQueuePresenterTest.php
tests/Unit/BankClearingQueueServiceTest.php
tests/Feature/Tenant/BankClearingMatchServiceTest.php
tests/Feature/Tenant/SmsImportSessionsAndBankWorkspaceTest.php

```

10.3 Removed (deprecated)

```

resources/views/filament/tenant/resources/bank-accounts/pages/bank-workspace.blade.php
resources/views/filament/tenant/resources/bank-accounts/partials/imports-section-pills.blade.php
resources/views/filament/tenant/partials/bank-clearing-history-section-pills.blade.php

PendingOperationalClearanceTable and BankTransactionsTable remain as building blocks for RMs,
widgets, and auditMode history lines.

```

11. Testing strategy

10.1 Per-phase gates

- `vendor/bin/pint --dirty`
- `php artisan test --compact` for affected files
- `npm run build` when CSS changes
- Manual smoke: Work queue → import → post → match flow (en + ar)

10.2 Architecture tests

Extend `tests/Architecture/FilamentTableStandardsTest.php` if new tables added (filters, grouping, bulk actions).

10.3 Regression hotspots

Area	Risk
Tab URL aliases	Bookmarks, reconciliation shortcuts
Bulk match	Partial failures, ambiguous candidates
Delete pending	Ledger reversal (<code>PendingOperationalClearanceDeletionService</code>)
Virtual column search	<code>Global Column::configureUsing</code> searchable
Master RM links	Filtered queue URL must scope correctly

12. Bilingual & accessibility

- All new labels via `__()`; mirror keys in `lang/ar.json`
- Use `translateLabel()` on Filament columns/filters/actions
- Tab pills: reuse `ff-tenant-tab-pills` (RTL-safe)
- Queue modal: reuse `TenantPortalActionModal` + compact confirm for deletes
- Run `tests/Feature/Tenant/BankAccountsTranslationTest.php` after string changes
- Mobile-first table: wrapped cells, compact headers (existing global defaults)

13. Success criteria

#	Criterion	Status
1	Admin opens Bank clearing and lands on Work queue	
2	One screen completes post, match, and clear-without-evidence	
3	No duplicate match/clear actions on master account RMs	
4	Sidebar badge equals actionable queue count	
5	Legacy <code>?tab=clearance</code> and <code>?tab=imports</code> URLs resolve	
6	Automated test coverage	
7	Arabic UI for new strings	
8	Mobile-first table defaults (wrap, compact headers)	

14. Out of scope / deferred

- Changing bank import CSV parsing or matching tolerance rules
 - New bank statement file formats
 - Custom report builder (see admin-portal-redesign §7.7)
 - Dashboard bank clearing widget redesign (separate dashboard phase)
 - Auto-posting rules / ML match suggestions
 - Member portal bank views
-

Appendix A — Reconciliation pattern checklist

When implementing each phase, verify parity with reconciliation workspace:

- ☑ `*TabRegistry` centralizes tab keys and labels
 - ☑ Custom blade shell wraps Filament table (or widgets on history tab)
 - ☑ `workspacePanelActions()` for primary + dropdown actions
 - ☑ Shortcut cards with deep links
 - ☑ Presenter class for human-readable row detail
 - ☑ Grouped row actions via `TableRecordActionGroups`
 - ☑ Queue-focused KPI strip, not full insights on every tab
 - ☑ `recordAction` / row click opens view modal
 - ☑ CSS prefixed `ff-bank-clearing-*` under `.fi-panel-tenant`
-

Appendix B — Git workflow

main

```
feature/bank-clearing-workspace
  PR: phase-1-navigation-shell
  PR: phase-2-unified-queue
  PR: phase-3-workflow-polish
  PR: phase-4-sms-decouple (optional)
```

Rule	Detail
Commits	<code>feat(bank-clearing): ...</code> , <code>test(bank-clearing): ...</code>
PRs	One phase per PR where possible
Merge	Tests + pint required; <code>npm run build</code> if CSS touched

Appendix C — Manual smoke checklist (en / ar)

Run after deploy or major bank-clearing changes. Automated locale coverage: `php artisan test --compact tests/Feature/Tenant/BankClearingWorkspaceLocaleSmokeTest.php`.

Setup

Step	Action
1	Log in as tenant admin
2	English: ensure locale is EN (header language switch → English)

Step	Action
3	Arabic: switch to AR (/locale/ar or header switch), confirm dir="rtl"

Bank clearing (/bank-accounts)

#	Check	EN expected	AR expected (examples)	Auto
1	Default tab	Work queue		
2	Tab pills	Work queue · Bank ledger · Import history	· ·	
3	No SMS channel toggle on page	—	—	
4	Queue filter chips	All open · From bank file · From operations	· ·	
5	Show balances & trends	Toggle expands insights widget		
6	More menu	SMS imports · Reconciliation		—
7	Import history tab	Import batches section visible		
8	Closed lines panel	Expand/collapse works		
9	Row actions (queue item)	Resolve → Match to bank line / Clear without evidence	/	—
10	Legacy URL ?tab=clearance	Opens queue, operations filter	—	(tests)
11	Legacy ?channel=sms	Redirects to /sms-imports	—	

SMS imports (/sms-imports)

#	Check	EN	AR	Auto
1	Sidebar nav item	SMS imports		—
2	Tabs	Transactions · History	—	
3	Workspace title	SMS imports workspace		

Master account preview

#	Check	Expected
1	Master cash → Pending bank match RM	Read-only rows, Open in bank clearing header

#	Check	Expected
2	Master cash → Bank lines awaiting posting RM	View-only, deep link to queueFilter=bank_file

Regression commands

```

vendor/bin/pint --dirty
php artisan test --compact tests/Feature/Tenant/BankClearingWorkspaceLocaleSmokeTest.php tests/Feature/
php scripts/find-bank-accounts-missing-ar.php # expect 0 missing

```

Last automated locale smoke: June 2026 — 8/8 passed (BankClearingWorkspaceLocaleSmokeTest).

End of plan.