

Homework Assignment 4 - Coding Part Write-up

Networks and Markets

Omer Zohar

Gil Aharoni

Adam Tuby

September 24, 2024

Part 4: Page Rank and Social Networks

1 Question 7

The following are the results of running the PageRank algorithm on the given graph. The graphs are displayed such that higher-ranked nodes have more saturated colors.

The following are the example graphs we have seen in class:

graph_15.1_left This graph constitutes a 3-node cycle that continues to a self-loop node.




Figure 1: Graph 15.1 Left

graph_15.1_right This graph constitutes a 3-node cycle that continues to a self-loop node.




Figure 2: Graph 15.1 Right

graph_15_2 This graph constitutes two 3-node isolated cycles.




Figure 3: Graph 15.2

The two other simple test cases we used are:

Extra Graph 1 The first graph is two cycles connected by a single edge (i.e., an infinite loop).




Figure 4: Extra Graph 1

Extra Graph 2 The second graph is a bipartite graph with 5 nodes on each side, where each node on one side is connected to all nodes on the other side.




Figure 5: Extra Graph 2

2 Question 8

- (b) Similar to Question 7, we ran the PageRank algorithm on the given facebook graph. The results are displayed in [Figure 6](#). The graphs are displayed such that higher-ranked nodes have more saturated colors.




Figure 6: Facebook Graph - High-Ranked Nodes Are Colored in Red, Low-Ranked Nodes Are Colored in Green, and Nodes with Intermediate Ranks Are Colored in Gray. The graph structure was determined by `nx.draw` function from the `networkx` library.


- (c) As shown in Figure 6, we can see most of the score tended to end-up in centers of clumps in the graph. This might be explained by the nature of PageRank, which performs a random walk on the graph, and will thus tend to end up in the center of clumps, that are highly connected. Conversely, we can see that nodes with low scores are usually on the outskirts of the graph, where they are less connected to the rest of the graph, further affirming the explanation. Additionally, in the example graphs Figures 1 to 5, we can see that the nodes with the highest PageRank are ‘sink’-like nodes, where many nodes point to them, and they point to few nodes. This is consistent with the intuition that nodes with higher ranks are more likely to be visited by a random walker.

Furthermore, we performed an in-link analysis on the graphs. Figure 7 shows the relationship between the PageRank of a node and its in-degree. The figures are scatter plots of the index of the rank of each node (i.e. its index in the ordered set of ranks) and the in-link degrees of the corresponding node in the graph, for each of the graphs detailed in Question 7 and the Facebook graph.


It is clear from the in-link analysis that there’s a pseudo-linear relationship between the rank of a node and its in-degree. The higher the rank of a node, the more common it is for the node to have a higher in-degree (we say ‘more common’ as there are multiple trends in the Facebook graph’s analysis—possibly due to the multi-cluster nature of the graph). The opposite is true for nodes with lower ranks. This is consistent with the intuition that nodes with higher ranks are more likely to be visited by a random walker, and thus are more likely to have more in-links.

Indeed, looking more closely, the top 5 nodes with the highest page rank had the following in-degrees: 231, 159, 59, 170, 229 (where top rank had 231 neighbors, and 5th had 229), where the


bottom 5 nodes with the lowest page rank had the following degrees: 1, 1, 1, 1, 1.




(a) Graph 15.1 Left




(b) Graph 15.1 Right




(c) Graph 15.2



(d) Extra Graph 1



(e) Extra Graph 2



(f) Facebook Graph

Figure 7: The Relationship Between the PageRank of a Node and Its In-Degree. The figures display as the x-axis the rank of the rank of the node (that is, the index in the ordered set of ranks) and as the y-axis the *in-degree of the corresponding node*.

- (d) Intuitively, the page rank of a node at step k may be a good measure of the probability that a random walker will be at that node after k steps. That is, the PageRank algorithm can be interpreted as a random walker that moves from node to node, with the probability of moving to a node at a certain time-step being correlated with the number of in-links to that node. If a node has a high rank, then starting a random walk from many nodes it is likely to arrive at that node. This can be interpreted as a person who is influenced by others in the network, where the more people that are connected to a person, the more likely they are to be influenced by that person. Moreover, since the graph/social-network is derived from an undirected graph, it means that this goes both ways: a high rank means that random walks from it might reach many nodes, and that many nodes might reach it.

This is a reasonable measure of influence in a social network, as it captures the idea that influential people are those who are connected to many others in the network, whom we may expect to come across more often (at extracurricular activities, on our timeline, etc.), consistent with our intuition of relevance within PageRank. Thus, if we want to quantify influence over people, it seems that the scaled page rank is a good measure. Further affirming our hypothesis anecdotally, as we've seen in [Figure 6](#), the nodes with the highest page rank are nodes that are in the center of the graph, which is where we would expect influential people to be in a social network.