

Q: Will the data keep growing over time? If yes, then at what rate?

A: Yes. At the rate of 1TB per day.

Q: Can we make assumptions about the storage of machines available with me?

A: Let's assume that machines have a RAM of 72G and a hard disk capacity of 10TB.

Q: How many machines do I have to begin with?

A: Let's assume we have 20 machines to begin with. More machines will be available on request if need be.

Q: Are all key value entries independent?

A: Yes. A typical query would ask for value corresponding to a key.

Estimation:

This is usually the second part of a design interview, coming up with the estimated numbers of how scalable our system should be. Important parameters to remember for this section is the number of queries per second and the data which the system will be required to handle.

Try to spend around 5 minutes for this section in the interview. >>

? ■ Total storage size : 100 TB as estimated earlier

Storage with every machine: 10TB

Q: What is the minimum number of machines required to store the data?

A: Assuming a machine has 10TB of hard disk, we would need minimum of

Got suggestip no of the world have the said days obtained the said



3 Q: How frequently would we need to add machines to our pool ?

A: The data grows at 1TB per day. That means that we generate data that would fill the storage of 1 machine (10TB) in 10 days. Assuming, we want to keep a storage utilization of less than 80%, we would need to add a new machine every 8 days.



Deep Dive:

Lets dig deeper into every component one by one. Discussion for this section will take majority of the interview time(20-30 minutes). >>



Note: In questions like these, the interviewer is looking at how you approach designing a solution. So, saying that I'll use a distributed file system like HDFS is not a valid response. It's okay to discuss the architecture of HDFS with details around how HDFS handles various scenarios internally. ??

Q: Can we have a fixed number of shards?

A: One qualification for a shard is that the data within a shard should fit on a single machine completely.

As in our case, the data is growing at a fast pace, if we have a fixed number of shards, data within a shard will keep growing and exceed the 10TB mark we have set per machine. Hence, we cannot have a fixed number of shards. The shards will have to increase with time.



Got suggestions? We would love to hear your feedback.



Loved InterviewBit ? Write up testimon

(http://www.quora.com/What-is-your-review-of-InterviewBit)

Q: How many shards do we have and how do we distribute the data within the shard?

A: Lets say our number of shards is S. One way to shard is that for every key, we calculate a numeric hash H, and assign the key to the shard corresponding to H % S.

There is one problem here though. As we discussed earlier, the number of shards will have to increase. And when it does, our new number of shard becomes S+1.

As, such H%(S+1) changes for every single key causing us to relocate each and every key in our data store. This is extremely expensive and highly undesirable.




? Q: Can we think of a better sharding strategy?

Hint: Consistent Hashing.

A: Consistent hashing is ideal for the situation described here. Lets explore consistent hashing here.

Let's say we calculate a 64 bit integer hash for every key and map it to a ring. Lets say we start with X shards. Each shard is assigned a position on the ring as well. Each key maps to the first shard on the ring in clockwise direction.



What happens if we need to add another shard? Or what if one of the shard


-_-

goes down and we need to re-distribute the data among remaining shards?


Got suggestions? We would love to hear your Loved interviewBit? Write us a testimonial.

feedback.

(http://www.quora.com/What-is-your-review-of-InterviewBit)




Similarily, there is a problem of cascading failure when a shard goes down.




Modified consistent hashing


What if we slightly changed the ring so that instead of one copy per shard, now we have multiple copies of the same shard spread over the ring.



Case when new shard is added:




Case when a shard goes down: No cascading failure. Yay!





♥ You have now mastered this problem!



V	
vinicius-de-antoni	② 6 months ago
I found the following YouTube tutorial by Curtis on Consistent	
Hashing interestin 1	al by Curtis on Consistent
_	ewbit.com/session/sso?return_path=https:
	ne-following-youtube-tutorial-by-curtis-on-
	consistent-hashing-interestin)
К	
karan3296	almost 2 years ago
Storing data in multiple shards is sa	ame as replication factor.
We can address thi 1	
Reply (https://discuss.intervie	ewbit.com/session/sso?return_path=https:
//discuss.interviewbit.com/t/storing-data-in-multiple-shards-is-same-as-replication-	
	factor-we-can-address-thi)
N	
Nivas	almost 2 years ago
I cant understand, what advantage w	e gain by maintaining the
multiple copies of th 1	
Reply (https://discuss.intervie	ewbit.com/session/sso?return_path=https:
//discuss.interviewbit.com/t/i-cant	-understand-what-advantage-we-gain-by-
	maintaining-the-multiple-copies-of-th)
A	
ales-omerzel	8 months ago
Multiple copies of the same shard d	istributed over the
ring 1	
Reply (https://discuss.intervie	ewbit.com/session/sso?return_path=https:
//discuss.interviewbit.com/t/multiple-copie	
	ring)
R	
ot suggestions ? We would love to hear your	Loved InterviewBit ? Write us a testimonia
feedback.	(http://www.quora.com/What-is-your-review-or

ram_kumar_110	7 months ago
How do I locate a key reliably? 2	
	terviewbit.com/session/sso?return_path=https:
//discuss.inte	erviewbit.com/t/how-do-i-locate-a-key-reliably)
A	
abhinavabcd	about 1 month ago
I think modified consistent hashing	explained above is not
correct. Please refer 1	
• • • •	terviewbit.com/session/sso?return_path=https:
//discuss.interviewbit.com/t/i-think-modifie	ed-consistent-hashing-explained-above-is-not-
	correct-please-refer)
С	
cnachiketa07	about 1 year ago
Https://www.toptal.com/big-data/co	nsistent-hashing 0
• • • •	rerviewbit.com/session/sso?return_path=https:
//discuss.interviewbit.com/t/https-	-www-toptal-com-big-data-consistent-hashing)
A	
abhinavabcd	about 1 month ago
What is this obsession with 72GB R	RAM? Isn't is better / easier to
pick powers of 1	
	erviewbit.com/session/sso?return_path=https:
//discuss.interviewbit.com/t/what-is-this-obs	session-with-72gb-ram-isnt-is-better-easier-to-
	pick-powers-of)
V	
vkb087	about 2 years ago
Great Doc. You can find more inforr	nation about consistent
hashing implementation 0	
• • • •	rerviewbit.com/session/sso?return_path=https:
//discuss.interviewbit.com/t/great-doc-yo	u-can-find-more-information-about-consistent-
	hashing-implementation)
S	
ot suggestions ? We would love to hear your	Loved InterviewBit ? Write us a testim
feedback.	(http://www.quora.com/What-is-your-review
	InterviewBit)

sarthak_joshi	② 8 months ago
Modified consistent hashing confus	sion 0
Reply (https://discus	s.interviewbit.com/session/sso?return_path=https:
//discuss.intervie	wbit.com/t/modified-consistent-hashing-confusion)
R	
ramanatnsit	almost 2 years ago
How does the system remain availal	ble during the time when a node
failure occurs a 0	· ·
	s.interviewbit.com/session/sso?return_path=https:
//discuss.interviewbit.com/t/how-does-th	he-system-remain-available-during-the-time-when-
	a-node-failure-occurs-a)
S	
skcoder	about 2 years ago
It looks like this is not addressing t	he question of how data is
actually relocat 0	•
-	s.interviewbit.com/session/sso?return_path=https:
//discuss.interviewbit.com/t/it-looks-like-t	his-is-not-addressing-the-question-of-how-data-is-
	actually-relocat)
R	
rishabh_sharma_877	6 months ago
Modified consistent hashing 0	
_	s.interviewbit.com/session/sso?return_path=https:
//discu	ss.interviewbit.com/t/modified-consistent-hashing)
J	
jai-prakash_890	6 months ago
When new shard added or one share	d removed then those keys will
be point to new shard. But data was	•
Wouldn't there will be miss for all k	
	eys which are stored in removed
key? 0	s.interviewbit.com/session/sso?return_path=https:
• • • •	ard-added-or-one-shard-removed-then-those-keys-
	tored-in-removed-hash-wouldnt-there-will-be-miss-
	for-all-keys-which-are-stored-in-removed-key)
ot suggestions ? We would love to hear your	Loved InterviewBit ? Write us a testimonial.
S feedback.	(http://www.quora.com/What-is-your-review-of-
12 - 444-1-1-	InterviewBit)

shubham_sharma_595

3 months ago

What happens when the hash generated for a key collides with an existing shard on the ring $$ 0

Reply (https://discuss.interviewbit.com/session/sso?return_path=https://discuss.interviewbit.com/t/what-happens-when-the-hash-generated-for-a-key-collides-with-an-existing-shard-on-the-ring)

-`\

Got suggestions? We would love to hear your feedback.

.

Loved InterviewBit ? Write us a testimonial.

(http://www.quora.com/What-is-your-review-of-InterviewBit)