Compact sweep tables (best variant per setting)

paper style; main grid $(\alpha_0, \alpha, \delta, K)$, Corridor and Maze

Anytime-Valid Certification of Robustness Margins for Safe Control via E-Values: N200 data ($N_{\mathrm{MC}} = 200$ trajectories per method and setting)

CONTENTS

I Compact sweep tables 4

I-A Corridor, $\alpha_0 = 0.10$ . . . 4
I-B Corridor, $\alpha_0 = 0.15$ . . . 5
I-C Corridor, $\alpha_0 = 0.20$ . . . 7
I-D Corridor, $\alpha_0 = 0.25$ . . . 9
I-E Corridor, $\alpha_0 = 0.30$ . . . 12
I-F Maze, $\alpha_0 = 0.10$ . . . 16
I-G Maze, $\alpha_0 = 0.15$ . . . 17
I-H Maze, $\alpha_0 = 0.20$ . . . 19
I-I Maze, $\alpha_0 = 0.25$ . . . 21
I-J Maze, $\alpha_0 = 0.30$ . . . 24

List of Tables

I Compact sweep (best variant), Corridor, $\alpha_0 = 0.10$ 4
II Compact sweep (best variant), Corridor, $\alpha_0 = 0.15$ 5
III Compact sweep (best variant), Corridor, $\alpha_0 = 0.20$ 7
IV Compact sweep (best variant), Corridor, $\alpha_0 = 0.25$ 9
V Compact sweep (best variant), Corridor, $\alpha_0 = 0.30$ 12
VI Compact sweep (best variant), Maze, $\alpha_0 = 0.10$ 16
VII Compact sweep (best variant), Maze, $\alpha_0 = 0.15$ 17
VIII Compact sweep (best variant), Maze, $\alpha_0 = 0.20$ 19
IX Compact sweep (best variant), Maze, $\alpha_0 = 0.25$ 21
X Compact sweep (best variant), Maze, $\alpha_0 = 0.30$ 24

HOW TO USE THIS CATALOG

Every caption names the file, the data it was generated from and the exact line that restores the display in an edition of the paper (the arXiv version, the ablation report or the unpublished extended version). File paths are relative to the root of the paper's LaTeX source; its `tools/` and `catalog/` folders are published as `code/tools/` and `code/catalog/` of the code and data repository, while the other source folders (`sections/`, `appendices/`, `figures/`, `report/`) are not included there. Numbers with the prefix A (for example Table A.I or Appendix A.E-A) are those of the arXiv version of the paper, and numbers with the prefix R (for example Table R.8) are those of the ablation report. The settings S1–S5 are named T1–T5 in the data files and in some file names, New1–New5 in the other file names. Table fragments of the catalog are restored with `\ntable{../catalog/<style>/<name>}` (the macro `\ntable` of `appendices/n200_assets.tex` reads `appendices/generated_n200/<edition style>/`); figures of the catalog with `\nfigure{../catalog/<style>/<path>}`, inside the float and caption of the edition. Table values are generated by `tools/n200_tables/build_tables.py` (`--catalog` for the catalog fragments) and re-derived from the exports by `tools/n200_tables/check_tables.py`. The level at $K = \infty$ used by the check marks is

$$\delta_1 = \frac{\delta}{2b \ln^2 2}. \tag{1}$$

Abbreviations in the captions ([F], [A] and [T] are files of the N200 summary exports, which are not included in the repository):

[F] `N200_numbers/final/common/metrics.json` (main grid, baselines, default)
[A] `N200_numbers/new_anchors/common/metrics.json` (sweeps at S1–S5)
[T] `N200_numbers/final/temporal/temporal_metrics.json`
[V] `tools/n200_tables/tables_values.json.gz` (every printed cell of the editions, with its view id)
[C] `appendices/generated_n200/catalog/CATALOG_TABLES.json` (catalog tables: view ids, restore lines)

The key below holds for every table.

Key to all tables. $\pm$: SD; $^{+}$: decision fraction; ↓/↑: lower/higher is better; counts: trajectories of N_{MC} with a possible event, or the range from confirmed to possible events, except $\widehat{q}_{\mathrm{cert}}$ of S*, which gives confirmed events (Section R.2.1.3); 95% upper confidence bound (%) in parentheses; ✓: bound at most δ, or δ_1 for $K = \infty$; N-A: not applicable; bold: best mean of the four variants at one setting (ties all bold; never SDs, $\widehat{m}_{\mathrm{cert}}$, $\widehat{m}_{\tau^{\mathrm{use}}}$, $\widehat{m}_{p^{\max}}$); a/m: a trajectories with a positive bound excess among the m with a checked decision (a alone if $m = N_{\mathrm{MC}}$), bound over all N_{MC}.

I. Compact sweep tables

A. *Corridor,* $\alpha_0 = 0.10$

TABLE I

Compact sweep (best variant), Corridor, $\alpha_0 = 0.10$. *File:* appendices/generated_n200/catalog/paper/compact_corridor_a010.tex. *Data:* [F]; families main_grid_200, matched_aci_200; 26 views (ids in [C]). *Restore:* \ntable{../catalog/paper/compact_corridor_a010}; not used in the current editions.

Compact sweep. One row per setting $(\alpha_0, \alpha, \delta, K)$ of the main grid. Variant: the variant with the most best means in the four columns (best: the bold rule of the key; ties of a column all count); (k): the number k of the four columns in which it has the best mean; ties in k: smaller printed $\widehat{m}_c/c_{\max}$, then $\widehat{q}^{+}_{\text{unsafe}}$, $\widehat{q}^{+}_{\text{CBF}}$, $\widehat{T}_{\text{mis}}$, then the order V-U, V-Δ, V-L, V-C. ±: one sample SD over the trajectories that enter the mean; $^{+}$: decision fraction; ↓: lower is better.

Corridor **Baselines** $\alpha_0 = 0.10,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\text{m},\ T_s = 0.1\,\text{s},\ N_{\text{MC}} = 200$				
Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
Unfiltered	–	–	–	–
$c = 0$	–	–	–	–
$c_{\max}$	–	–	–	–
ACI	0.60±0.04	6.06±0.85	0.01±0.05	34.40±0.88
QT	–	–	–	–

Corridor $\alpha_0 = 0.10,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\text{m},\ T_s = 0.1\,\text{s},\ N_{\text{MC}} = 200$							
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
$\alpha = 0.05$	$\delta = 0.025$	10	V-C (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		50	V-C (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		100	V-C (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		200	V-C (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		∞	V-C (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
	$\delta = 0.05$	10	V-C (3)	0.94±0.04	0.47±0.54	0.00±0.00	35.65±0.92
		50	V-C (3)	0.94±0.04	0.47±0.53	0.00±0.00	35.66±0.92
		100	V-C (3)	0.94±0.04	0.47±0.55	0.00±0.00	35.65±0.92
		200	V-C (3)	0.94±0.04	0.46±0.53	0.00±0.00	35.66±0.92
		∞	V-C (3)	0.94±0.04	0.46±0.53	0.00±0.00	35.66±0.92
	$\delta = 0.10$	10	V-C (3)	0.93±0.04	0.63±0.63	0.00±0.00	35.58±0.92
		50	V-C (3)	0.93±0.04	0.64±0.64	0.00±0.00	35.58±0.92
		100	V-C (3)	0.93±0.04	0.63±0.63	0.00±0.00	35.58±0.92
		200	V-C (3)	0.93±0.04	0.62±0.63	0.00±0.00	35.59±0.92
		∞	V-C (3)	0.93±0.04	0.62±0.63	0.00±0.00	35.59±0.92
	$\delta = 0.15$	10	V-C (3)	0.92±0.05	0.74±0.70	0.00±0.00	35.54±0.93
		50	V-C (3)	0.92±0.05	0.73±0.70	0.00±0.00	35.54±0.93
		100	V-C (3)	0.92±0.04	0.73±0.69	0.00±0.00	35.54±0.92
		200	V-C (3)	0.92±0.05	0.72±0.68	0.00±0.00	35.54±0.93
		∞	V-C (3)	0.92±0.05	0.72±0.68	0.00±0.00	35.54±0.93
	$\delta = 0.20$	10	V-C (3)	0.91±0.05	0.87±0.88	0.00±0.00	35.49±0.95
		50	V-C (3)	0.91±0.05	0.88±0.89	0.00±0.00	35.48±0.94
		100	V-C (3)	0.91±0.05	0.87±0.87	0.00±0.00	35.49±0.94
		200	V-C (3)	0.91±0.05	0.86±0.87	0.00±0.00	35.49±0.94
		∞	V-C (3)	0.91±0.05	0.86±0.87	0.00±0.00	35.49±0.94

B. *Corridor,* $\alpha_0 = 0.15$

TABLE II

COMPACT SWEEP (BEST VARIANT), CORRIDOR, $\alpha_0 = 0.15$. *File:* APPENDICES/GENERATED_N200/CATALOG/PAPER/COMPACT_CORRIDOR_A015.TEX. *Data:* [F]; FAMILIES MAIN_GRID_200, MATCHED_BASELINES_200; 55 VIEWS (IDS IN [C]). *Restore:* \NTABLE{../CATALOG/PAPER/COMPACT_CORRIDOR_A015}; NOT USED IN THE CURRENT EDITIONS.

Compact sweep. One row per setting $(\alpha_0, \alpha, \delta, K)$ of the main grid. Variant: the variant with the most best means in the four columns (best: the bold rule of the key; ties of a column all count); (k): the number k of the four columns in which it has the best mean; ties in k: smaller printed $\widehat{m}_c/c_{\max}$, then $\widehat{q}^{+}_{\text{unsafe}}$, $\widehat{q}^{+}_{\text{CBF}}$, $\widehat{T}_{\text{mis}}$, then the order V-U, V-Δ, V-L, V-C. ±: one sample SD over the trajectories that enter the mean; $^{+}$: decision fraction; ↓: lower is better.

Corridor **Baselines** $\alpha_0 = 0.15,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\text{m},\ T_s = 0.1\,\text{s},\ N_{\text{MC}} = 200$

Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
Unfiltered	N-A	30.69±13.51	22.32±10.04	70.00±0.00
$c = 0$	0.00±0.00	28.00±2.99	15.27±4.17	32.45±0.77
$c_{\max}$	1.00±0.00	0.00±0.00	0.00±0.00	35.91±0.92
ACI	0.49±0.04	9.02±1.17	0.05±0.17	34.00±0.87
QT	0.52±0.04	8.34±0.97	0.02±0.10	34.17±0.89

Corridor $\alpha_0 = 0.15,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\text{m},\ T_s = 0.1\,\text{s},\ N_{\text{MC}} = 200$

α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
$\alpha = 0.05$	$\delta = 0.025$	10	V-C (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		50	V-C (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		100	V-C (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		200	V-C (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		∞	V-C (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
	$\delta = 0.05$	10	V-C (3)	0.94±0.04	0.47±0.54	0.00±0.00	35.65±0.92
		50	V-C (3)	0.94±0.04	0.47±0.53	0.00±0.00	35.66±0.92
		100	V-C (3)	0.94±0.04	0.47±0.55	0.00±0.00	35.65±0.92
		200	V-C (3)	0.94±0.04	0.46±0.53	0.00±0.00	35.66±0.92
		∞	V-C (3)	0.94±0.04	0.46±0.53	0.00±0.00	35.66±0.92
	$\delta = 0.10$	10	V-C (3)	0.93±0.04	0.63±0.63	0.00±0.00	35.58±0.92
		50	V-C (3)	0.93±0.04	0.64±0.64	0.00±0.00	35.58±0.92
		100	V-C (3)	0.93±0.04	0.63±0.63	0.00±0.00	35.58±0.92
		200	V-C (3)	0.93±0.04	0.62±0.63	0.00±0.00	35.59±0.92
		∞	V-C (3)	0.93±0.04	0.62±0.63	0.00±0.00	35.59±0.92
	$\delta = 0.15$	10	V-C (3)	0.92±0.05	0.74±0.70	0.00±0.00	35.54±0.93
		50	V-C (3)	0.92±0.05	0.73±0.70	0.00±0.00	35.54±0.93
		100	V-C (3)	0.92±0.04	0.73±0.69	0.00±0.00	35.54±0.92
		200	V-C (3)	0.92±0.05	0.72±0.68	0.00±0.00	35.54±0.93
		∞	V-C (3)	0.92±0.05	0.72±0.68	0.00±0.00	35.54±0.93
	$\delta = 0.20$	10	V-C (3)	0.91±0.05	0.87±0.88	0.00±0.00	35.49±0.95
		50	V-C (3)	0.91±0.05	0.88±0.89	0.00±0.00	35.48±0.94
		100	V-C (3)	0.91±0.05	0.87±0.87	0.00±0.00	35.49±0.94
		200	V-C (3)	0.91±0.05	0.86±0.87	0.00±0.00	35.49±0.94
		∞	V-C (3)	0.91±0.05	0.86±0.87	0.00±0.00	35.49±0.94
$\alpha = 0.10$	$\delta = 0.025$	10	V-C (3)	0.84±0.05	1.87±1.07	0.00±0.00	35.20±0.91
		50	V-C (3)	0.84±0.05	1.88±1.07	0.00±0.00	35.21±0.91
		100	V-C (3)	0.84±0.05	1.88±1.09	0.00±0.00	35.21±0.91
		200	V-C (3)	0.84±0.05	1.87±1.07	0.00±0.00	35.21±0.91
		∞	V-C (3)	0.84±0.05	1.87±1.07	0.00±0.00	35.21±0.91

Table II (continued).

Corridor **Baselines** $\alpha_0 = 0.15,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\mathrm{m},\ T_s = 0.1\,\mathrm{s},\ N_{\mathrm{MC}} = 200$				
Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
Unfiltered	N-A	30.69±13.51	22.32±10.04	70.00±0.00
$c = 0$	0.00±0.00	28.00±2.99	15.27±4.17	32.45±0.77
$c_{\max}$	1.00±0.00	0.00±0.00	0.00±0.00	35.91±0.92
ACI	0.49±0.04	9.02±1.17	0.05±0.17	34.00±0.87
QT	0.52±0.04	8.34±0.97	0.02±0.10	34.17±0.89

Corridor $\alpha_0 = 0.15,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\mathrm{m},\ T_s = 0.1\,\mathrm{s},\ N_{\mathrm{MC}} = 200$							
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
$\alpha = 0.10$	$\delta = 0.05$	10	V-C (3)	0.83±0.05	2.09±1.14	0.00±0.00	35.14±0.91
		50	V-C (3)	0.83±0.05	2.12±1.18	0.00±0.00	35.14±0.91
		100	V-C (3)	0.83±0.05	2.10±1.17	0.00±0.00	35.14±0.91
		200	V-C (3)	0.83±0.05	2.09±1.14	0.00±0.00	35.14±0.91
		∞	V-C (3)	0.83±0.05	2.08±1.14	0.00±0.00	35.14±0.91
	$\delta = 0.10$	10	V-C (3)	0.81±0.05	2.35±1.21	0.00±0.00	35.07±0.91
		50	V-C (3)	0.81±0.06	2.37±1.24	0.00±0.00	35.06±0.91
		100	V-C (3)	0.81±0.06	2.36±1.22	0.00±0.00	35.06±0.91
		200	V-C (3)	0.81±0.05	2.34±1.20	0.00±0.00	35.07±0.91
		∞	V-C (3)	0.81±0.06	2.33±1.20	0.00±0.00	35.07±0.91
	$\delta = 0.15$	10	V-C (3)	0.80±0.06	2.60±1.36	0.00±0.00	35.01±0.92
		50	V-C (3)	0.79±0.06	2.62±1.39	0.00±0.00	35.01±0.91
		100	V-C (3)	0.79±0.06	2.62±1.37	0.00±0.00	35.01±0.91
		200	V-C (3)	0.80±0.06	2.60±1.38	0.00±0.00	35.01±0.91
		∞	V-C (3)	0.80±0.06	2.59±1.38	0.00±0.00	35.01±0.91
	$\delta = 0.20$	10	V-C (3)	0.78±0.06	2.85±1.68	0.00±0.02	34.96±0.93
		50	V-C (3)	0.78±0.06	2.86±1.52	0.00±0.00	34.96±0.92
		100	V-C (3)	0.78±0.06	2.86±1.49	0.00±0.00	34.96±0.92
		200	V-C (3)	0.78±0.06	2.82±1.50	0.00±0.00	34.96±0.92
		∞	V-C (3)	0.78±0.06	2.81±1.50	0.00±0.00	34.97±0.92

C. *Corridor,* $\alpha_0 = 0.20$

TABLE III

COMPACT SWEEP (BEST VARIANT), CORRIDOR, $\alpha_0 = 0.20$. *File:* APPENDICES/GENERATED_N200/CATALOG/PAPER/COMPACT_CORRIDOR_A020.TEX. *Data:* [F]; FAMILIES MAIN_GRID_200, MATCHED_ACI_200; 76 VIEWS (IDS IN [C]). *Restore:* \NTABLE{../CATALOG/PAPER/COMPACT_CORRIDOR_A020}; NOT USED IN THE CURRENT EDITIONS.

Compact sweep. One row per setting $(\alpha_0, \alpha, \delta, K)$ of the main grid. Variant: the variant with the most best means in the four columns (best: the bold rule of the key; ties of a column all count); (k): the number k of the four columns in which it has the best mean; ties in k: smaller printed $\widehat{m}_c/c_{\max}$, then $\widehat{q}^{+}_{\text{unsafe}}$, $\widehat{q}^{+}_{\text{CBF}}$, $\widehat{T}_{\text{mis}}$, then the order V-U, V-Δ, V-L, V-C. ±: one sample SD over the trajectories that enter the mean; $^{+}$: decision fraction; ↓: lower is better.

Corridor Baselines $\alpha_0 = 0.20,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\text{m},\ T_s = 0.1\,\text{s},\ N_{\text{MC}} = 200$

Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
Unfiltered	–	–	–	–
$c = 0$	–	–	–	–
$c_{\max}$	–	–	–	–
ACI	0.39±0.04	11.93±1.31	0.29±0.41	33.67±0.85
QT	–	–	–	–

Corridor $\alpha_0 = 0.20,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\text{m},\ T_s = 0.1\,\text{s},\ N_{\text{MC}} = 200$

α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
$\alpha = 0.05$	$\delta = 0.025$	10	V-C (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		50	V-C (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		100	V-C (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		200	V-C (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		∞	V-C (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
	$\delta = 0.05$	10	V-C (3)	0.94±0.04	0.47±0.54	0.00±0.00	35.65±0.92
		50	V-C (3)	0.94±0.04	0.47±0.53	0.00±0.00	35.66±0.92
		100	V-C (3)	0.94±0.04	0.47±0.55	0.00±0.00	35.65±0.92
		200	V-C (3)	0.94±0.04	0.46±0.53	0.00±0.00	35.66±0.92
		∞	V-C (3)	0.94±0.04	0.46±0.53	0.00±0.00	35.66±0.92
	$\delta = 0.10$	10	V-C (3)	0.93±0.04	0.63±0.63	0.00±0.00	35.58±0.92
		50	V-C (3)	0.93±0.04	0.64±0.64	0.00±0.00	35.58±0.92
		100	V-C (3)	0.93±0.04	0.63±0.63	0.00±0.00	35.58±0.92
		200	V-C (3)	0.93±0.04	0.62±0.63	0.00±0.00	35.59±0.92
		∞	V-C (3)	0.93±0.04	0.62±0.63	0.00±0.00	35.59±0.92
	$\delta = 0.15$	10	V-C (3)	0.92±0.05	0.74±0.70	0.00±0.00	35.54±0.93
		50	V-C (3)	0.92±0.05	0.73±0.70	0.00±0.00	35.54±0.93
		100	V-C (3)	0.92±0.04	0.73±0.69	0.00±0.00	35.54±0.92
		200	V-C (3)	0.92±0.05	0.72±0.68	0.00±0.00	35.54±0.93
		∞	V-C (3)	0.92±0.05	0.72±0.68	0.00±0.00	35.54±0.93
	$\delta = 0.20$	10	V-C (3)	0.91±0.05	0.87±0.88	0.00±0.00	35.49±0.95
		50	V-C (3)	0.91±0.05	0.88±0.89	0.00±0.00	35.48±0.94
		100	V-C (3)	0.91±0.05	0.87±0.87	0.00±0.00	35.49±0.94
		200	V-C (3)	0.91±0.05	0.86±0.87	0.00±0.00	35.49±0.94
		∞	V-C (3)	0.91±0.05	0.86±0.87	0.00±0.00	35.49±0.94
$\alpha = 0.10$	$\delta = 0.025$	10	V-C (3)	0.84±0.05	1.87±1.07	0.00±0.00	35.20±0.91
		50	V-C (3)	0.84±0.05	1.88±1.07	0.00±0.00	35.21±0.91
		100	V-C (3)	0.84±0.05	1.88±1.09	0.00±0.00	35.21±0.91
		200	V-C (3)	0.84±0.05	1.87±1.07	0.00±0.00	35.21±0.91
		∞	V-C (3)	0.84±0.05	1.87±1.07	0.00±0.00	35.21±0.91

Table III (continued).

Corridor **Baselines** $\alpha_0 = 0.20,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\mathrm{m},\ T_s = 0.1\,\mathrm{s},\ N_{\mathrm{MC}} = 200$			
Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
Unfiltered	–	–	–	–
$c = 0$	–	–	–	–
$c_{\max}$	–	–	–	–
ACI	0.39±0.04	11.93±1.31	0.29±0.41	33.67±0.85
QT	–	–	–	–

Corridor $\alpha_0 = 0.20,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\mathrm{m},\ T_s = 0.1\,\mathrm{s},\ N_{\mathrm{MC}} = 200$							
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
$\alpha = 0.10$	$\delta = 0.05$	10	V-C (3)	0.83±0.05	2.09±1.14	0.00±0.00	35.14±0.91
		50	V-C (3)	0.83±0.05	2.12±1.18	0.00±0.00	35.14±0.91
		100	V-C (3)	0.83±0.05	2.10±1.17	0.00±0.00	35.14±0.91
		200	V-C (3)	0.83±0.05	2.09±1.14	0.00±0.00	35.14±0.91
		∞	V-C (3)	0.83±0.05	2.08±1.14	0.00±0.00	35.14±0.91
	$\delta = 0.10$	10	V-C (3)	0.81±0.06	2.35±1.21	0.00±0.00	35.07±0.91
		50	V-C (3)	0.81±0.06	2.37±1.24	0.00±0.00	35.06±0.91
		100	V-C (3)	0.81±0.06	2.36±1.22	0.00±0.00	35.06±0.91
		200	V-C (3)	0.81±0.06	2.34±1.20	0.00±0.00	35.07±0.91
		∞	V-C (3)	0.81±0.06	2.33±1.20	0.00±0.00	35.07±0.91
	$\delta = 0.15$	10	V-C (3)	0.79±0.06	2.61±1.39	0.00±0.00	35.01±0.92
		50	V-C (3)	0.79±0.06	2.62±1.41	0.00±0.00	35.01±0.91
		100	V-C (3)	0.79±0.06	2.62±1.39	0.00±0.00	35.01±0.91
		200	V-C (3)	0.80±0.06	2.61±1.40	0.00±0.00	35.01±0.91
		∞	V-C (3)	0.80±0.06	2.60±1.40	0.00±0.00	35.01±0.91
	$\delta = 0.20$	10	V-C (3)	0.78±0.07	2.86±1.71	0.00±0.02	34.96±0.93
		50	V-C (3)	0.78±0.06	2.87±1.55	0.00±0.00	34.96±0.92
		100	V-C (3)	0.78±0.06	2.86±1.53	0.00±0.00	34.95±0.92
		200	V-C (3)	0.78±0.06	2.83±1.53	0.00±0.00	34.96±0.92
		∞	V-C (3)	0.78±0.06	2.82±1.54	0.00±0.00	34.96±0.92
$\alpha = 0.15$	$\delta = 0.025$	10	V-C (3)	0.74±0.06	3.70±1.62	0.00±0.02	34.80±0.90
		50	V-C (3)	0.75±0.05	3.67±1.46	0.00±0.00	34.81±0.89
		100	V-C (3)	0.75±0.05	3.64±1.47	0.00±0.00	34.81±0.90
		200	V-C (3)	0.75±0.05	3.62±1.47	0.00±0.00	34.81±0.89
		∞	V-C (3)	0.75±0.05	3.61±1.47	0.00±0.00	34.81±0.89
	$\delta = 0.05$	10	V-C (3)	0.73±0.06	4.06±1.65	0.00±0.02	34.73±0.90
		50	V-C (3)	0.73±0.06	4.06±1.62	0.00±0.02	34.73±0.90
		100	V-C (3)	0.73±0.06	4.02±1.59	0.00±0.02	34.74±0.90
		200	V-C (3)	0.73±0.06	4.00±1.56	0.00±0.02	34.74±0.90
		∞	V-C (3)	0.73±0.06	3.99±1.56	0.00±0.02	34.74±0.90
	$\delta = 0.10$	10	V-C (3)	0.70±0.06	4.50±1.80	0.00±0.02	34.64±0.91
		50	V-C (3)	0.70±0.06	4.50±1.78	0.00±0.02	34.64±0.91
		100	V-C (3)	0.71±0.06	4.46±1.73	0.00±0.02	34.65±0.91
		200	V-C (3)	0.71±0.06	4.43±1.72	0.00±0.02	34.65±0.90
		∞	V-C (3)	0.71±0.06	4.43±1.73	0.00±0.02	34.65±0.90
	$\delta = 0.15$	10	V-C (3)	0.69±0.07	4.81±1.85	0.00±0.03	34.57±0.91
		50	V-C (3)	0.69±0.06	4.81±1.82	0.00±0.03	34.57±0.91
		100	V-C (3)	0.69±0.06	4.78±1.82	0.00±0.03	34.58±0.91
		200	V-C (3)	0.69±0.06	4.74±1.80	0.00±0.03	34.58±0.91
		∞	V-C (3)	0.69±0.06	4.74±1.81	0.00±0.03	34.58±0.91
	$\delta = 0.20$	10	V-C (3)	0.68±0.07	5.09±2.03	0.00±0.03	34.52±0.93
		50	V-C (3)	0.67±0.07	5.13±1.99	0.00±0.03	34.52±0.93
		100	V-C (3)	0.68±0.07	5.08±1.99	0.00±0.03	34.53±0.93
		200	V-C (3)	0.68±0.07	5.03±1.98	0.00±0.03	34.53±0.93
		∞	V-C (3)	0.68±0.07	5.03±1.98	0.00±0.03	34.53±0.93

D. *Corridor,* $\alpha_0 = 0.25$

TABLE IV

COMPACT SWEEP (BEST VARIANT), CORRIDOR, $\alpha_0 = 0.25$. *File:* APPENDICES/GENERATED_N200/CATALOG/PAPER/COMPACT_CORRIDOR_A025.TEX. *Data:* [F]; FAMILIES MAIN_GRID_200, MATCHED_ACI_200; 101 VIEWS (IDS IN [C]). *Restore:* \NTABLE{../CATALOG/PAPER/COMPACT_CORRIDOR_A025}; NOT USED IN THE CURRENT EDITIONS.

Compact sweep. One row per setting $(\alpha_0, \alpha, \delta, K)$ of the main grid. Variant: the variant with the most best means in the four columns (best: the bold rule of the key; ties of a column all count); (k): the number k of the four columns in which it has the best mean; ties in k: smaller printed $\widehat{m}_c/c_{\max}$, then $\widehat{q}^{+}_{\text{unsafe}}$, $\widehat{q}^{+}_{\text{CBF}}$, $\widehat{T}_{\text{mis}}$, then the order V-U, V-Δ, V-L, V-C. ±: one sample SD over the trajectories that enter the mean; $^{+}$: decision fraction; ↓: lower is better.

Corridor Baselines $\alpha_0 = 0.25,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\text{m},\ T_s = 0.1\,\text{s},\ N_{\text{MC}} = 200$

Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
Unfiltered	–	–	–	–
$c = 0$	–	–	–	–
$c_{\max}$	–	–	–	–
ACI	0.30±0.04	14.82±1.49	1.04±0.85	33.39±0.83
QT	–	–	–	–

Corridor $\alpha_0 = 0.25,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\text{m},\ T_s = 0.1\,\text{s},\ N_{\text{MC}} = 200$

α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
$\alpha = 0.05$	$\delta = 0.025$	10	V-L (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		50	V-L (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		100	V-L (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		200	V-L (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		∞	V-L (3)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
	$\delta = 0.05$	10	V-L (3)	0.94±0.04	0.47±0.54	0.00±0.00	35.65±0.92
		50	V-L (3)	0.94±0.04	0.47±0.53	0.00±0.00	35.66±0.92
		100	V-L (3)	0.94±0.04	0.47±0.55	0.00±0.00	35.65±0.92
		200	V-L (3)	0.94±0.04	0.46±0.53	0.00±0.00	35.66±0.92
		∞	V-L (3)	0.94±0.04	0.46±0.53	0.00±0.00	35.66±0.92
	$\delta = 0.10$	10	V-L (3)	0.93±0.04	0.63±0.63	0.00±0.00	35.58±0.92
		50	V-L (3)	0.93±0.04	0.64±0.64	0.00±0.00	35.58±0.92
		100	V-L (3)	0.93±0.04	0.63±0.63	0.00±0.00	35.58±0.92
		200	V-L (3)	0.93±0.04	0.62±0.63	0.00±0.00	35.59±0.92
		∞	V-L (3)	0.93±0.04	0.62±0.63	0.00±0.00	35.59±0.92
	$\delta = 0.15$	10	V-L (3)	0.92±0.05	0.74±0.70	0.00±0.00	35.54±0.93
		50	V-L (3)	0.92±0.05	0.73±0.70	0.00±0.00	35.54±0.93
		100	V-L (3)	0.92±0.04	0.73±0.69	0.00±0.00	35.54±0.92
		200	V-L (3)	0.92±0.05	0.72±0.68	0.00±0.00	35.54±0.93
		∞	V-L (3)	0.92±0.05	0.72±0.68	0.00±0.00	35.54±0.93
	$\delta = 0.20$	10	V-L (3)	0.91±0.05	0.87±0.88	0.00±0.00	35.49±0.95
		50	V-L (3)	0.91±0.05	0.88±0.89	0.00±0.00	35.48±0.94
		100	V-L (3)	0.91±0.05	0.87±0.87	0.00±0.00	35.49±0.94
		200	V-L (3)	0.91±0.05	0.86±0.87	0.00±0.00	35.49±0.94
		∞	V-L (3)	0.91±0.05	0.86±0.87	0.00±0.00	35.49±0.94
$\alpha = 0.10$	$\delta = 0.025$	10	V-C (3)	0.84±0.05	1.87±1.07	0.00±0.00	35.20±0.91
		50	V-C (3)	0.84±0.05	1.88±1.07	0.00±0.00	35.21±0.91
		100	V-C (3)	0.84±0.05	1.88±1.09	0.00±0.00	35.21±0.91
		200	V-C (3)	0.84±0.05	1.87±1.07	0.00±0.00	35.21±0.91
		∞	V-C (3)	0.84±0.05	1.87±1.07	0.00±0.00	35.21±0.91

Table IV (continued).

Corridor **Baselines** $\alpha_0 = 0.25,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\mathrm{m},\ T_s = 0.1\,\mathrm{s},\ N_{\mathrm{MC}} = 200$			
Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
Unfiltered	–	–	–	–
$c = 0$	–	–	–	–
$c_{\max}$	–	–	–	–
ACI	0.30±0.04	14.82±1.49	1.04±0.85	33.39±0.83
QT	–	–	–	–

Corridor $\alpha_0 = 0.25,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\mathrm{m},\ T_s = 0.1\,\mathrm{s},\ N_{\mathrm{MC}} = 200$							
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
$\alpha = 0.10$	$\delta = 0.05$	10	V-C (3)	0.83±0.05	2.09±1.14	0.00±0.00	35.14±0.91
		50	V-C (3)	0.83±0.05	2.12±1.18	0.00±0.00	35.14±0.91
		100	V-C (3)	0.83±0.05	2.10±1.17	0.00±0.00	35.14±0.91
		200	V-C (3)	0.83±0.05	2.09±1.14	0.00±0.00	35.14±0.91
		∞	V-C (3)	0.83±0.05	2.08±1.14	0.00±0.00	35.14±0.91
	$\delta = 0.10$	10	V-C (3)	0.81±0.06	2.35±1.21	0.00±0.00	35.07±0.91
		50	V-C (3)	0.81±0.06	2.37±1.24	0.00±0.00	35.06±0.91
		100	V-C (3)	0.81±0.06	2.36±1.22	0.00±0.00	35.06±0.91
		200	V-C (3)	0.81±0.06	2.34±1.20	0.00±0.00	35.07±0.91
		∞	V-C (3)	0.81±0.06	2.33±1.20	0.00±0.00	35.07±0.91
	$\delta = 0.15$	10	V-C (3)	0.79±0.06	2.61±1.39	0.00±0.00	35.01±0.92
		50	V-C (3)	0.79±0.06	2.62±1.41	0.00±0.00	35.01±0.91
		100	V-C (3)	0.79±0.06	2.62±1.39	0.00±0.00	35.01±0.91
		200	V-C (3)	0.80±0.06	2.61±1.40	0.00±0.00	35.01±0.91
		∞	V-C (3)	0.80±0.06	2.60±1.40	0.00±0.00	35.01±0.91
	$\delta = 0.20$	10	V-C (3)	0.78±0.07	2.86±1.71	0.00±0.02	34.96±0.93
		50	V-C (3)	0.78±0.06	2.87±1.55	0.00±0.00	34.96±0.92
		100	V-C (3)	0.78±0.06	2.86±1.53	0.00±0.00	34.95±0.92
		200	V-C (3)	0.78±0.06	2.83±1.53	0.00±0.00	34.96±0.92
		∞	V-C (3)	0.78±0.06	2.82±1.54	0.00±0.00	34.96±0.92
$\alpha = 0.15$	$\delta = 0.025$	10	V-C (3)	0.74±0.06	3.71±1.63	0.00±0.02	34.80±0.89
		50	V-C (3)	0.74±0.05	3.69±1.49	0.00±0.00	34.80±0.89
		100	V-C (3)	0.74±0.05	3.66±1.51	0.00±0.00	34.81±0.89
		200	V-C (3)	0.75±0.06	3.64±1.51	0.00±0.00	34.81±0.89
		∞	V-C (3)	0.75±0.06	3.63±1.51	0.00±0.00	34.81±0.89
	$\delta = 0.05$	10	V-C (3)	0.73±0.06	4.08±1.67	0.00±0.02	34.73±0.90
		50	V-C (3)	0.72±0.06	4.08±1.65	0.00±0.02	34.73±0.90
		100	V-C (3)	0.73±0.06	4.04±1.62	0.00±0.02	34.74±0.90
		200	V-C (3)	0.73±0.06	4.02±1.60	0.00±0.02	34.74±0.90
		∞	V-C (3)	0.73±0.06	4.02±1.60	0.00±0.02	34.74±0.90
	$\delta = 0.10$	10	V-C (3)	0.70±0.07	4.52±1.83	0.00±0.02	34.63±0.91
		50	V-C (3)	0.70±0.06	4.52±1.80	0.00±0.02	34.63±0.91
		100	V-C (3)	0.70±0.06	4.49±1.77	0.00±0.02	34.64±0.91
		200	V-C (3)	0.70±0.06	4.47±1.76	0.00±0.02	34.64±0.90
		∞	V-C (3)	0.70±0.06	4.46±1.76	0.00±0.02	34.64±0.90
	$\delta = 0.15$	10	V-C (3)	0.69±0.07	4.84±1.88	0.00±0.03	34.57±0.91
		50	V-C (3)	0.69±0.07	4.85±1.86	0.00±0.03	34.57±0.92
		100	V-C (3)	0.69±0.07	4.82±1.87	0.00±0.03	34.57±0.91
		200	V-C (3)	0.69±0.07	4.79±1.86	0.00±0.03	34.58±0.91
		∞	V-C (3)	0.69±0.07	4.79±1.86	0.00±0.03	34.58±0.91
	$\delta = 0.20$	10	V-C (3)	0.67±0.08	5.14±2.11	0.00±0.03	34.52±0.94
		50	V-C (3)	0.67±0.07	5.18±2.07	0.00±0.03	34.51±0.93
		100	V-C (3)	0.67±0.07	5.14±2.08	0.00±0.03	34.52±0.93
		200	V-C (3)	0.67±0.07	5.10±2.08	0.00±0.03	34.53±0.94
		∞	V-C (3)	0.67±0.08	5.10±2.08	0.00±0.03	34.53±0.94

Table IV (continued).

Corridor **Baselines** $\alpha_0 = 0.25,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\mathrm{m},\ T_s = 0.1\,\mathrm{s},\ N_{\mathrm{MC}} = 200$			
Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
Unfiltered	–	–	–	–
$c = 0$	–	–	–	–
$c_{\max}$	–	–	–	–
ACI	0.30±0.04	14.82±1.49	1.04±0.85	33.39±0.83
QT	–	–	–	–

Corridor $\alpha_0 = 0.25,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\mathrm{m},\ T_s = 0.1\,\mathrm{s},\ N_{\mathrm{MC}} = 200$							
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
$\alpha = 0.20$	$\delta = 0.025$	10	V-C (2)	0.65±0.06	5.74±1.79	0.01±0.06	34.43±0.87
		50	V-C (2)	0.65±0.05	5.77±1.73	0.01±0.06	34.42±0.87
		100	V-C (2)	0.65±0.05	5.72±1.72	0.01±0.06	34.43±0.87
		200	V-C (2)	0.66±0.05	5.66±1.75	0.01±0.06	34.43±0.87
		∞	V-C (2)	0.66±0.05	5.65±1.76	0.01±0.06	34.44±0.87
	$\delta = 0.05$	10	V-C (2)	0.64±0.06	6.03±1.78	0.01±0.11	34.37±0.89
		50	V-C (2)	0.64±0.06	6.05±1.77	0.01±0.11	34.37±0.88
		100	V-C (2)	0.64±0.05	5.97±1.74	0.01±0.11	34.38±0.88
		200	V-C (2)	0.64±0.05	5.90±1.74	0.01±0.11	34.39±0.89
		∞	V-C (2)	0.64±0.05	5.88±1.75	0.01±0.11	34.39±0.89
	$\delta = 0.10$	10	V-C (2)	0.61±0.06	6.56±1.94	0.02±0.13	34.28±0.91
		50	V-C (2)	0.61±0.06	6.58±1.92	0.02±0.14	34.28±0.90
		100	V-C (2)	0.62±0.06	6.48±1.89	0.02±0.13	34.29±0.90
		200	V-C (2)	0.62±0.06	6.42±1.88	0.02±0.13	34.30±0.90
		∞	V-C (2)	0.62±0.06	6.40±1.89	0.02±0.13	34.30±0.91
	$\delta = 0.15$	10	V-C (2)	0.60±0.07	6.91±1.99	0.04±0.25	34.23±0.91
		50	V-C (2)	0.60±0.07	6.95±1.97	0.04±0.25	34.23±0.92
		100	V-C (2)	0.60±0.06	6.84±1.94	0.04±0.24	34.24±0.91
		200	V-C (2)	0.61±0.06	6.80±1.95	0.05±0.26	34.25±0.91
		∞	V-C (2)	0.61±0.06	6.76±1.94	0.04±0.24	34.26±0.91
	$\delta = 0.20$	10	V-C (2)	0.59±0.07	7.19±2.07	0.05±0.24	34.20±0.91
		50	V-C (2)	0.59±0.07	7.27±2.00	0.06±0.25	34.19±0.91
		100	V-C (2)	0.59±0.07	7.17±2.00	0.05±0.24	34.21±0.91
		200	V-C (2)	0.60±0.06	7.06±2.00	0.05±0.24	34.21±0.92
		∞	V-C (2)	0.60±0.06	7.01±2.01	0.05±0.24	34.22±0.92

E. *Corridor,* $\alpha_0 = 0.30$

TABLE V

COMPACT SWEEP (BEST VARIANT), CORRIDOR, $\alpha_0 = 0.30$. *File:* APPENDICES/GENERATED_N200/CATALOG/PAPER/COMPACT_CORRIDOR_A030.TEX. *Data:* [F]; FAMILIES MAIN_GRID_200, MATCHED_BASELINES_200; 130 VIEWS (IDS IN [C]). *Restore:* \NTABLE{../CATALOG/PAPER/COMPACT_CORRIDOR_A030}; NOT USED IN THE CURRENT EDITIONS.

Compact sweep. One row per setting $(\alpha_0, \alpha, \delta, K)$ of the main grid. Variant: the variant with the most best means in the four columns (best: the bold rule of the key; ties of a column all count); (k): the number k of the four columns in which it has the best mean; ties in k: smaller printed $\widehat{m}_c/c_{\max}$, then $\widehat{q}^{+}_{\text{unsafe}}$, $\widehat{q}^{+}_{\text{CBF}}$, $\widehat{T}_{\text{mis}}$, then the order V-U, V-Δ, V-L, V-C. ±: one sample SD over the trajectories that enter the mean; $^{+}$: decision fraction; ↓: lower is better.

Corridor **Baselines** $\alpha_0 = 0.30,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\text{m},\ T_s = 0.1\,\text{s},\ N_{\text{MC}} = 200$

Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
Unfiltered	N-A	30.69±13.51	22.32±10.04	70.00±0.00
$c = 0$	0.00±0.00	28.00±2.99	15.27±4.17	32.45±0.77
$c_{\max}$	1.00±0.00	0.00±0.00	0.00±0.00	35.91±0.92
ACI	0.22±0.04	17.68±1.59	2.74±1.43	33.13±0.81
QT	0.30±0.03	15.19±1.31	0.61±0.52	33.44±0.83

Corridor $\alpha_0 = 0.30,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\text{m},\ T_s = 0.1\,\text{s},\ N_{\text{MC}} = 200$

α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
$\alpha = 0.05$	$\delta = 0.025$	10	V-U (4)	0.96±0.03	0.33±0.38	0.00±0.00	35.72±0.92
		50	V-U (4)	0.96±0.03	0.32±0.37	0.00±0.00	35.72±0.92
		100	V-U (3)	0.96±0.03	0.32±0.37	0.00±0.00	35.73±0.92
		200	V-U (3)	0.96±0.03	0.31±0.37	0.00±0.00	35.73±0.92
		∞	V-U (3)	0.96±0.03	0.30±0.37	0.00±0.00	35.73±0.92
	$\delta = 0.05$	10	V-L (3)	0.94±0.04	0.47±0.54	0.00±0.00	35.65±0.92
		50	V-L (3)	0.94±0.04	0.47±0.53	0.00±0.00	35.66±0.92
		100	V-L (3)	0.94±0.04	0.47±0.55	0.00±0.00	35.65±0.92
		200	V-L (3)	0.94±0.04	0.46±0.53	0.00±0.00	35.66±0.92
		∞	V-L (3)	0.94±0.04	0.46±0.53	0.00±0.00	35.66±0.92
	$\delta = 0.10$	10	V-U (3)	0.93±0.04	0.62±0.63	0.00±0.00	35.59±0.92
		50	V-U (4)	0.93±0.04	0.63±0.63	0.00±0.00	35.58±0.92
		100	V-L (4)	0.93±0.04	0.63±0.63	0.00±0.00	35.58±0.92
		200	V-L (3)	0.93±0.04	0.62±0.63	0.00±0.00	35.59±0.92
		∞	V-L (3)	0.93±0.04	0.62±0.63	0.00±0.00	35.59±0.92
	$\delta = 0.15$	10	V-U (4)	0.92±0.04	0.73±0.70	0.00±0.00	35.54±0.94
		50	V-U (4)	0.92±0.04	0.72±0.70	0.00±0.00	35.54±0.93
		100	V-U (4)	0.92±0.04	0.72±0.68	0.00±0.00	35.54±0.92
		200	V-L (3)	0.92±0.05	0.72±0.68	0.00±0.00	35.54±0.93
		∞	V-L (3)	0.92±0.05	0.72±0.68	0.00±0.00	35.54±0.93
	$\delta = 0.20$	10	V-U (4)	0.91±0.05	0.87±0.86	0.00±0.00	35.49±0.95
		50	V-L (4)	0.91±0.05	0.88±0.89	0.00±0.00	35.48±0.94
		100	V-U (4)	0.91±0.05	0.86±0.84	0.00±0.00	35.49±0.94
		200	V-L (3)	0.91±0.05	0.86±0.87	0.00±0.00	35.49±0.94
		∞	V-L (3)	0.91±0.05	0.86±0.87	0.00±0.00	35.49±0.94
$\alpha = 0.10$	$\delta = 0.025$	10	V-L (3)	0.84±0.05	1.87±1.07	0.00±0.00	35.20±0.91
		50	V-L (3)	0.84±0.05	1.88±1.07	0.00±0.00	35.21±0.91
		100	V-L (3)	0.84±0.05	1.88±1.09	0.00±0.00	35.21±0.91
		200	V-L (3)	0.84±0.05	1.87±1.07	0.00±0.00	35.21±0.91
		∞	V-L (3)	0.84±0.05	1.87±1.07	0.00±0.00	35.21±0.91

Table V (continued).

Corridor **Baselines** $\alpha_0 = 0.30,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\mathrm{m},\ T_s = 0.1\,\mathrm{s},\ N_{\mathrm{MC}} = 200$			
Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
Unfiltered	N-A	30.69±13.51	22.32±10.04	70.00±0.00
$c = 0$	0.00±0.00	28.00±2.99	15.27±4.17	32.45±0.77
$c_{\max}$	1.00±0.00	0.00±0.00	0.00±0.00	35.91±0.92
ACI	0.22±0.04	17.68±1.59	2.74±1.43	33.13±0.81
QT	0.30±0.03	15.19±1.31	0.61±0.52	33.44±0.83

Corridor $\alpha_0 = 0.30,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\mathrm{m},\ T_s = 0.1\,\mathrm{s},\ N_{\mathrm{MC}} = 200$							
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
$\alpha = 0.10$	$\delta = 0.05$	10	V-L (3)	0.83±0.05	2.09±1.14	0.00±0.00	35.14±0.91
		50	V-L (3)	0.83±0.05	2.12±1.18	0.00±0.00	35.14±0.91
		100	V-L (3)	0.83±0.05	2.10±1.17	0.00±0.00	35.14±0.91
		200	V-L (3)	0.83±0.05	2.09±1.14	0.00±0.00	35.14±0.91
		∞	V-L (3)	0.83±0.05	2.08±1.14	0.00±0.00	35.14±0.91
	$\delta = 0.10$	10	V-L (3)	0.81±0.06	2.35±1.21	0.00±0.00	35.07±0.91
		50	V-L (3)	0.81±0.06	2.37±1.24	0.00±0.00	35.06±0.91
		100	V-L (3)	0.81±0.06	2.36±1.22	0.00±0.00	35.06±0.91
		200	V-L (3)	0.81±0.06	2.34±1.20	0.00±0.00	35.07±0.91
		∞	V-L (3)	0.81±0.06	2.33±1.20	0.00±0.00	35.07±0.91
	$\delta = 0.15$	10	V-L (3)	0.79±0.06	2.61±1.39	0.00±0.00	35.01±0.92
		50	V-L (3)	0.79±0.06	2.62±1.41	0.00±0.00	35.01±0.91
		100	V-L (3)	0.79±0.06	2.62±1.39	0.00±0.00	35.01±0.91
		200	V-L (3)	0.80±0.06	2.61±1.40	0.00±0.00	35.01±0.91
		∞	V-L (3)	0.80±0.06	2.60±1.40	0.00±0.00	35.01±0.91
	$\delta = 0.20$	10	V-L (3)	0.78±0.07	2.86±1.71	0.00±0.02	34.96±0.93
		50	V-L (3)	0.78±0.06	2.87±1.55	0.00±0.00	34.96±0.92
		100	V-L (3)	0.78±0.06	2.86±1.53	0.00±0.00	34.95±0.92
		200	V-L (3)	0.78±0.06	2.83±1.53	0.00±0.00	34.96±0.92
		∞	V-L (3)	0.78±0.06	2.82±1.54	0.00±0.00	34.96±0.92
$\alpha = 0.15$	$\delta = 0.025$	10	V-C (3)	0.74±0.06	3.71±1.63	0.00±0.02	34.80±0.89
		50	V-C (3)	0.74±0.05	3.69±1.49	0.00±0.00	34.80±0.89
		100	V-C (3)	0.74±0.05	3.66±1.51	0.00±0.00	34.81±0.89
		200	V-C (3)	0.75±0.06	3.64±1.51	0.00±0.00	34.81±0.89
		∞	V-C (3)	0.75±0.06	3.63±1.51	0.00±0.00	34.81±0.89
	$\delta = 0.05$	10	V-C (3)	0.73±0.06	4.08±1.67	0.00±0.02	34.73±0.90
		50	V-C (3)	0.72±0.06	4.08±1.65	0.00±0.02	34.73±0.90
		100	V-C (3)	0.73±0.06	4.04±1.62	0.00±0.02	34.74±0.90
		200	V-C (3)	0.73±0.06	4.02±1.60	0.00±0.02	34.74±0.90
		∞	V-C (3)	0.73±0.06	4.02±1.60	0.00±0.02	34.74±0.90
	$\delta = 0.10$	10	V-C (3)	0.70±0.07	4.52±1.83	0.00±0.02	34.63±0.91
		50	V-C (3)	0.70±0.06	4.52±1.80	0.00±0.02	34.63±0.91
		100	V-C (3)	0.70±0.06	4.49±1.77	0.00±0.02	34.64±0.91
		200	V-C (3)	0.70±0.06	4.47±1.76	0.00±0.02	34.64±0.90
		∞	V-C (3)	0.70±0.06	4.46±1.76	0.00±0.02	34.64±0.90
	$\delta = 0.15$	10	V-C (3)	0.69±0.07	4.84±1.88	0.00±0.03	34.57±0.91
		50	V-C (3)	0.69±0.07	4.85±1.86	0.00±0.03	34.57±0.92
		100	V-C (3)	0.69±0.07	4.82±1.87	0.00±0.03	34.57±0.91
		200	V-C (3)	0.69±0.07	4.79±1.86	0.00±0.03	34.58±0.91
		∞	V-C (3)	0.69±0.07	4.79±1.86	0.00±0.03	34.58±0.91
	$\delta = 0.20$	10	V-C (3)	0.67±0.08	5.14±2.11	0.00±0.03	34.52±0.94
		50	V-C (3)	0.67±0.07	5.18±2.07	0.00±0.03	34.51±0.93
		100	V-C (3)	0.67±0.07	5.14±2.08	0.00±0.03	34.52±0.93
		200	V-C (3)	0.67±0.07	5.10±2.08	0.00±0.03	34.53±0.94
		∞	V-C (3)	0.67±0.08	5.10±2.08	0.00±0.03	34.53±0.94

Table V (continued).

Corridor **Baselines** $\alpha_0 = 0.30,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\mathrm{m},\ T_s = 0.1\,\mathrm{s},\ N_{\mathrm{MC}} = 200$				
Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
Unfiltered	N-A	30.69±13.51	22.32±10.04	70.00±0.00
$c = 0$	0.00±0.00	28.00±2.99	15.27±4.17	32.45±0.77
$c_{\max}$	1.00±0.00	0.00±0.00	0.00±0.00	35.91±0.92
ACI	0.22±0.04	17.68±1.59	2.74±1.43	33.13±0.81
QT	0.30±0.03	15.19±1.31	0.61±0.52	33.44±0.83

Corridor $\alpha_0 = 0.30,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\mathrm{m},\ T_s = 0.1\,\mathrm{s},\ N_{\mathrm{MC}} = 200$							
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
$\alpha = 0.20$	$\delta = 0.025$	10	V-C (2)	0.65±0.06	5.83±1.86	0.01±0.06	34.42±0.87
		50	V-C (2)	0.65±0.06	5.86±1.81	0.01±0.06	34.41±0.87
		100	V-C (2)	0.65±0.06	5.83±1.81	0.01±0.06	34.42±0.87
		200	V-C (2)	0.65±0.06	5.80±1.85	0.01±0.06	34.42±0.87
		∞	V-C (2)	0.65±0.06	5.80±1.85	0.01±0.06	34.42±0.87
	$\delta = 0.05$	10	V-C (2)	0.63±0.06	6.13±1.85	0.01±0.11	34.36±0.89
		50	V-C (2)	0.63±0.06	6.13±1.84	0.01±0.11	34.36±0.88
		100	V-C (2)	0.63±0.06	6.09±1.84	0.01±0.11	34.37±0.88
		200	V-C (2)	0.63±0.06	6.07±1.85	0.01±0.11	34.37±0.88
		∞	V-C (2)	0.63±0.06	6.07±1.86	0.01±0.11	34.37±0.89
	$\delta = 0.10$	10	V-C (2)	0.61±0.07	6.70±2.06	0.03±0.14	34.26±0.91
		50	V-C (2)	0.61±0.07	6.71±2.03	0.03±0.15	34.27±0.91
		100	V-C (2)	0.61±0.07	6.65±2.04	0.02±0.14	34.27±0.91
		200	V-C (2)	0.61±0.07	6.65±2.04	0.02±0.14	34.27±0.91
		∞	V-C (2)	0.61±0.07	6.65±2.04	0.02±0.14	34.27±0.91
	$\delta = 0.15$	10	V-C (2)	0.59±0.07	7.07±2.13	0.05±0.25	34.22±0.91
		50	V-C (2)	0.59±0.07	7.11±2.10	0.05±0.25	34.22±0.92
		100	V-C (2)	0.59±0.07	7.06±2.12	0.04±0.25	34.22±0.91
		200	V-C (2)	0.59±0.07	7.05±2.12	0.05±0.26	34.23±0.91
		∞	V-C (2)	0.59±0.07	7.04±2.11	0.04±0.25	34.23±0.91
	$\delta = 0.20$	10	V-C (2)	0.58±0.07	7.36±2.23	0.06±0.26	34.18±0.91
		50	V-C (2)	0.58±0.07	7.44±2.16	0.07±0.27	34.18±0.91
		100	V-C (2)	0.58±0.07	7.39±2.20	0.06±0.26	34.18±0.92
		200	V-C (2)	0.58±0.07	7.35±2.21	0.06±0.26	34.19±0.92
		∞	V-C (2)	0.58±0.07	7.33±2.21	0.06±0.26	34.19±0.92
$\alpha = 0.25$	$\delta = 0.025$	10	V-C (2)	0.57±0.05	7.83±1.77	0.05±0.19	34.12±0.89
		50	V-C (2)	0.57±0.05	7.83±1.74	0.05±0.19	34.13±0.89
		100	V-C (2)	0.58±0.05	7.74±1.71	0.05±0.19	34.14±0.88
		200	V-C (2)	0.59±0.05	7.52±1.72	0.05±0.17	34.16±0.89
		∞	V-C (2)	0.59±0.05	7.47±1.73	0.05±0.17	34.17±0.89
	$\delta = 0.05$	10	V-C (2)	0.55±0.06	8.33±1.84	0.08±0.26	34.04±0.90
		50	V-C (2)	0.55±0.05	8.41±1.80	0.08±0.27	34.03±0.90
		100	V-C (2)	0.56±0.05	8.30±1.79	0.08±0.26	34.05±0.90
		200	V-C (2)	0.57±0.05	8.03±1.80	0.07±0.25	34.08±0.90
		∞	V-C (2)	0.57±0.05	7.95±1.79	0.06±0.23	34.08±0.90
	$\delta = 0.10$	10	V-C (2)	0.53±0.06	8.94±1.88	0.12±0.36	33.97±0.88
		50	V-C (2)	0.53±0.06	9.00±1.93	0.13±0.37	33.96±0.88
		100	V-C (2)	0.53±0.06	8.90±1.88	0.12±0.36	33.98±0.87
		200	V-C (2)	0.54±0.06	8.60±1.87	0.11±0.35	34.00±0.88
		∞	V-C (2)	0.55±0.06	8.49±1.87	0.10±0.34	34.01±0.89
	$\delta = 0.15$	10	V-C (2)	0.52±0.06	9.31±1.97	0.14±0.36	33.93±0.88
		50	V-C (2)	0.52±0.06	9.35±1.96	0.14±0.36	33.92±0.88
		100	V-C (2)	0.52±0.06	9.23±1.94	0.14±0.37	33.94±0.87
		200	V-C (2)	0.53±0.06	8.94±1.93	0.12±0.35	33.96±0.88
		∞	V-C (2)	0.54±0.06	8.80±1.93	0.11±0.33	33.98±0.89

Table V (continued).

Corridor **Baselines** $\alpha_0 = 0.30,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\mathrm{m},\ T_s = 0.1\,\mathrm{s},\ N_{\mathrm{MC}} = 200$				
Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
Unfiltered	N-A	30.69±13.51	22.32±10.04	70.00±0.00
$c = 0$	0.00±0.00	28.00±2.99	15.27±4.17	32.45±0.77
$c_{\max}$	1.00±0.00	0.00±0.00	0.00±0.00	35.91±0.92
ACI	0.22±0.04	17.68±1.59	2.74±1.43	33.13±0.81
QT	0.30±0.03	15.19±1.31	0.61±0.52	33.44±0.83

Corridor $\alpha_0 = 0.30,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.02\,\mathrm{m},\ T_s = 0.1\,\mathrm{s},\ N_{\mathrm{MC}} = 200$							
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
$\alpha = 0.25$	$\delta = 0.20$	10	V-C (2)	0.50±0.06	9.67±2.09	0.18±0.41	33.88±0.89
		50	V-C (2)	0.50±0.06	9.74±2.12	0.18±0.41	33.86±0.89
		100	V-C (2)	0.50±0.06	9.61±2.08	0.19±0.41	33.88±0.87
		200	V-C (2)	0.52±0.06	9.32±2.05	0.17±0.40	33.91±0.89
		∞	V-C (2)	0.52±0.06	9.15±2.05	0.15±0.39	33.93±0.90

F. *Maze,* $\alpha_0 = 0.10$

TABLE VI

COMPACT SWEEP (BEST VARIANT), MAZE, $\alpha_0 = 0.10$. *File:* APPENDICES/GENERATED_N200/CATALOG/PAPER/COMPACT_MAZE_A010.TEX. *Data:* [F]; FAMILIES MAIN_GRID_200, MATCHED_ACI_200; 26 VIEWS (IDS IN [C]). *Restore:* \NTABLE{../CATALOG/PAPER/COMPACT_MAZE_A010}; NOT USED IN THE CURRENT EDITIONS.

Compact sweep. One row per setting $(\alpha_0, \alpha, \delta, K)$ of the main grid. Variant: the variant with the most best means in the four columns (best: the bold rule of the key; ties of a column all count); (k): the number k of the four columns in which it has the best mean; ties in k: smaller printed $\widehat{m}_c/c_{\max}$, then $\widehat{q}^{+}_{\text{unsafe}}$, $\widehat{q}^{+}_{\text{CBF}}$, $\widehat{T}_{\text{mis}}$, then the order V-U, V-Δ, V-L, V-C. ±: one sample SD over the trajectories that enter the mean; $^{+}$: decision fraction; ↓: lower is better.

Maze **Baselines** $\alpha_0 = 0.10,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\text{m},\ T_s = 0.2\,\text{s},\ N_{\text{MC}} = 200$				
Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
Unfiltered	–	–	–	–
$c = 0$	–	–	–	–
$c_{\max}$	–	–	–	–
ACI	0.61±0.05	4.54±1.07	0.00±0.00	51.90±0.42
QT	–	–	–	–

Maze $\alpha_0 = 0.10,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\text{m},\ T_s = 0.2\,\text{s},\ N_{\text{MC}} = 200$							
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
$\alpha = 0.05$	$\delta = 0.025$	10	V-C (3)	0.97±0.03	0.08±0.21	0.00±0.00	54.21±0.38
		50	V-C (3)	0.97±0.03	0.09±0.21	0.00±0.00	54.21±0.39
		100	V-C (3)	0.97±0.03	0.09±0.21	0.00±0.00	54.21±0.39
		200	V-C (3)	0.97±0.03	0.09±0.21	0.00±0.00	54.22±0.38
		∞	V-C (3)	0.97±0.03	0.09±0.21	0.00±0.00	54.22±0.38
	$\delta = 0.05$	10	V-C (3)	0.96±0.03	0.10±0.26	0.00±0.00	54.16±0.40
		50	V-C (3)	0.96±0.03	0.11±0.27	0.00±0.00	54.15±0.40
		100	V-C (3)	0.96±0.03	0.10±0.26	0.00±0.00	54.16±0.39
		200	V-C (3)	0.96±0.03	0.10±0.26	0.00±0.00	54.16±0.40
		∞	V-C (3)	0.96±0.03	0.10±0.26	0.00±0.00	54.16±0.40
	$\delta = 0.10$	10	V-C (3)	0.95±0.04	0.18±0.35	0.00±0.00	54.04±0.43
		50	V-C (3)	0.95±0.04	0.19±0.37	0.00±0.00	54.05±0.42
		100	V-C (3)	0.95±0.04	0.17±0.34	0.00±0.00	54.05±0.43
		200	V-C (3)	0.95±0.04	0.17±0.34	0.00±0.00	54.06±0.43
		∞	V-C (3)	0.95±0.04	0.17±0.34	0.00±0.00	54.06±0.43
	$\delta = 0.15$	10	V-C (3)	0.94±0.04	0.22±0.43	0.00±0.00	53.96±0.44
		50	V-C (3)	0.94±0.04	0.22±0.43	0.00±0.00	53.96±0.44
		100	V-C (3)	0.94±0.04	0.22±0.42	0.00±0.00	53.97±0.44
		200	V-C (3)	0.94±0.04	0.21±0.42	0.00±0.00	53.97±0.44
		∞	V-C (3)	0.94±0.04	0.21±0.42	0.00±0.00	53.97±0.44
	$\delta = 0.20$	10	V-C (3)	0.93±0.04	0.26±0.48	0.00±0.00	53.91±0.45
		50	V-C (3)	0.93±0.04	0.27±0.48	0.00±0.00	53.91±0.45
		100	V-C (3)	0.93±0.04	0.26±0.48	0.00±0.00	53.91±0.45
		200	V-C (3)	0.93±0.04	0.26±0.48	0.00±0.00	53.92±0.45
		∞	V-C (3)	0.93±0.04	0.26±0.48	0.00±0.00	53.92±0.45

G. *Maze*, $\alpha_0 = 0.15$

TABLE VII

COMPACT SWEEP (BEST VARIANT), MAZE, $\alpha_0 = 0.15$. *File:* APPENDICES/GENERATED_N200/CATALOG/PAPER/COMPACT_MAZE_A015.TEX. *Data:* [F]; FAMILIES MAIN_GRID_200, MATCHED_BASELINES_200; 55 VIEWS (IDS IN [C]). *Restore:* \NTABLE{../CATALOG/PAPER/COMPACT_MAZE_A015}; NOT USED IN THE CURRENT EDITIONS.

Compact sweep. One row per setting $(\alpha_0, \alpha, \delta, K)$ of the main grid. Variant: the variant with the most best means in the four columns (best: the bold rule of the key; ties of a column all count); (k): the number k of the four columns in which it has the best mean; ties in k: smaller printed $\widehat{m}_c/c_{\max}$, then $\widehat{q}^{+}_{\text{unsafe}}$, $\widehat{q}^{+}_{\text{CBF}}$, $\widehat{T}_{\text{mis}}$, then the order V-U, V-Δ, V-L, V-C. ±: one sample SD over the trajectories that enter the mean; $^{+}$: decision fraction; ↓: lower is better.

Maze **Baselines** $\alpha_0 = 0.15,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\text{m},\ T_s = 0.2\,\text{s},\ N_{\text{MC}} = 200$			
Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
Unfiltered	N-A	55.68±1.58	53.27±0.95	42.16±0.14
$c = 0$	0.00±0.00	24.93±2.57	3.86±2.16	48.67±0.27
$c_{\max}$	1.00±0.00	0.00±0.00	0.00±0.00	54.44±0.32
ACI	0.49±0.05	7.45±1.47	0.01±0.06	51.16±0.40
QT	0.72±0.02	2.78±0.88	0.00±0.00	52.52±0.33

Maze $\alpha_0 = 0.15,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\text{m},\ T_s = 0.2\,\text{s},\ N_{\text{MC}} = 200$							
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
$\alpha = 0.05$	$\delta = 0.025$	10	V-C (3)	0.97±0.03	0.08±0.21	0.00±0.00	54.21±0.38
		50	V-C (3)	0.97±0.03	0.09±0.21	0.00±0.00	54.21±0.39
		100	V-C (3)	0.97±0.03	0.09±0.21	0.00±0.00	54.21±0.39
		200	V-C (3)	0.97±0.03	0.09±0.21	0.00±0.00	54.22±0.38
		∞	V-C (3)	0.97±0.03	0.09±0.21	0.00±0.00	54.22±0.38
	$\delta = 0.05$	10	V-C (3)	0.96±0.03	0.10±0.26	0.00±0.00	54.16±0.40
		50	V-C (3)	0.96±0.03	0.11±0.27	0.00±0.00	54.15±0.40
		100	V-C (3)	0.96±0.03	0.10±0.26	0.00±0.00	54.16±0.39
		200	V-C (3)	0.96±0.03	0.10±0.26	0.00±0.00	54.16±0.40
		∞	V-C (3)	0.96±0.03	0.10±0.26	0.00±0.00	54.16±0.40
	$\delta = 0.10$	10	V-C (3)	0.95±0.04	0.18±0.35	0.00±0.00	54.04±0.43
		50	V-C (3)	0.95±0.04	0.19±0.37	0.00±0.00	54.05±0.42
		100	V-C (3)	0.95±0.04	0.17±0.34	0.00±0.00	54.05±0.43
		200	V-C (3)	0.95±0.04	0.17±0.34	0.00±0.00	54.06±0.43
		∞	V-C (3)	0.95±0.04	0.17±0.34	0.00±0.00	54.06±0.43
	$\delta = 0.15$	10	V-C (3)	0.94±0.04	0.22±0.43	0.00±0.00	53.96±0.44
		50	V-C (3)	0.94±0.04	0.22±0.43	0.00±0.00	53.96±0.44
		100	V-C (3)	0.94±0.04	0.22±0.42	0.00±0.00	53.97±0.44
		200	V-C (3)	0.94±0.04	0.21±0.42	0.00±0.00	53.97±0.44
		∞	V-C (3)	0.94±0.04	0.21±0.42	0.00±0.00	53.97±0.44
	$\delta = 0.20$	10	V-C (3)	0.93±0.04	0.26±0.48	0.00±0.00	53.91±0.45
		50	V-C (3)	0.93±0.04	0.27±0.48	0.00±0.00	53.91±0.45
		100	V-C (3)	0.93±0.04	0.26±0.48	0.00±0.00	53.91±0.45
		200	V-C (3)	0.93±0.04	0.26±0.48	0.00±0.00	53.92±0.45
		∞	V-C (3)	0.93±0.04	0.26±0.48	0.00±0.00	53.92±0.45
$\alpha = 0.10$	$\delta = 0.025$	10	V-C (3)	0.88±0.04	0.63±0.62	0.00±0.00	53.53±0.47
		50	V-C (3)	0.88±0.04	0.65±0.63	0.00±0.00	53.52±0.47
		100	V-C (3)	0.88±0.04	0.62±0.61	0.00±0.00	53.53±0.46
		200	V-C (3)	0.88±0.04	0.62±0.62	0.00±0.00	53.53±0.47
		∞	V-C (3)	0.88±0.04	0.62±0.62	0.00±0.00	53.53±0.47

Table VII (continued).

Maze	**Baselines** $\alpha_0 = 0.15,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\mathrm{m},\ T_s = 0.2\,\mathrm{s},\ N_{\mathrm{MC}} = 200$				
	Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
	Unfiltered	N-A	55.68±1.58	53.27±0.95	42.16±0.14
	$c = 0$	0.00±0.00	24.93±2.57	3.86±2.16	48.67±0.27
	$c_{\max}$	1.00±0.00	0.00±0.00	0.00±0.00	54.44±0.32
	ACI	0.49±0.05	7.45±1.47	0.01±0.06	51.16±0.40
	QT	0.72±0.02	2.78±0.88	0.00±0.00	52.52±0.33

Maze	$\alpha_0 = 0.15,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\mathrm{m},\ T_s = 0.2\,\mathrm{s},\ N_{\mathrm{MC}} = 200$						
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
$\alpha = 0.10$	$\delta = 0.05$	10	V-C (3)	0.86±0.05	0.75±0.73	0.00±0.00	53.41±0.45
		50	V-C (3)	0.86±0.05	0.77±0.73	0.00±0.00	53.40±0.44
		100	V-C (3)	0.86±0.05	0.76±0.71	0.00±0.00	53.41±0.44
		200	V-C (3)	0.86±0.05	0.75±0.72	0.00±0.00	53.41±0.44
		∞	V-C (3)	0.86±0.05	0.75±0.72	0.00±0.00	53.41±0.44
	$\delta = 0.10$	10	V-C (3)	0.84±0.05	1.08±0.92	0.00±0.00	53.25±0.49
		50	V-C (3)	0.84±0.05	1.07±0.92	0.00±0.00	53.26±0.50
		100	V-C (3)	0.84±0.05	1.07±0.91	0.00±0.00	53.25±0.50
		200	V-C (3)	0.84±0.05	1.05±0.92	0.00±0.00	53.27±0.50
		∞	V-C (3)	0.84±0.05	1.05±0.92	0.00±0.00	53.27±0.50
	$\delta = 0.15$	10	V-C (3)	0.82±0.06	1.21±1.03	0.00±0.00	53.14±0.53
		50	V-C (3)	0.82±0.06	1.21±1.03	0.00±0.00	53.13±0.53
		100	V-C (3)	0.82±0.06	1.19±1.02	0.00±0.00	53.15±0.52
		200	V-C (3)	0.82±0.06	1.18±1.01	0.00±0.00	53.15±0.52
		∞	V-C (3)	0.82±0.06	1.18±1.01	0.00±0.00	53.15±0.52
	$\delta = 0.20$	10	V-C (3)	0.81±0.07	1.49±1.31	0.00±0.00	53.02±0.58
		50	V-C (3)	0.81±0.07	1.51±1.31	0.00±0.00	53.03±0.57
		100	V-C (3)	0.81±0.07	1.50±1.31	0.00±0.00	53.03±0.57
		200	V-C (3)	0.81±0.07	1.48±1.31	0.00±0.00	53.04±0.57
		∞	V-C (3)	0.81±0.07	1.47±1.32	0.00±0.00	53.04±0.58

H. *Maze,* $\alpha_0 = 0.20$

TABLE VIII

COMPACT SWEEP (BEST VARIANT), MAZE, $\alpha_0 = 0.20$. *File:* APPENDICES/GENERATED_N200/CATALOG/PAPER/COMPACT_MAZE_A020.TEX. *Data:* [F]; FAMILIES MAIN_GRID_200, MATCHED_ACI_200; 76 VIEWS (IDS IN [C]). *Restore:* \NTABLE{../CATALOG/PAPER/COMPACT_MAZE_A020}; NOT USED IN THE CURRENT EDITIONS.

Compact sweep. One row per setting $(\alpha_0, \alpha, \delta, K)$ of the main grid. Variant: the variant with the most best means in the four columns (best: the bold rule of the key; ties of a column all count); (k): the number k of the four columns in which it has the best mean; ties in k: smaller printed $\widehat{m}_c/c_{\max}$, then $\widehat{q}^{+}_{\text{unsafe}}$, $\widehat{q}^{+}_{\text{CBF}}$, $\widehat{T}_{\text{mis}}$, then the order V-U, V-Δ, V-L, V-C. ±: one sample SD over the trajectories that enter the mean; $^{+}$: decision fraction; ↓: lower is better.

Maze **Baselines** $\alpha_0 = 0.20,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\text{m},\ T_s = 0.2\,\text{s},\ N_{\text{MC}} = 200$				
Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
Unfiltered	–	–	–	–
$c = 0$	–	–	–	–
$c_{\max}$	–	–	–	–
ACI	0.38±0.05	10.24±1.60	0.02±0.12	50.62±0.37
QT	–	–	–	–

Maze $\alpha_0 = 0.20,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\text{m},\ T_s = 0.2\,\text{s},\ N_{\text{MC}} = 200$							
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
$\alpha = 0.05$	$\delta = 0.025$	10	V-C (3)	0.97±0.03	0.08±0.21	0.00±0.00	54.21±0.38
		50	V-L (3)	0.97±0.03	0.09±0.22	0.00±0.00	54.21±0.39
		100	V-L (3)	0.97±0.03	0.09±0.22	0.00±0.00	54.21±0.39
		200	V-L (3)	0.97±0.03	0.09±0.22	0.00±0.00	54.22±0.39
		∞	V-L (3)	0.97±0.03	0.09±0.22	0.00±0.00	54.22±0.39
	$\delta = 0.05$	10	V-L (3)	0.96±0.03	0.10±0.25	0.00±0.00	54.16±0.40
		50	V-L (3)	0.96±0.03	0.11±0.26	0.00±0.00	54.15±0.40
		100	V-L (3)	0.96±0.03	0.10±0.25	0.00±0.00	54.16±0.40
		200	V-L (3)	0.96±0.03	0.10±0.25	0.00±0.00	54.16±0.40
		∞	V-L (3)	0.96±0.03	0.10±0.25	0.00±0.00	54.16±0.40
	$\delta = 0.10$	10	V-C (3)	0.95±0.04	0.18±0.35	0.00±0.00	54.04±0.43
		50	V-L (3)	0.95±0.04	0.19±0.37	0.00±0.00	54.05±0.42
		100	V-C (3)	0.95±0.04	0.17±0.34	0.00±0.00	54.05±0.43
		200	V-C (3)	0.95±0.04	0.17±0.34	0.00±0.00	54.06±0.43
		∞	V-C (3)	0.95±0.04	0.17±0.34	0.00±0.00	54.06±0.43
	$\delta = 0.15$	10	V-L (3)	0.94±0.04	0.22±0.42	0.00±0.00	53.96±0.44
		50	V-L (3)	0.94±0.04	0.22±0.42	0.00±0.00	53.96±0.44
		100	V-L (3)	0.94±0.04	0.22±0.41	0.00±0.00	53.97±0.44
		200	V-L (3)	0.94±0.04	0.21±0.41	0.00±0.00	53.97±0.44
		∞	V-L (3)	0.94±0.04	0.21±0.41	0.00±0.00	53.97±0.44
	$\delta = 0.20$	10	V-L (3)	0.93±0.04	0.25±0.47	0.00±0.00	53.91±0.45
		50	V-L (3)	0.93±0.04	0.26±0.48	0.00±0.00	53.91±0.45
		100	V-L (3)	0.93±0.04	0.25±0.47	0.00±0.00	53.91±0.45
		200	V-L (3)	0.93±0.04	0.25±0.47	0.00±0.00	53.92±0.45
		∞	V-L (3)	0.93±0.04	0.25±0.47	0.00±0.00	53.92±0.45
$\alpha = 0.10$	$\delta = 0.025$	10	V-C (3)	0.88±0.04	0.63±0.62	0.00±0.00	53.53±0.47
		50	V-C (3)	0.88±0.04	0.65±0.63	0.00±0.00	53.52±0.47
		100	V-C (3)	0.88±0.04	0.62±0.61	0.00±0.00	53.53±0.46
		200	V-C (3)	0.88±0.04	0.62±0.62	0.00±0.00	53.53±0.47
		∞	V-C (3)	0.88±0.04	0.62±0.62	0.00±0.00	53.53±0.47

Table VIII (continued).

Maze	**Baselines** $\alpha_0 = 0.20,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\mathrm{m},\ T_s = 0.2\,\mathrm{s},\ N_{\mathrm{MC}} = 200$				
	Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
	Unfiltered	–	–	–	–
	$c = 0$	–	–	–	–
	$c_{\max}$	–	–	–	–
	ACI	0.38±0.05	10.24±1.60	0.02±0.12	50.62±0.37
	QT	–	–	–	–

Maze	$\alpha_0 = 0.20,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\mathrm{m},\ T_s = 0.2\,\mathrm{s},\ N_{\mathrm{MC}} = 200$					
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
$\alpha = 0.10$	$\delta = 0.05$	10	V-C (3)	0.86±0.05	0.75±0.73	0.00±0.00	53.41±0.45
		50	V-C (3)	0.86±0.05	0.77±0.73	0.00±0.00	53.40±0.44
		100	V-C (3)	0.86±0.05	0.76±0.71	0.00±0.00	53.41±0.44
		200	V-C (3)	0.86±0.05	0.75±0.72	0.00±0.00	53.41±0.44
		∞	V-C (3)	0.86±0.05	0.75±0.72	0.00±0.00	53.41±0.44
	$\delta = 0.10$	10	V-C (3)	0.84±0.05	1.08±0.92	0.00±0.00	53.25±0.49
		50	V-C (3)	0.84±0.05	1.07±0.92	0.00±0.00	53.26±0.50
		100	V-C (3)	0.84±0.05	1.07±0.91	0.00±0.00	53.25±0.50
		200	V-C (3)	0.84±0.05	1.05±0.92	0.00±0.00	53.27±0.50
		∞	V-C (3)	0.84±0.05	1.05±0.92	0.00±0.00	53.27±0.50
	$\delta = 0.15$	10	V-C (3)	0.82±0.06	1.21±1.03	0.00±0.00	53.14±0.53
		50	V-C (3)	0.82±0.06	1.21±1.03	0.00±0.00	53.13±0.53
		100	V-C (3)	0.82±0.06	1.19±1.02	0.00±0.00	53.15±0.52
		200	V-C (3)	0.82±0.06	1.18±1.01	0.00±0.00	53.15±0.52
		∞	V-C (3)	0.82±0.06	1.18±1.01	0.00±0.00	53.15±0.52
	$\delta = 0.20$	10	V-C (3)	0.81±0.07	1.49±1.31	0.00±0.00	53.02±0.58
		50	V-C (3)	0.81±0.07	1.51±1.31	0.00±0.00	53.03±0.57
		100	V-C (3)	0.81±0.07	1.50±1.31	0.00±0.00	53.03±0.57
		200	V-C (3)	0.81±0.07	1.48±1.31	0.00±0.00	53.04±0.57
		∞	V-C (3)	0.81±0.07	1.47±1.32	0.00±0.00	53.04±0.58
$\alpha = 0.15$	$\delta = 0.025$	10	V-C (3)	0.78±0.05	1.85±1.10	0.00±0.00	52.83±0.46
		50	V-C (3)	0.78±0.05	1.83±1.11	0.00±0.00	52.84±0.46
		100	V-C (3)	0.78±0.05	1.82±1.10	0.00±0.00	52.84±0.47
		200	V-C (3)	0.78±0.05	1.81±1.10	0.00±0.00	52.85±0.47
		∞	V-C (3)	0.78±0.05	1.81±1.11	0.00±0.00	52.85±0.47
	$\delta = 0.05$	10	V-C (3)	0.76±0.06	2.16±1.27	0.00±0.00	52.72±0.52
		50	V-C (3)	0.76±0.06	2.16±1.29	0.00±0.00	52.72±0.52
		100	V-C (3)	0.76±0.06	2.14±1.28	0.00±0.00	52.73±0.52
		200	V-C (3)	0.76±0.06	2.13±1.28	0.00±0.00	52.73±0.51
		∞	V-C (3)	0.76±0.06	2.13±1.28	0.00±0.00	52.73±0.52
	$\delta = 0.10$	10	V-C (3)	0.73±0.06	2.67±1.53	0.00±0.00	52.53±0.52
		50	V-C (3)	0.73±0.06	2.68±1.51	0.00±0.00	52.55±0.53
		100	V-C (3)	0.73±0.06	2.65±1.53	0.00±0.00	52.55±0.53
		200	V-C (3)	0.73±0.06	2.64±1.53	0.00±0.00	52.56±0.53
		∞	V-C (3)	0.73±0.06	2.64±1.53	0.00±0.00	52.56±0.53
	$\delta = 0.15$	10	V-C (3)	0.71±0.07	3.04±1.67	0.00±0.00	52.43±0.52
		50	V-C (3)	0.71±0.07	3.01±1.62	0.00±0.00	52.43±0.52
		100	V-C (3)	0.72±0.07	2.98±1.61	0.00±0.00	52.44±0.53
		200	V-C (3)	0.72±0.07	2.97±1.62	0.00±0.00	52.44±0.53
		∞	V-C (3)	0.72±0.07	2.97±1.62	0.00±0.00	52.45±0.53
	$\delta = 0.20$	10	V-C (3)	0.70±0.08	3.38±1.87	0.00±0.06	52.33±0.59
		50	V-C (3)	0.70±0.08	3.35±1.85	0.00±0.06	52.33±0.58
		100	V-C (3)	0.70±0.08	3.36±1.88	0.00±0.06	52.32±0.58
		200	V-C (3)	0.70±0.08	3.31±1.87	0.00±0.06	52.34±0.58
		∞	V-C (3)	0.70±0.08	3.30±1.87	0.00±0.06	52.34±0.58

I. Maze, $\alpha_0 = 0.25$

TABLE IX

COMPACT SWEEP (BEST VARIANT), MAZE, $\alpha_0 = 0.25$. *File:* APPENDICES/GENERATED_N200/CATALOG/PAPER/COMPACT_MAZE_A025.TEX. *Data:* [F]; FAMILIES MAIN_GRID_200, MATCHED_ACI_200; 101 VIEWS (IDS IN [C]). *Restore:* \NTABLE{../CATALOG/PAPER/COMPACT_MAZE_A025}; NOT USED IN THE CURRENT EDITIONS.

Compact sweep. One row per setting $(\alpha_0, \alpha, \delta, K)$ of the main grid. Variant: the variant with the most best means in the four columns (best: the bold rule of the key; ties of a column all count); (k): the number k of the four columns in which it has the best mean; ties in k: smaller printed $\widehat{m}_c/c_{\max}$, then $\widehat{q}^{+}_{\text{unsafe}}$, $\widehat{q}^{+}_{\text{CBF}}$, $\widehat{T}_{\text{mis}}$, then the order V-U, V-Δ, V-L, V-C. ±: one sample SD over the trajectories that enter the mean; $^{+}$: decision fraction; ↓: lower is better.

Maze **Baselines** $\alpha_0 = 0.25,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\text{m},\ T_s = 0.2\,\text{s},\ N_{\text{MC}} = 200$				
Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
Unfiltered	–	–	–	–
$c = 0$	–	–	–	–
$c_{\max}$	–	–	–	–
ACI	0.30±0.05	13.04±1.72	0.15±0.34	50.10±0.36
QT	–	–	–	–

Maze $\alpha_0 = 0.25,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\text{m},\ T_s = 0.2\,\text{s},\ N_{\text{MC}} = 200$							
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
$\alpha = 0.05$	$\delta = 0.025$	10	V-C (3)	0.97±0.03	0.08±0.21	0.00±0.00	54.21±0.38
		50	V-L (3)	0.97±0.03	0.09±0.22	0.00±0.00	54.21±0.39
		100	V-L (3)	0.97±0.03	0.09±0.22	0.00±0.00	54.21±0.39
		200	V-L (3)	0.97±0.03	0.09±0.22	0.00±0.00	54.22±0.39
		∞	V-L (3)	0.97±0.03	0.09±0.22	0.00±0.00	54.22±0.39
	$\delta = 0.05$	10	V-L (3)	0.96±0.03	0.10±0.25	0.00±0.00	54.16±0.40
		50	V-L (3)	0.96±0.03	0.11±0.26	0.00±0.00	54.15±0.40
		100	V-L (3)	0.96±0.03	0.10±0.25	0.00±0.00	54.16±0.40
		200	V-L (3)	0.96±0.03	0.10±0.25	0.00±0.00	54.16±0.40
		∞	V-L (3)	0.96±0.03	0.10±0.25	0.00±0.00	54.16±0.40
	$\delta = 0.10$	10	V-U (3)	0.95±0.03	0.14±0.28	0.00±0.00	54.09±0.42
		50	V-U (3)	0.95±0.04	0.15±0.31	0.00±0.00	54.09±0.40
		100	V-C (3)	0.95±0.04	0.17±0.34	0.00±0.00	54.05±0.43
		200	V-C (3)	0.95±0.04	0.17±0.34	0.00±0.00	54.06±0.43
		∞	V-C (3)	0.95±0.04	0.17±0.34	0.00±0.00	54.06±0.43
	$\delta = 0.15$	10	V-U (3)	0.94±0.04	0.18±0.36	0.00±0.00	54.01±0.42
		50	V-U (3)	0.94±0.04	0.19±0.37	0.00±0.00	54.00±0.43
		100	V-L (3)	0.94±0.04	0.22±0.41	0.00±0.00	53.97±0.44
		200	V-L (3)	0.94±0.04	0.21±0.41	0.00±0.00	53.97±0.44
		∞	V-L (3)	0.94±0.04	0.21±0.41	0.00±0.00	53.97±0.44
	$\delta = 0.20$	10	V-L (3)	0.93±0.04	0.25±0.47	0.00±0.00	53.91±0.45
		50	V-L (3)	0.93±0.04	0.26±0.48	0.00±0.00	53.91±0.45
		100	V-L (3)	0.93±0.04	0.25±0.47	0.00±0.00	53.91±0.45
		200	V-L (3)	0.93±0.04	0.25±0.47	0.00±0.00	53.92±0.45
		∞	V-L (3)	0.93±0.04	0.25±0.47	0.00±0.00	53.92±0.45
$\alpha = 0.10$	$\delta = 0.025$	10	V-L (3)	0.88±0.04	0.63±0.62	0.00±0.00	53.52±0.47
		50	V-L (3)	0.88±0.04	0.64±0.62	0.00±0.00	53.52±0.47
		100	V-L (3)	0.88±0.04	0.62±0.61	0.00±0.00	53.52±0.47
		200	V-L (3)	0.88±0.04	0.61±0.61	0.00±0.00	53.53±0.47
		∞	V-L (3)	0.88±0.04	0.61±0.61	0.00±0.00	53.53±0.47

Table IX (continued).

Maze	**Baselines** $\alpha_0 = 0.25,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\mathrm{m},\ T_s = 0.2\,\mathrm{s},\ N_{\mathrm{MC}} = 200$				
	Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
	Unfiltered	–	–	–	–
	$c = 0$	–	–	–	–
	$c_{\max}$	–	–	–	–
	ACI	0.30±0.05	13.04±1.72	0.15±0.34	50.10±0.36
	QT	–	–	–	–

Maze	$\alpha_0 = 0.25,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\mathrm{m},\ T_s = 0.2\,\mathrm{s},\ N_{\mathrm{MC}} = 200$					
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
$\alpha = 0.10$	$\delta = 0.05$	10	V-C (3)	0.86±0.05	0.75±0.73	0.00±0.00	53.41±0.45
		50	V-C (3)	0.86±0.05	0.77±0.73	0.00±0.00	53.40±0.44
		100	V-C (3)	0.86±0.05	0.76±0.71	0.00±0.00	53.41±0.44
		200	V-C (3)	0.86±0.05	0.75±0.72	0.00±0.00	53.41±0.44
		∞	V-C (3)	0.86±0.05	0.75±0.72	0.00±0.00	53.41±0.44
	$\delta = 0.10$	10	V-L (3)	0.84±0.05	1.08±0.90	0.00±0.00	53.25±0.49
		50	V-L (3)	0.84±0.05	1.06±0.90	0.00±0.00	53.26±0.50
		100	V-C (3)	0.84±0.05	1.07±0.91	0.00±0.00	53.25±0.50
		200	V-L (3)	0.84±0.05	1.04±0.90	0.00±0.00	53.27±0.50
		∞	V-L (3)	0.84±0.05	1.04±0.90	0.00±0.00	53.27±0.50
	$\delta = 0.15$	10	V-L (3)	0.82±0.06	1.21±1.02	0.00±0.00	53.14±0.52
		50	V-C (3)	0.82±0.06	1.21±1.03	0.00±0.00	53.13±0.53
		100	V-L (3)	0.82±0.06	1.19±1.01	0.00±0.00	53.15±0.51
		200	V-C (3)	0.82±0.06	1.18±1.01	0.00±0.00	53.15±0.52
		∞	V-C (3)	0.82±0.06	1.18±1.01	0.00±0.00	53.15±0.52
	$\delta = 0.20$	10	V-C (3)	0.81±0.07	1.49±1.31	0.00±0.00	53.02±0.58
		50	V-L (3)	0.81±0.07	1.51±1.29	0.00±0.00	53.03±0.57
		100	V-L (3)	0.81±0.07	1.49±1.30	0.00±0.00	53.03±0.57
		200	V-L (3)	0.81±0.07	1.47±1.30	0.00±0.00	53.04±0.57
		∞	V-L (3)	0.81±0.07	1.47±1.30	0.00±0.00	53.04±0.58
$\alpha = 0.15$	$\delta = 0.025$	10	V-C (3)	0.78±0.05	1.85±1.10	0.00±0.00	52.83±0.46
		50	V-C (3)	0.78±0.05	1.83±1.11	0.00±0.00	52.84±0.46
		100	V-C (3)	0.78±0.05	1.82±1.10	0.00±0.00	52.84±0.47
		200	V-C (3)	0.78±0.05	1.81±1.10	0.00±0.00	52.85±0.47
		∞	V-C (3)	0.78±0.05	1.81±1.11	0.00±0.00	52.85±0.47
	$\delta = 0.05$	10	V-C (3)	0.76±0.06	2.16±1.27	0.00±0.00	52.72±0.52
		50	V-C (3)	0.76±0.06	2.16±1.29	0.00±0.00	52.72±0.52
		100	V-C (3)	0.76±0.06	2.14±1.28	0.00±0.00	52.73±0.52
		200	V-C (3)	0.76±0.06	2.13±1.28	0.00±0.00	52.73±0.51
		∞	V-C (3)	0.76±0.06	2.13±1.28	0.00±0.00	52.73±0.52
	$\delta = 0.10$	10	V-C (3)	0.73±0.06	2.67±1.53	0.00±0.00	52.53±0.52
		50	V-C (3)	0.73±0.06	2.68±1.51	0.00±0.00	52.55±0.53
		100	V-C (3)	0.73±0.06	2.65±1.53	0.00±0.00	52.55±0.53
		200	V-C (3)	0.73±0.06	2.64±1.53	0.00±0.00	52.56±0.53
		∞	V-C (3)	0.73±0.06	2.64±1.53	0.00±0.00	52.56±0.53
	$\delta = 0.15$	10	V-C (3)	0.71±0.07	3.04±1.67	0.00±0.00	52.43±0.52
		50	V-C (3)	0.71±0.07	3.01±1.62	0.00±0.00	52.43±0.52
		100	V-C (3)	0.72±0.07	2.98±1.61	0.00±0.00	52.44±0.53
		200	V-C (3)	0.72±0.07	2.97±1.62	0.00±0.00	52.44±0.53
		∞	V-C (3)	0.72±0.07	2.97±1.62	0.00±0.00	52.45±0.53
	$\delta = 0.20$	10	V-C (3)	0.70±0.08	3.38±1.87	0.00±0.06	52.33±0.59
		50	V-C (3)	0.70±0.08	3.35±1.85	0.00±0.06	52.33±0.58
		100	V-C (3)	0.70±0.08	3.36±1.88	0.00±0.06	52.32±0.58
		200	V-C (3)	0.70±0.08	3.31±1.87	0.00±0.06	52.34±0.58
		∞	V-C (3)	0.70±0.08	3.30±1.87	0.00±0.06	52.34±0.58

Table IX (continued).

Maze	**Baselines** $\alpha_0 = 0.25,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\mathrm{m},\ T_s = 0.2\,\mathrm{s},\ N_{\mathrm{MC}} = 200$			
Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
Unfiltered	–	–	–	–
$c = 0$	–	–	–	–
$c_{\max}$	–	–	–	–
ACI	0.30±0.05	13.04±1.72	0.15±0.34	50.10±0.36
QT	–	–	–	–

Maze	$\alpha_0 = 0.25,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\mathrm{m},\ T_s = 0.2\,\mathrm{s},\ N_{\mathrm{MC}} = 200$						
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
$\alpha = 0.20$	$\delta = 0.025$	10	V-C (3)	0.69±0.06	3.67±1.58	0.00±0.00	52.20±0.47
		50	V-C (3)	0.69±0.06	3.60±1.57	0.00±0.00	52.21±0.47
		100	V-C (3)	0.69±0.06	3.60±1.57	0.00±0.00	52.21±0.48
		200	V-C (3)	0.69±0.06	3.59±1.57	0.00±0.00	52.22±0.48
		∞	V-C (3)	0.69±0.06	3.59±1.57	0.00±0.00	52.22±0.48
	$\delta = 0.05$	10	V-C (3)	0.66±0.06	4.06±1.74	0.00±0.00	52.09±0.49
		50	V-C (3)	0.67±0.06	4.04±1.74	0.00±0.00	52.08±0.49
		100	V-C (3)	0.67±0.06	4.02±1.72	0.00±0.00	52.08±0.49
		200	V-C (3)	0.67±0.06	4.01±1.73	0.00±0.00	52.09±0.49
		∞	V-C (3)	0.67±0.06	4.01±1.73	0.00±0.00	52.09±0.49
	$\delta = 0.10$	10	V-C (3)	0.64±0.07	4.60±1.93	0.00±0.06	51.94±0.54
		50	V-C (3)	0.64±0.07	4.57±1.91	0.00±0.06	51.94±0.53
		100	V-C (3)	0.64±0.07	4.56±1.89	0.00±0.06	51.96±0.54
		200	V-C (3)	0.64±0.07	4.52±1.91	0.00±0.06	51.96±0.54
		∞	V-C (3)	0.64±0.07	4.52±1.91	0.00±0.06	51.96±0.54
	$\delta = 0.15$	10	V-C (3)	0.62±0.07	5.12±2.18	0.00±0.06	51.82±0.57
		50	V-C (3)	0.62±0.08	5.05±2.14	0.00±0.06	51.83±0.56
		100	V-C (3)	0.62±0.08	5.01±2.11	0.00±0.06	51.84±0.55
		200	V-C (3)	0.62±0.08	4.99±2.12	0.00±0.06	51.85±0.56
		∞	V-C (3)	0.62±0.08	4.99±2.12	0.00±0.06	51.85±0.56
	$\delta = 0.20$	10	V-C (3)	0.61±0.08	5.31±2.18	0.00±0.06	51.79±0.57
		50	V-C (3)	0.61±0.08	5.38±2.19	0.00±0.06	51.79±0.58
		100	V-C (3)	0.61±0.08	5.31±2.17	0.00±0.06	51.79±0.58
		200	V-C (3)	0.61±0.08	5.26±2.17	0.00±0.06	51.81±0.58
		∞	V-C (3)	0.61±0.08	5.26±2.17	0.00±0.06	51.81±0.58

J. *Maze,* $\alpha_0 = 0.30$

TABLE X

COMPACT SWEEP (BEST VARIANT), MAZE, $\alpha_0 = 0.30$. *File:* APPENDICES/GENERATED_N200/CATALOG/PAPER/COMPACT_MAZE_A030.TEX. *Data:* [F]; FAMILIES MAIN_GRID_200, MATCHED_BASELINES_200; 130 VIEWS (IDS IN [C]). *Restore:* \NTABLE{../CATALOG/PAPER/COMPACT_MAZE_A030}; NOT USED IN THE CURRENT EDITIONS.

Compact sweep. One row per setting $(\alpha_0, \alpha, \delta, K)$ of the main grid. Variant: the variant with the most best means in the four columns (best: the bold rule of the key; ties of a column all count); (k): the number k of the four columns in which it has the best mean; ties in k: smaller printed $\widehat{m}_c/c_{\max}$, then $\widehat{q}^{+}_{\text{unsafe}}$, $\widehat{q}^{+}_{\text{CBF}}$, $\widehat{T}_{\text{mis}}$, then the order V-U, V-Δ, V-L, V-C. ±: one sample SD over the trajectories that enter the mean; $^{+}$: decision fraction; ↓: lower is better.

Maze **Baselines** $\alpha_0 = 0.30,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\text{m},\ T_s = 0.2\,\text{s},\ N_{\text{MC}} = 200$

Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
Unfiltered	N-A	55.68±1.58	53.27±0.95	42.16±0.14
$c = 0$	0.00±0.00	24.93±2.57	3.86±2.16	48.67±0.27
$c_{\max}$	1.00±0.00	0.00±0.00	0.00±0.00	54.44±0.32
ACI	0.22±0.04	15.84±1.93	0.48±0.65	49.71±0.32
QT	0.50±0.03	8.04±1.31	0.05±0.17	51.18±0.32

Maze $\alpha_0 = 0.30,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\text{m},\ T_s = 0.2\,\text{s},\ N_{\text{MC}} = 200$

α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\text{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\text{unsafe}}\downarrow(\%)$	$\widehat{T}_{\text{mis}}\downarrow(\text{s})$
$\alpha = 0.05$	$\delta = 0.025$	10	V-Δ (4)	0.97±0.03	0.08±0.21	0.00±0.00	54.21±0.38
		50	V-Δ (4)	0.97±0.03	0.08±0.21	0.00±0.00	54.21±0.39
		100	V-Δ (4)	0.97±0.03	0.08±0.21	0.00±0.00	54.21±0.39
		200	V-Δ (4)	0.97±0.03	0.08±0.21	0.00±0.00	54.22±0.38
		∞	V-Δ (4)	0.97±0.03	0.08±0.21	0.00±0.00	54.22±0.38
	$\delta = 0.05$	10	V-U (4)	0.96±0.03	0.10±0.25	0.00±0.00	54.16±0.40
		50	V-U (4)	0.96±0.03	0.10±0.26	0.00±0.00	54.15±0.40
		100	V-U (4)	0.96±0.03	0.10±0.25	0.00±0.00	54.16±0.40
		200	V-U (4)	0.96±0.03	0.10±0.25	0.00±0.00	54.16±0.40
		∞	V-U (4)	0.96±0.03	0.10±0.25	0.00±0.00	54.16±0.40
	$\delta = 0.10$	10	V-C (4)	0.95±0.04	0.18±0.35	0.00±0.00	54.04±0.43
		50	V-U (4)	0.95±0.04	0.19±0.37	0.00±0.00	54.05±0.42
		100	V-C (4)	0.95±0.04	0.17±0.34	0.00±0.00	54.05±0.43
		200	V-U (4)	0.95±0.04	0.17±0.35	0.00±0.00	54.06±0.42
		∞	V-U (4)	0.95±0.04	0.17±0.35	0.00±0.00	54.06±0.42
	$\delta = 0.15$	10	V-U (4)	0.94±0.04	0.21±0.41	0.00±0.00	53.96±0.44
		50	V-U (4)	0.94±0.04	0.22±0.41	0.00±0.00	53.96±0.44
		100	V-U (4)	0.94±0.04	0.21±0.41	0.00±0.00	53.97±0.44
		200	V-U (4)	0.94±0.04	0.21±0.41	0.00±0.00	53.97±0.44
		∞	V-U (4)	0.94±0.04	0.21±0.41	0.00±0.00	53.97±0.44
	$\delta = 0.20$	10	V-U (4)	0.93±0.04	0.25±0.47	0.00±0.00	53.91±0.45
		50	V-U (4)	0.93±0.04	0.26±0.48	0.00±0.00	53.91±0.45
		100	V-U (4)	0.93±0.04	0.25±0.47	0.00±0.00	53.91±0.45
		200	V-U (4)	0.93±0.04	0.25±0.47	0.00±0.00	53.92±0.45
		∞	V-U (4)	0.93±0.04	0.25±0.47	0.00±0.00	53.92±0.45
$\alpha = 0.10$	$\delta = 0.025$	10	V-Δ (3)	0.88±0.04	0.55±0.55	0.00±0.00	53.56±0.46
		50	V-Δ (3)	0.88±0.04	0.55±0.55	0.00±0.00	53.57±0.46
		100	V-L (3)	0.88±0.04	0.62±0.61	0.00±0.00	53.52±0.47
		200	V-L (3)	0.88±0.04	0.61±0.61	0.00±0.00	53.53±0.47
		∞	V-L (3)	0.88±0.04	0.61±0.61	0.00±0.00	53.53±0.47

Table X (continued).

Maze **Baselines** $\alpha_0 = 0.30,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\mathrm{m},\ T_s = 0.2\,\mathrm{s},\ N_{\mathrm{MC}} = 200$			
Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
Unfiltered	N-A	55.68±1.58	53.27±0.95	42.16±0.14
$c = 0$	0.00±0.00	24.93±2.57	3.86±2.16	48.67±0.27
$c_{\max}$	1.00±0.00	0.00±0.00	0.00±0.00	54.44±0.32
ACI	0.22±0.04	15.84±1.93	0.48±0.65	49.71±0.32
QT	0.50±0.03	8.04±1.31	0.05±0.17	51.18±0.32

Maze $\alpha_0 = 0.30,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\mathrm{m},\ T_s = 0.2\,\mathrm{s},\ N_{\mathrm{MC}} = 200$							
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
$\alpha = 0.10$	$\delta = 0.05$	10	V-C (3)	0.86±0.05	0.75±0.73	0.00±0.00	53.41±0.45
		50	V-C (3)	0.86±0.05	0.77±0.73	0.00±0.00	53.40±0.44
		100	V-C (3)	0.86±0.05	0.76±0.71	0.00±0.00	53.41±0.44
		200	V-C (3)	0.86±0.05	0.75±0.72	0.00±0.00	53.41±0.44
		∞	V-C (3)	0.86±0.05	0.75±0.72	0.00±0.00	53.41±0.44
	$\delta = 0.10$	10	V-L (3)	0.84±0.05	1.08±0.90	0.00±0.00	53.25±0.49
		50	V-U (3)	0.84±0.05	0.95±0.80	0.00±0.00	53.30±0.49
		100	V-C (3)	0.84±0.05	1.07±0.91	0.00±0.00	53.25±0.50
		200	V-L (3)	0.84±0.05	1.04±0.90	0.00±0.00	53.27±0.50
		∞	V-L (3)	0.84±0.05	1.04±0.90	0.00±0.00	53.27±0.50
	$\delta = 0.15$	10	V-L (3)	0.82±0.06	1.21±1.02	0.00±0.00	53.14±0.52
		50	V-C (3)	0.82±0.06	1.21±1.03	0.00±0.00	53.13±0.53
		100	V-L (3)	0.82±0.06	1.19±1.01	0.00±0.00	53.15±0.51
		200	V-C (3)	0.82±0.06	1.18±1.01	0.00±0.00	53.15±0.52
		∞	V-C (3)	0.82±0.06	1.18±1.01	0.00±0.00	53.15±0.52
	$\delta = 0.20$	10	V-C (3)	0.81±0.07	1.49±1.31	0.00±0.00	53.02±0.58
		50	V-U (3)	0.81±0.06	1.37±1.15	0.00±0.00	53.08±0.54
		100	V-L (3)	0.81±0.07	1.49±1.30	0.00±0.00	53.03±0.57
		200	V-L (3)	0.81±0.07	1.47±1.30	0.00±0.00	53.04±0.57
		∞	V-L (3)	0.81±0.07	1.47±1.30	0.00±0.00	53.04±0.58
$\alpha = 0.15$	$\delta = 0.025$	10	V-C (3)	0.78±0.05	1.85±1.10	0.00±0.00	52.83±0.46
		50	V-L (3)	0.78±0.05	1.84±1.12	0.00±0.00	52.83±0.46
		100	V-L (3)	0.78±0.05	1.84±1.11	0.00±0.00	52.83±0.46
		200	V-L (3)	0.78±0.05	1.83±1.11	0.00±0.00	52.84±0.46
		∞	V-L (3)	0.78±0.05	1.82±1.12	0.00±0.00	52.84±0.46
	$\delta = 0.05$	10	V-L (3)	0.76±0.06	2.16±1.27	0.00±0.00	52.72±0.52
		50	V-L (3)	0.76±0.06	2.16±1.28	0.00±0.00	52.72±0.52
		100	V-L (3)	0.76±0.06	2.14±1.28	0.00±0.00	52.72±0.52
		200	V-L (3)	0.76±0.06	2.13±1.28	0.00±0.00	52.73±0.52
		∞	V-L (3)	0.76±0.06	2.13±1.28	0.00±0.00	52.73±0.52
	$\delta = 0.10$	10	V-C (3)	0.73±0.06	2.67±1.53	0.00±0.00	52.53±0.52
		50	V-C (3)	0.73±0.06	2.68±1.51	0.00±0.00	52.55±0.53
		100	V-C (3)	0.73±0.06	2.65±1.53	0.00±0.00	52.55±0.53
		200	V-C (3)	0.73±0.06	2.64±1.53	0.00±0.00	52.56±0.53
		∞	V-C (3)	0.73±0.06	2.64±1.53	0.00±0.00	52.56±0.53
	$\delta = 0.15$	10	V-C (3)	0.71±0.07	3.04±1.67	0.00±0.00	52.43±0.52
		50	V-C (3)	0.71±0.07	3.01±1.62	0.00±0.00	52.43±0.52
		100	V-L (3)	0.72±0.07	2.98±1.62	0.00±0.00	52.44±0.52
		200	V-C (3)	0.72±0.07	2.97±1.62	0.00±0.00	52.44±0.53
		∞	V-L (3)	0.72±0.07	2.97±1.62	0.00±0.00	52.45±0.53
	$\delta = 0.20$	10	V-C (3)	0.70±0.08	3.38±1.87	0.00±0.06	52.33±0.59
		50	V-C (3)	0.70±0.08	3.35±1.85	0.00±0.06	52.33±0.58
		100	V-C (3)	0.70±0.08	3.36±1.88	0.00±0.06	52.32±0.58
		200	V-L (3)	0.70±0.08	3.31±1.89	0.00±0.06	52.34±0.58
		∞	V-C (3)	0.70±0.08	3.30±1.87	0.00±0.06	52.34±0.58

Table X (continued).

Maze **Baselines** $\alpha_0 = 0.30,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\mathrm{m},\ T_s = 0.2\,\mathrm{s},\ N_{\mathrm{MC}} = 200$			
Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
Unfiltered	N-A	55.68±1.58	53.27±0.95	42.16±0.14
$c = 0$	0.00±0.00	24.93±2.57	3.86±2.16	48.67±0.27
$c_{\max}$	1.00±0.00	0.00±0.00	0.00±0.00	54.44±0.32
ACI	0.22±0.04	15.84±1.93	0.48±0.65	49.71±0.32
QT	0.50±0.03	8.04±1.31	0.05±0.17	51.18±0.32

Maze $\alpha_0 = 0.30,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\mathrm{m},\ T_s = 0.2\,\mathrm{s},\ N_{\mathrm{MC}} = 200$							
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
$\alpha = 0.20$	$\delta = 0.025$	10	V-C (3)	0.69±0.06	3.67±1.58	0.00±0.00	52.20±0.47
		50	V-C (3)	0.69±0.06	3.60±1.57	0.00±0.00	52.21±0.47
		100	V-C (3)	0.69±0.06	3.60±1.57	0.00±0.00	52.21±0.48
		200	V-C (3)	0.69±0.06	3.59±1.57	0.00±0.00	52.22±0.48
		∞	V-C (3)	0.69±0.06	3.59±1.57	0.00±0.00	52.22±0.48
	$\delta = 0.05$	10	V-C (3)	0.66±0.06	4.06±1.74	0.00±0.00	52.09±0.49
		50	V-C (3)	0.67±0.06	4.04±1.74	0.00±0.00	52.08±0.49
		100	V-C (3)	0.67±0.06	4.02±1.72	0.00±0.00	52.08±0.49
		200	V-C (3)	0.67±0.06	4.01±1.73	0.00±0.00	52.09±0.49
		∞	V-C (3)	0.67±0.06	4.01±1.73	0.00±0.00	52.09±0.49
	$\delta = 0.10$	10	V-C (3)	0.64±0.07	4.60±1.93	0.00±0.06	51.94±0.54
		50	V-C (3)	0.64±0.07	4.57±1.91	0.00±0.06	51.94±0.53
		100	V-C (3)	0.64±0.07	4.56±1.89	0.00±0.06	51.96±0.54
		200	V-C (3)	0.64±0.07	4.52±1.91	0.00±0.06	51.96±0.54
		∞	V-C (3)	0.64±0.07	4.52±1.91	0.00±0.06	51.96±0.54
	$\delta = 0.15$	10	V-C (3)	0.62±0.07	5.12±2.18	0.00±0.06	51.82±0.57
		50	V-C (3)	0.62±0.08	5.05±2.14	0.00±0.06	51.83±0.56
		100	V-C (3)	0.62±0.08	5.01±2.11	0.00±0.06	51.84±0.55
		200	V-C (3)	0.62±0.08	4.99±2.12	0.00±0.06	51.85±0.56
		∞	V-C (3)	0.62±0.08	4.99±2.12	0.00±0.06	51.85±0.56
	$\delta = 0.20$	10	V-C (3)	0.61±0.08	5.31±2.18	0.00±0.06	51.79±0.57
		50	V-C (3)	0.61±0.08	5.38±2.19	0.00±0.06	51.79±0.58
		100	V-C (3)	0.61±0.08	5.31±2.17	0.00±0.06	51.79±0.58
		200	V-C (3)	0.61±0.08	5.26±2.17	0.00±0.06	51.81±0.58
		∞	V-C (3)	0.61±0.08	5.26±2.17	0.00±0.06	51.81±0.58
$\alpha = 0.25$	$\delta = 0.025$	10	V-C (3)	0.60±0.06	5.73±1.88	0.00±0.04	51.67±0.47
		50	V-C (3)	0.60±0.06	5.77±1.86	0.00±0.04	51.67±0.48
		100	V-C (2)	0.60±0.06	5.75±1.88	0.01±0.05	51.67±0.47
		200	V-C (3)	0.60±0.06	5.75±1.88	0.00±0.04	51.67±0.47
		∞	V-C (3)	0.60±0.06	5.74±1.89	0.00±0.04	51.67±0.47
	$\delta = 0.05$	10	V-C (2)	0.58±0.06	6.27±1.93	0.01±0.06	51.58±0.50
		50	V-C (2)	0.58±0.06	6.26±1.92	0.01±0.06	51.57±0.49
		100	V-C (2)	0.58±0.06	6.24±1.93	0.01±0.06	51.58±0.49
		200	V-C (2)	0.58±0.06	6.22±1.94	0.01±0.06	51.58±0.49
		∞	V-C (2)	0.58±0.06	6.22±1.94	0.01±0.06	51.58±0.49
	$\delta = 0.10$	10	V-C (2)	0.55±0.07	6.76±2.17	0.01±0.09	51.43±0.52
		50	V-C (2)	0.55±0.07	6.78±2.18	0.01±0.09	51.44±0.54
		100	V-C (2)	0.55±0.07	6.74±2.17	0.01±0.09	51.46±0.54
		200	V-C (2)	0.56±0.07	6.71±2.18	0.01±0.09	51.47±0.54
		∞	V-C (2)	0.56±0.07	6.71±2.18	0.01±0.09	51.47±0.54
	$\delta = 0.15$	10	V-C (2)	0.53±0.07	7.22±2.34	0.01±0.07	51.34±0.54
		50	V-C (2)	0.53±0.08	7.28±2.37	0.01±0.07	51.33±0.53
		100	V-C (2)	0.53±0.08	7.21±2.33	0.01±0.08	51.33±0.54
		200	V-C (2)	0.53±0.08	7.15±2.36	0.01±0.07	51.35±0.53
		∞	V-C (2)	0.53±0.08	7.15±2.36	0.01±0.07	51.35±0.53

Table X (continued).

Maze **Baselines** $\alpha_0 = 0.30,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\mathrm{m},\ T_s = 0.2\,\mathrm{s},\ N_{\mathrm{MC}} = 200$				
Method	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
Unfiltered	N-A	55.68±1.58	53.27±0.95	42.16±0.14
$c = 0$	0.00±0.00	24.93±2.57	3.86±2.16	48.67±0.27
$c_{\max}$	1.00±0.00	0.00±0.00	0.00±0.00	54.44±0.32
ACI	0.22±0.04	15.84±1.93	0.48±0.65	49.71±0.32
QT	0.50±0.03	8.04±1.31	0.05±0.17	51.18±0.32

Maze $\alpha_0 = 0.30,\ \phi = 1,\ L_\mu = 0.0005,\ c_{\max} = 0.01\,\mathrm{m},\ T_s = 0.2\,\mathrm{s},\ N_{\mathrm{MC}} = 200$							
α	δ	K	Variant (k)	$\widehat{m}_c/c_{\max}\downarrow$	$\widehat{q}^{+}_{\mathrm{CBF}}\downarrow(\%)$	$\widehat{q}^{+}_{\mathrm{unsafe}}\downarrow(\%)$	$\widehat{T}_{\mathrm{mis}}\downarrow(\mathrm{s})$
$\alpha = 0.25$	$\delta = 0.20$	10	V-C (2)	0.52±0.07	7.38±2.26	0.01±0.06	51.26±0.52
		50	V-C (2)	0.52±0.07	7.40±2.27	0.01±0.06	51.25±0.52
		100	V-C (2)	0.52±0.07	7.42±2.27	0.01±0.06	51.25±0.52
		200	V-C (2)	0.52±0.08	7.32±2.30	0.01±0.06	51.27±0.52
		∞	V-C (2)	0.52±0.08	7.32±2.30	0.01±0.06	51.27±0.52