Twelve candidates, one shared spelling: the error no rescoring can fix

One clip from DL Sprint eval. Each row is one of the 12 candidates sampled from the zero-shot model; shaded words differ from the reference transcript.

	বড়	ভাবনা	ছিল	তোরে	নিয়া	এইবার	বাঁচবি
ref.							
1	বড়	ভাবনা	ছিলো	তরে	নিয়া	এইবার	বাঁচবি
2	বড়ো	ভাবনা	ছিলো	তরে	নিয়া	এইবার	বাঁচবি
3	বড়	ভাবনা	ছিলো	তোরে	নিয়া	এইবার	বাঁচবি
4	বড়	ভাবনা	ছিলো	তোরে	নিয়া	এইবার	বাঁচবি
5	বড়	ভাবনা	ছিলো	তোরে	নিয়া	এইবার	বাঁচবি
6	বড়ো	ভাবনা	ছিলো	তোরে	নিয়া	এইবার	বাঁচবি
7	বড়ো	ভাবনা	ছিলো	তোরে	নিয়া	এইবার	বাঁচবি
8	বড়	ভাবনা	ছিলো	তরে	নিয়া	এইবার	বাঁচবি
9	বড়ো	ভাবনা	ছিলো	তোরে	নিয়া	এইবার	বাঁচবি
10	বড়	ভাবনা	ছিলো	তরে	নিয়া	এইবার	বাঁচবি
11	বড়	ভাবনা	ছিলো	তোরে	নিয়া	এইবার	বাঁচবি
12	বড়	ভাবনা	ছিলো	তোরে	নিয়া	এইবার	বাঁচবি
match	8/12	12/12	0/12	8/12	12/12	12/12	12/12

“I was so worried about you. This time you will live.”

12 of 12

candidates write ছিলো, the reference writes ছিল. Rescoring can only choose among the candidates, so it can never output the reference word: a selection-proof error. It is the same word in another spelling.

4 of 12

candidates differ on বড় and তোরে. Here the majority is right, so voting over the list gets the word right: rescoring helps only where most candidates already agree with the reference.

ZERO-SHOT, GREEDY

বড় ভাবনা ছিলো তোরে নিয়া এইবার বাঁচবি

FINAL MODEL, FINE-TUNED

বড় ভাবনা ছিল তোরে নিয়া এইবার বাঁচবি

Fine-tuning learns the corpus's spelling, which no candidate list contains.