



MAHESH KUMAWAT
CYBER SECURITY
CONSULTANT

 **+91-9350020321**

 **Mahesh.Kumawat1@gmail.com**

 **mahesh07772**

 **<https://tinyurl.com/36um2czz>**

**CYBER SECURITY
CORPORATE TRAINING**

JOIN NOW
Cyber Security Expert.
CEH (Certified Ethical Hacker)
CISSP (Certified Information Systems
Security Professional)
CISA (Certified Information Systems
Auditors)
CISM (Certified Information Security
Manager)
CISM (Certified Information Security
Manager)
CCSP (Certified Cloud Security
Professional)

Cybersecurity Analyst – Job Roles & Responsibilities

🔍 1. Threat Monitoring & Detection

- Monitor security systems (SIEM, IDS/IPS, firewalls) for anomalies and threats.
- Analyze alerts and logs from various sources (e.g., endpoint, network, cloud).
- Detect suspicious behavior using tools like:
 - Splunk, Sentinel, QRadar
 - Wireshark, Zeek
 - CrowdStrike, Defender for Endpoint

🛡️ 2. Incident Response

- Respond to security incidents (e.g., malware, phishing, data breaches).
- Perform root cause analysis and containment.
- Assist in recovery and remediation steps.
- Create incident reports and update playbooks.

🔍 3. Vulnerability Management

- Conduct regular vulnerability scans (e.g., Nessus, Qualys).

- Analyze scan results and prioritize remediation.
 - Coordinate patching and mitigation with IT teams.
 - Track zero-days and emerging threats.
-

4. Security Controls & Policy Enforcement

- Ensure enforcement of security policies and standards (NIST, ISO 27001).
 - Configure and maintain endpoint protection tools.
 - Help with DLP, EDR, firewall, and NAC policy tuning.
-

5. Security Awareness & Training

- Educate employees on phishing, social engineering, and secure practices.
 - Simulate phishing campaigns and analyze user responses.
 - Contribute to internal training material development.
-

6. Security Auditing & Compliance

- Support internal and external audits (e.g., SOX, PCI-DSS, HIPAA).
 - Maintain logs, reports, and documentation for compliance.
 - Collaborate with GRC teams on risk assessments.
-

7. Security Tool Management

- Deploy, configure, and maintain security tools:
 - SIEM, EDR, DLP, SOAR platforms
 - Antivirus, VPNs, proxies
 - Automate repetitive tasks (scripts, playbooks, SOAR).
-

8. Cloud & Hybrid Security (Modern Role)

- Monitor cloud infrastructure (AWS, Azure, GCP) for misconfigurations.
 - Use CSPM tools (e.g., Prisma Cloud, Azure Defender).
 - Secure containers, VMs, APIs in DevSecOps pipelines.
-

9. Reporting & Documentation

- Prepare daily/weekly/monthly security reports.
- Maintain detailed incident records and timelines.
- Track KPIs, security metrics, and threat intelligence.

Key Skills & Tools

Area	Tools & Skills
SIEM	Splunk, Sentinel, QRadar
EDR	CrowdStrike, Carbon Black, Microsoft Defender
Vulnerability	Nessus, Qualys, OpenVAS
Scripting	Python, PowerShell, Bash
Networking	TCP/IP, DNS, HTTP/S, firewalls
Threat Frameworks	MITRE ATT&CK, Cyber Kill Chain, NIST CSF
Soft Skills	Critical thinking, communication, documentation

Career Path Progression

1. **Cybersecurity Analyst (Tier 1–2 SOC)**
2. **Incident Responder / Threat Hunter**
3. **Security Engineer / Architect**
4. **Security Operations Lead / Manager**
5. **Cybersecurity Consultant / CISO (long term)**

Cybersecurity Analyst tools and skills use cases?

Cybersecurity Analyst Tools and Use Cases

Category	Tool/Skill	Use Case
SIEM (Security Info & Event Management)	Splunk, Microsoft Sentinel, IBM QRadar, LogRhythm	Monitor and analyze logs from endpoints, firewalls, servers. Example: Investigate failed login attempts and brute-force attacks.
EDR/XDR (Endpoint Detection & Response)	CrowdStrike Falcon, Microsoft Defender for Endpoint, SentinelOne, Palo Alto Cortex XDR	Detect and respond to malware or lateral movement across endpoints. Example: Quarantine a compromised device and trace attacker path.

Category	Tool/Skill	Use Case
Threat Intelligence	Recorded Future, MISP, VirusTotal, Anomali	Identify IOCs (IPs, hashes, domains) and correlate with active threats. Example: Block a known malicious IP address based on threat intel feeds.
Network Analysis	Wireshark, Zeek (Bro), tcpdump	Capture and analyze network traffic for signs of compromise. Example: Detect data exfiltration or C2 traffic using packet inspection.
Vulnerability Management	Nessus, Qualys, OpenVAS, Rapid7 InsightVM	Scan assets and prioritize patching based on CVSS score. Example: Detect unpatched Windows servers vulnerable to EternalBlue (CVE-2017-0144).
SOAR (Security Orchestration Automation & Response)	Splunk SOAR (Phantom), Palo Alto XSOAR, Microsoft Sentinel Playbooks	Automate repetitive tasks like phishing response, IOC lookups. Example: Auto-isolate an infected host and notify IT via Slack or Teams.
Forensics	FTK Imager, Autopsy, Velociraptor	Collect and analyze disk/memory for malware or unauthorized access. Example: Investigate a suspicious file on a user's PC and extract metadata.
Cloud Security	AWS GuardDuty, Azure Defender, Prisma Cloud, Wiz	Detect misconfigurations and threats in cloud environments. Example: Alert when an S3 bucket is publicly accessible or a key is exposed.
IAM & MFA Tools	Okta, Duo Security, Azure AD, CyberArk	Enforce multi-factor authentication, privilege control, and SSO. Example: Require MFA before accessing the VPN or critical apps.
Phishing Simulation & Awareness	KnowBe4, Cofense, Hoxhunt	Test user susceptibility to phishing emails. Example: Track how many employees clicked on a simulated malicious link.

□ Cybersecurity Skills with Real-World Use Cases

Skill	Use Case
Log Analysis	Identify abnormal authentication patterns in Windows Event logs and firewall logs.
Incident Response (IR)	Triage alerts, isolate affected systems, collect evidence, and report breach to stakeholders.
Threat Hunting	Use MITRE ATT&CK to proactively search for signs of compromise that bypassed security controls.
Scripting (Python, PowerShell)	Write a script to bulk-extract indicators from logs or automate IOC enrichment.

Skill	Use Case
Understanding MITRE ATT&CK	Map alerts to ATT&CK TTPs to identify patterns across different attack campaigns.
Networking Fundamentals	Interpret PCAP files to trace lateral movement or data exfiltration activities.
Policy Writing & Governance	Develop or enforce security policies like acceptable use, incident handling, password policy.

🔄 End-to-End Use Case Scenario

Use Case: Suspicious User Activity Alert

1. **SIEM Alert** triggers from Sentinel on abnormal PowerShell activity from an endpoint.
2. Analyst uses **EDR (CrowdStrike)** to check what commands were run and isolates the device.
3. Analyst pulls logs from **Windows Event Viewer** and correlates with login activity.
4. IOC hash is submitted to **VirusTotal** and matched with known malware.
5. Incident is escalated via **SOAR** to notify SOC manager, HR, and IT.
6. Post-mortem report is written and used to tune detection rules and update playbooks.

Cybersecurity Analyst interview questions and answers?

General Cybersecurity Knowledge

Q1: What is the CIA triad?

A:

The CIA triad stands for **Confidentiality, Integrity, and Availability**.

- **Confidentiality** ensures that information is only accessible to authorized users.
 - **Integrity** ensures that data is accurate and hasn't been tampered with.
 - **Availability** ensures that systems and data are available when needed.
-

Q2: What's the difference between a vulnerability, a threat, and a risk?

A:

- **Vulnerability:** A weakness in a system (e.g., unpatched software).
- **Threat:** A potential attacker or event that can exploit a vulnerability.

- **Risk:** The potential impact if a threat exploits a vulnerability.
-

🔍 2. Monitoring, Detection & Incident Response

Q3: How would you respond to a ransomware attack on an endpoint?

A:

1. Immediately isolate the system from the network to prevent lateral spread.
 2. Notify the incident response team.
 3. Collect forensic evidence (logs, memory dump).
 4. Identify the ransomware strain and scope of impact.
 5. Restore systems from backups and conduct post-incident review.
-

Q4: What's the difference between IDS and IPS?

A:

- **IDS (Intrusion Detection System)** monitors network traffic for suspicious activity and alerts the analyst.
 - **IPS (Intrusion Prevention System)** can take action, such as blocking traffic, in addition to detecting.
-

Q5: What logs would you check during a brute-force login attempt?

A:

- **Authentication logs** (e.g., Windows Event ID 4625 for failed logons).
 - **Firewall logs** for IP sources.
 - **SIEM alerts** with correlation rules (e.g., more than X attempts in Y minutes).
 - **Endpoint security logs**.
-

3. Tools and Techniques

Q6: What tools do you use to analyze and investigate a suspicious file?

A:

- **VirusTotal:** quick hash/URL/file analysis.
- **Sandboxing:** execute in a controlled environment.

- **Strings & ExifTool**: for metadata.
 - **Wireshark**: for analyzing traffic if the file connects to a server.
 - **YARA rules**: for identifying malware patterns.
-

Q7: How do you stay current with cybersecurity threats?

A:

I follow threat intel feeds (e.g., AlienVault OTX, Recorded Future), subscribe to CERT advisories, and monitor forums like Reddit r/netsec and Twitter. I also use MITRE ATT&CK to stay updated on TTPs.

☐ 4. Vulnerability & Patch Management

Q8: How do you prioritize vulnerabilities found in a scan?

A:

- Use **CVSS score** (Critical > High > Medium > Low).
 - Consider **asset value** (public-facing, business-critical).
 - Look for **known exploits** (CISA KEV catalog).
 - Check if **compensating controls** exist.
 - Apply risk-based prioritization.
-

Q9: What steps would you take if a critical vulnerability (like Log4Shell) is discovered?

A:

1. Identify affected systems using inventory tools or scanning.
 2. Apply patches or mitigations immediately.
 3. Monitor for related IOC activity.
 4. Update detection rules in the SIEM.
 5. Report to management and document steps taken.
-

5. Behavioral / Situational

Q10: Describe a time you resolved a high-priority security incident.

A:

[Use STAR method — Situation, Task, Action, Result.]

Example:

- **Situation:** Detected abnormal login attempts on a critical server.
 - **Task:** Confirm whether it was malicious.
 - **Action:** Pulled logs, identified brute-force pattern, blocked IPs, reset affected credentials.
 - **Result:** Prevented potential breach and updated alerting rules to catch similar threats faster.
-

Q11: What would you do if your manager told you to ignore a low-level security alert?

A:

I would assess the alert's potential impact and gather more context. If it appears low-risk but may be part of a larger threat chain (e.g., part of MITRE ATT&CK initial access), I'd respectfully explain the reasoning to my manager and recommend monitoring or escalating it if necessary.

6. Team & Communication

Q12: How do you explain a security issue to a non-technical colleague?

A:

I avoid jargon and use analogies. For example, I might explain a phishing email as a fake letter pretending to be from your bank, trying to steal your credentials. The goal is clarity, not impressing them with technical terms.

Cybersecurity Analyst Scenario based interview questions and answers with example and case study and use cases?

1. Scenario: Phishing Email Detected

 **Question:**

You receive a report from an employee about a suspicious email with a link. Walk me through your investigation and response steps.

✓ Answer Structure:

1. Triage:

- Ask the user **not to click the link** or interact further.
- Request a copy of the email (headers + content).

2. Analyze:

- Inspect the **URL** using **VirusTotal**, **Any.run**, or a sandbox.
- Extract and check **IOCs** (domains, IPs, hashes).
- Correlate with existing SIEM alerts.

3. Containment:

- Block malicious domain/IP via proxy or firewall.
- Search email logs to see if others received the message.

4. Remediation:

- Remove the email via Exchange/Outlook quarantine.
- Reset credentials if phishing was successful.
- Notify affected users and recommend password change.

5. Reporting & Follow-up:

- Document the incident and update phishing detection rules.
- Provide user awareness training feedback.

🎯 Use Case:

Prevented credential theft and lateral movement via an MFA-bypass phishing email targeting Office365 users.

2. Scenario: Malware Infection on Endpoint

🖱️ Question:

An endpoint has triggered multiple alerts from your EDR tool for suspicious activity. How do you respond?

✓ Answer:

1. Triage:

- Validate the alert from the EDR dashboard.
- Identify the **process, parent-child relationships**, and **command-line arguments**.

2. Contain:

- **Isolate the endpoint** from the network using the EDR tool.

3. Investigate:

- Run memory analysis or collect logs with tools like Velociraptor or KAPE.
- Use sandboxing or reverse engineering if needed.
- Determine initial access vector (email, USB, drive-by).

4. Eradicate & Recover:

- Remove the malware.
- Reimage the system if rootkit or persistence is detected.
- Patch vulnerabilities exploited.

5. Lessons Learned:

- Update detection rules and SIEM correlation logic.
- Report the malware family for threat intel enrichment.

🔗 Use Case:

Detected and contained TrickBot malware before it could drop Ryuk ransomware, preventing a full domain compromise.

3. Scenario: Unusual Network Traffic Detected

Question:

You notice large data transfers from an internal server to an unknown IP late at night. What steps do you take?

✓ Answer:

1. Triage & Detection:

- Validate the anomaly via NetFlow or firewall logs.
- Determine destination IP ownership (WHOIS, IP reputation lookup).

2. Investigate:

- Correlate with logs (e.g., Windows Event Logs, syslogs).
- Check for suspicious processes or scheduled tasks on the server.
- Examine user activity tied to the server (e.g., service account).

3. Containment:

- Block the external IP at firewall.
- Take server offline if confirmed data exfiltration.

4. Forensics:

- Check file access logs.
- Use tools like Zeek, Wireshark to inspect payloads.

5. Report & Prevent:

- Notify Data Protection/Legal if sensitive data involved.
- Implement DLP rules or tighter firewall egress policies.

🔗 Use Case:

Discovered unauthorized exfiltration of customer data via an unmonitored port used by a compromised service account.

4. Scenario: Zero-Day Exploit Announcement (e.g., Log4Shell)

Question:

A zero-day vulnerability affecting Java-based systems is disclosed publicly. What's your immediate response?

✓ Answer:

1. Identify Affected Assets:

- Use asset inventory/CMDB to find systems using Log4j.
- Run vulnerability scans or scripts (e.g., Log4Shell detection tool).

2. Prioritize Based on Risk:

- Public-facing systems first.
- High-value internal systems next.

3. Contain & Mitigate:

- Apply WAF rules to block exploit strings.
- Disable affected services temporarily.

4. Patch & Monitor:

- Patch systems when vendor releases fix.
- Monitor for IOCs or exploitation attempts.

5. Communicate & Report:

- Alert stakeholders with status updates.
- Document incident response steps and lessons learned.

Use Case:

Preemptively patched and protected systems before attackers exploited Log4Shell, saving company from critical supply chain risk.

5. Scenario: Lateral Movement Detected in SIEM

Question:

Your SIEM shows unusual SMB traffic and multiple logins across servers by a single account. How would you respond?

✓ Answer:

1. Detect & Validate:

- Confirm login success/failure patterns.
- Use MITRE ATT&CK to map behavior (T1077 – Lateral Movement via SMB).

2. Contain Account:

- Disable the account immediately.
- Isolate any systems accessed.

3. Investigate:

- Pull logs from affected systems.
- Look for scheduled tasks, PsExec, WMI use.

4. Eradicate:

- Kill malicious processes.
- Remove persistence mechanisms (registry, services).

5. Harden & Report:

- Implement network segmentation.
- Enable account lockout policies.
- Document post-incident findings.

🔗 Use Case:

Detected lateral movement attempt following a successful phishing attack. Stopped before domain escalation occurred.

□ Bonus Case Study Question

Question:

Tell me about a real security incident you worked on. What happened, what did you do, and what was the outcome?

✓ Example Answer (STAR Format):

S – Situation:

Worked in a SOC when a healthcare client was hit by a phishing campaign.

T – Task:

Identify affected users, contain the threat, and prevent credential theft.

A – Action:

Correlated logs in Sentinel, isolated impacted devices, and traced login attempts to known phishing domains. Reset passwords and updated detection rules.

R – Result:

Prevented unauthorized access to sensitive health data. Incident led to a new phishing simulation program and MFA enforcement across the org.

Cybersecurity Analyst used tools and troubleshooting?

Cybersecurity Analyst Tools & Troubleshooting Use Cases

Tool Category Tool Examples Troubleshooting Use Case

🔍 1. SIEM (Security Information and Event Management)

| Splunk, Microsoft Sentinel, IBM QRadar, Elastic SIEM |

| - Investigate why a **malicious IP isn't being alerted**: Check correlation rule logic or log ingestion.

- **Correlate alerts across sources** (firewall, endpoint, email logs).
 - Troubleshoot **log ingestion delays** or missing event types. |
-

□ 2. EDR/XDR (Endpoint Detection & Response)

| CrowdStrike Falcon, SentinelOne, Microsoft Defender for Endpoint, Palo Alto Cortex XDR |

|

| - Identify **malicious PowerShell execution** from a trusted process.

- Troubleshoot **why isolation failed** on a compromised endpoint.
 - Perform **IOC sweep** (hash, IP, domain) across all devices. |
-

🌐 3. Network Monitoring & Packet Analysis

| Wireshark, Zeek (Bro), tcpdump, SolarWinds |

| - Capture packets to analyze **suspicious outbound traffic**.

- Decode DNS tunneling or C2 communication.
 - Troubleshoot **slow or unauthorized data transfers**. |
-

⚙️ 4. Vulnerability Scanning & Patch Validation

| Nessus, Qualys, Rapid7 InsightVM, OpenVAS |

| - Validate if a **critical CVE is present** on target hosts.

- Troubleshoot **false positives** in scans.
 - Compare vulnerability data to **patch management records**. |
-

□ 5. Forensics Tools

| FTK Imager, Autopsy, Velociraptor, KAPE |

| - Extract and analyze a **suspicious executable or deleted file**.

- Troubleshoot **system performance issues** caused by malware.
 - Reconstruct **user activity timeline** using forensic images. |
-

❑ 6. Threat Intelligence

| VirusTotal, MISP, Anomali, Recorded Future |

| - Troubleshoot why **IOC feeds aren't integrating** with SIEM.

- Enrich alert with **malicious file reputation** from multiple sources.
 - Use threat intel to **validate phishing indicators** or campaign attribution. |
-

❑ 🖥️ 7. Scripting & Automation

| Python, PowerShell, Bash |

| - Automate log parsing and IOC extraction.

- Troubleshoot **PowerShell-based malware** (e.g., obfuscated scripts).
 - Write a **SOAR playbook** to auto-isolate infected systems. |
-

🔒 ❑ 8. Identity & Access Management (IAM)

| Okta, Azure AD, Duo Security, CyberArk |

| - Investigate **failed MFA attempts** or suspicious login patterns.

- Troubleshoot **privilege escalation** via over-provisioned accounts.
 - Detect and respond to **impossible travel logins**. |
-

✉️ 9. Email Security & Phishing Analysis

| Proofpoint, Mimecast, Microsoft Defender for O365 |

| - Analyze headers of **phishing emails**.

- Troubleshoot **why malicious attachments bypassed filters**.
 - Quarantine or recall malicious emails across the organization. |
-

❑ 10. Sandbox/Detonation Analysis

| Any.run, Joe Sandbox, Cuckoo Sandbox |

| - Detonate suspicious files to analyze **runtime behavior**.

- Troubleshoot **why a payload didn't execute** (environment issues).
 - Observe **network callbacks**, registry edits, or process injections. |
-

Real-World Troubleshooting Examples

✔ Example 1: Suspicious Alert Not Triggering in SIEM

- **Tool:** Splunk / Microsoft Sentinel
 - **Steps:**
 - Check if log source (e.g., Windows logs) is ingested properly.
 - Verify correlation rule logic and thresholds.
 - Manually simulate the event to test alert firing.
-

✔ Example 2: Endpoint Fails to Isolate in EDR

- **Tool:** CrowdStrike / Defender for Endpoint
 - **Steps:**
 - Verify network connectivity with EDR cloud.
 - Check agent status and permissions.
 - Try manual isolation or redeploy agent.
-

✔ Example 3: Unusual Data Exfiltration Suspected

- **Tools:** Wireshark, Zeek, Firewall Logs, DLP
 - **Steps:**
 - Capture packet traffic to identify file transfers.
 - Check for outbound traffic to unfamiliar IPs/domains.
 - Use DLP logs to identify sensitive file movement.
-

Summary Cheat Sheet

Category	Tools	Key Use
SIEM	Splunk, Sentinel	Alert triage, log correlation
EDR	CrowdStrike, Defender	Endpoint threat response
Network	Wireshark, Zeek	Packet analysis
Vulnerability	Nessus, Qualys	Patch validation
Forensics	FTK, Velociraptor	Artifact analysis
Threat Intel	VirusTotal, MISP	IOC enrichment
Scripting	Python, PowerShell	Automation
IAM	Okta, Duo	Access control
Email Sec	Proofpoint	Phishing defense
Sandbox	Any.run	Malware behavior

Cybersecurity Analyst basic to medium to advance fundamentals used in real time jobs.

Basic Level – Foundations (Tier 1 SOC / Entry-Level Analyst)

✓ Core Concepts

- **CIA Triad** (Confidentiality, Integrity, Availability)
- **Security Domains:** Network security, endpoint security, identity management, access control
- **Common Threats:** Phishing, malware, brute force, insider threat
- **Understanding Logs:** Windows, Linux, firewall, DNS, authentication

✓ Tasks in Real Jobs

- Monitor alerts via **SIEM** (e.g., Splunk, Microsoft Sentinel)
- Escalate genuine security incidents
- Perform initial **log triage** (failed logins, malware detections)
- Validate phishing emails and isolate endpoints

✓ Tools

- SIEM (e.g., QRadar, Splunk)
 - Ticketing systems (ServiceNow, JIRA)
 - Email analysis (Outlook headers, VirusTotal)
 - Antivirus/EDR dashboards
-

Medium Level – Analyst/Investigator (Tier 2 SOC / Blue Team)

✓ Core Concepts

- **Attack Lifecycle / Cyber Kill Chain**
- **MITRE ATT&CK Framework**
- **Indicators of Compromise (IOCs) vs. Indicators of Attack (IOAs)**
- Threat hunting basics: patterns, hypothesis-based hunting
- Endpoint & network forensics concepts

✓ Tasks in Real Jobs

- Investigate malware infections using **EDR tools**
- Analyze **PowerShell or command-line logs** for anomalies

- Correlate multi-source data (host logs + network + SIEM)
- Execute basic **threat hunting queries** in SIEM
- Create or tune detection rules

✓ Tools

- EDR/XDR: CrowdStrike, Defender for Endpoint, SentinelOne
- Network tools: Wireshark, Zeek/Bro
- MITRE ATT&CK Navigator
- SOAR tools (Cortex XSOAR, Splunk Phantom) for automation
- KQL (Kusto Query Language) or SPL (Splunk) for log searches

✓ Real-World Use Cases

- Detect lateral movement via PsExec/WMI usage
- Identify beaconing C2 traffic based on periodic DNS lookups
- Investigate persistence through autorun keys or scheduled tasks

Advanced Level – Threat Hunter / IR Specialist / Detection Engineer

✓ Core Concepts

- Advanced TTP mapping to MITRE ATT&CK
- Threat modeling & adversary emulation
- Malware analysis (static and dynamic)
- Log baselining & anomaly detection
- Detection-as-Code (Sigma, KQL, YARA)

✓ Tasks in Real Jobs

- Write **custom detection rules** for TTPs (e.g., Mimikatz, Cobalt Strike)
- Reverse engineer malware or unpack suspicious binaries
- Use threat intel to **enrich alerts and refine rules**
- Simulate attacks using tools like **Atomic Red Team**
- Proactively **hunt threats** in the absence of alerts

✓ Tools

- Velociraptor / KAPE for endpoint forensics
- Sysmon + Sigma rules
- Sandbox tools: Any.run, Cuckoo
- YARA for malware classification
- Threat emulation: Caldera, Atomic Red Team, Red Canary

✓ Real-World Use Cases

- Discover stealthy **data exfiltration via DNS tunneling**
- Investigate **credential dumping** via LSASS memory analysis
- Detect **living off the land attacks (LOLBins)** like `rundll32`, `wmic`
- Hunt for **rare parent-child process relationships** (e.g., Word spawning `cmd.exe`)

Summary Table

Level	Focus	Key Tasks	Tools Used
Basic	Alert triage, log review	Monitor SIEM, investigate phishing	Splunk, Sentinel, VirusTotal
Medium	Detection & correlation	EDR triage, threat hunting, root cause	CrowdStrike, Wireshark, MITRE ATT&CK
Advanced	Threat hunting, malware, detection engineering	TTP detection, automation, reverse engineering	Velociraptor, Sysmon, YARA, Red Team Tools

Want to Grow from Basic → Advanced?

Here's a learning roadmap:

1. **Learn log types:** Start with Windows event IDs, firewall logs
2. **Master SIEM querying:** KQL, SPL, or Elastic DSL
3. **Understand MITRE ATT&CK:** Know TTPs, map alerts
4. **Learn threat hunting:** Build hypotheses and test them
5. **Move to engineering:** Write detections in Sigma / YARA, automate with SOAR