WEIRWOOD

Mosaic

Investigation and intelligence workspace

Connected records.
Structured investigation.
Accountable decisions.

COMPANY AND PRODUCT BOOK
REFERENCE EDITION
OCTOBER 2026

Contents

A Company and product 03

01 Company overview 03
02 The institutional problem 04
03 Product architecture and scope 05
04 The operating workflow 06
05 Roles and responsibilities 07
06 Information integrity and control 08
07 Deployment and integration 09
08 Document scope and reading guide 10

B Product reference 11

01 Workspace 11
02 Case management and evidence 21
03 Investigative leads 38
04 Financial alerts 42
05 Watches and saved searches 45
06 Network analysis 50
07 Entity dossier 58
08 Financial transaction tracing 69
09 Relationship examination 73
10 Geographic investigation 76
11 Record exploration 82
12 Data preparation and publication 85
13 Identity-match review 97
14 Face-search review 100
15 Disaster-response operations 105
16 Oversight and retention 109
17 Product administration 113

C Reference 116

01 Screen index 116
02 Publication information 120

Select an entry to open its chapter. PDF bookmarks also link to individual figures.

01

Company overview

Weirwood develops Mosaic, an investigation and intelligence workspace that brings case records, analytical tools and accountable decisions into a common operating context.

In this section

1.1 Product focus

1.2 Institutional purpose

1.3 Scope of the offering

1.4 Product responsibility

1.5 How the product fits institutional work

1.1 Product focus

Mosaic addresses the work required to understand records distributed across sources. An investigation may involve people, organisations, financial accounts, communications, vehicles, travel and places. Each source describes only part of that activity. The product connects those records so an authorised officer can examine a relationship, inspect its basis and carry the relevant material into a case workflow.

1.2 Institutional purpose

The intended environment is a public institution in which access, responsibility and the handling of records must remain explicit. Mosaic models agency, role, case and purpose alongside the investigative functions. The company's product approach therefore combines analysis with the controls required to review an action, preserve its rationale and inspect the resulting record of activity.

1.3 Scope of the offering

The workspace covers data preparation, entity resolution, search, dossiers, network analysis, financial tracing, geographic examination, leads, evidence and reporting. Supervisory review, audit inspection and administration operate within the same product model. A separate disaster-response view organises ingested alerts, affected districts and recorded resource allocations for control-room work.

1.4 Product responsibility

The application supports an officer's examination of evidence; it does not confer investigative authority or establish a finding by itself. Source owners remain responsible for their records, authorised personnel make decisions and the institution defines its operational arrangements. This document presents the implemented product and its synthetic demonstration. It does not assert a customer base, institutional endorsement, production deployment or measured operational outcome.

1.5 How the product fits institutional work

A typical enquiry begins with a limited reference, such as a name, account, phone or vehicle. Mosaic provides a route from that reference to related records and the source material supporting each association. The officer can compare different views of the same case, develop a lead, seek review and prepare a report without losing the relationship between the original record and the resulting interpretation. This continuity is the central product proposition: analytical tools and accountable case work are treated as parts of the same process.

02

The institutional problem

The principal challenge is continuity: maintaining the connection between a source record, its interpretation, the decision it informs and the material eventually presented for review.

Financial	Communications	People and assets	Events and places
Accounts, transactions and counterparties	Phones, call records and device links	Identities, companies, vehicles and property	Incidents, travel and observations

The analytical task: reconcile identifiers, compare time and retain the source behind each relationship.

2.1 Fragmented information

A bank extract, a call record, an incident report and a vehicle sighting can refer to the same person or event without sharing a common format. Officers must reconcile identifiers, dates, spelling variations and source conventions before they can assess the relationship. Repeating this preparation in disconnected files makes it harder to retain the provenance of each conclusion.

2.2 Identity and interpretation

Names alone are often insufficient to establish that two records describe the same individual. Original scripts, transliterations, initials, family information and incomplete identifiers require contextual comparison. A proposed match must distinguish the evidence that agrees from the evidence that conflicts. Similarly, a financial or movement pattern requires examination of the underlying records and plausible alternative explanations.

2.3 Review and handover

Investigations depend on coordinated work between officers and supervisors. A request needs its purpose, relevant records and decision history. An exhibit needs its source and custody events. A report needs a clear separation between recorded facts and the officer's interpretation. When these elements are separated, the reviewer has to reconstruct the reasoning before assessing the proposed action.

2.4 Mosaic's response

Mosaic places these activities within a case context. It preserves links from analytical views to records, provides structured review steps and records the actor and reason for sensitive actions. The intended benefit is a more coherent working process: officers can move between preparation, examination, review and reporting while retaining the references needed to assess the work.

2.5 The information that must remain connected

An effective working record needs more than a consolidated value. It needs the source from which that value was obtained, its date, the transformation applied to it and the reason it was associated with another record. These details allow an officer to distinguish an exact identifier match from a similar name, a recorded observation from a registered address, or a transaction from an inferred relationship. Preserving those distinctions makes later review more informative and reduces the need to reconstruct the analysis from separate documents.

03

Product architecture and scope

Mosaic is organised around a connected record model. The same authorised objects can be examined as a dossier, a network, a financial path, a timeline or a geographic view.

Conceptual product structure. Source availability and access remain subject to configuration and authority.

3.1 Objects and relationships

The model represents people, companies, accounts, phones, vehicles, locations, documents and events. Relationships express connections supported by the available material, such as ownership, a transfer, a call or a recorded observation. The usefulness of a connection depends on its source and evidence status. A machine suggestion, a single-source assertion and corroborating records must be interpreted in their respective contexts.

3.2 Investigation workspace

Search and Explorer locate records. Dossiers consolidate relevant information about a selected object. Network, Connections, Money trail and Map answer different questions about the relationships around it. Leads, alerts and watches identify material requiring attention. The active case supplies the common context as the officer moves between these tools.

3.3 Case and record operations

Case management records the purpose, legal basis, team, leads and outcomes of an investigation. Data studio prepares incoming material and submits proposed changes for separate approval. Evidence handling connects files to fingerprints and custody events. The report editor combines structured case facts with authored analysis, then produces a fixed export for a named release context.

3.4 Governance and administration

Role and case restrictions, protected fields, review requirements and audit events are integral to the operating model. Oversight can inspect activity without receiving the investigative workspace. Administrators can examine documented detectors and source-quality issues. These functions support institutional operation; deployment configuration, source agreements and organisational procedures remain part of implementation.

3.5 A shared model across tools

The analytical views work from a common representation of records and relationships. Selecting an account in a dossier can lead to its transactions, a financial trace or the wider case network. Selecting a place can lead to a geographic enquiry and then to the records behind an observation. This shared model allows the officer to change the question being asked without treating each view as a separate collection of facts. Source references remain important when the same object is represented across different analytical perspectives.

04

The operating workflow

The product supports a sequence from receipt of information to reviewed action. Each stage produces a record that the next stage can examine, rather than requiring the team to recreate its context.

1

Prepare records

Profile, clean and map authorised material.

2

Examine evidence

Search, compare and inspect relationships.

3

Develop the case

Coordinate leads and review proposals.

4

Record decisions

Approve, reject and preserve the reason.

5

Report and retain

Release reviewed material; manage its lifecycle.

Case context, source references and recorded activity accompany the workflow.

4.1 Establish and prepare

An officer selects or opens a case with a purpose and recorded basis. Incoming extracts are profiled, cleaned and mapped into the record model. Data studio displays matching evidence, conflicts and the operations proposed for publication. Another eligible supervisor reviews the frozen proposal, the associated order and the proposer's note before approving or rejecting it.

4.2 Examine and develop

The officer locates a record, reviews its dossier and follows relevant relationships. Financial, communication, geographic and network views expose different aspects of the available material. A detector lead or alert provides a starting point for examination. The officer checks source records, time boundaries and alternative explanations before developing a line of enquiry.

4.3 Coordinate and decide

Case leads progress through explicit states, including a supervisory authorisation stage. Watches and saved searches return newly available material to the work queue. Proposed record matches and face-search candidates receive human review. Each workflow retains the distinction between a suggestion, an officer's decision and the status of subsequent work.

4.4 Preserve and account

Files are sealed as exhibits with fingerprints and custody history. Reports combine selected facts, references and officer commentary, while release actions identify the recipient and clearance. Closure records the case outcome; retention and legal holds govern subsequent handling. Oversight reviews recorded access and decisions across this process, including refused requests.

4.5 Continuity between stages

The workflow is iterative. A report review may reveal a missing source, an identity comparison may require a revised intake, or a newly available transaction may change the next line of enquiry. Mosaic retains the case context as work moves back to an earlier stage. The team can examine the current records, identify the decision already taken and record the next action. A closed loop of preparation, examination and review is more useful than treating an investigation as a sequence that can only move forwards.

05

Roles and responsibilities

Mosaic separates the responsibilities of preparing information, investigating it, authorising actions and inspecting system use. Available screens and operations follow the acting identity and the case context.

Role	Responsibility	Typical work
Investigating officer	Examine records and develop the case	Search, dossiers, leads, exhibits and reports
Supervisor	Review eligible requests and proposals	Approve or reject with a recorded reason
Analyst / steward	Examine relationships and source quality	Network analysis, matching and intake review
Oversight auditor	Inspect recorded system activity	Audit filters, chain verification and alerts
Administrator	Maintain product and source context	Detector documentation and quality issues

5.1 Oversight and administration

Independent oversight examines activity, purpose, outcomes and audit integrity. Its role does not include the ordinary investigative record workspace. Administrators inspect detector documentation, diagnostic facilities and source-quality issues. Data stewards use source references to coordinate corrections with the owner of the original material, instead of silently altering its meaning.

5.2 Institutional configuration

The demonstration models several mission contexts, including state policing, financial crime, cybercrime, narcotics and disaster response. These are product scenarios, not customer references. An operational installation must map its actual identities, teams, permitted purposes, sources and responsibilities to the configured system. The demonstration account picker illustrates different roles; production authentication uses the configured identity provider.

5.3 Responsibility follows the action

The relevant distinction is the decision being performed. Preparing an extract, approving its publication, examining a case and auditing access are different responsibilities even when staff work within one institution. Mosaic applies the relevant checks at those decision points. The team can therefore review who proposed an action, who decided it and what reason was recorded, rather than relying only on the user’s job title or the appearance of a screen.

06

Information integrity and control

A useful analytical result must remain connected to its origin. Mosaic combines source references, explicit review and recorded handling so that an authorised reviewer can assess the material behind an action.

Scoped access
Identity, role, agency, case and purpose.

Recorded decisions
Actor, reason, context and outcome.

Evidence integrity
Exhibit fingerprints and custody events.

Retention
Eligibility, legal holds and purge records.

6.1 Source and transformation

Incoming material is examined before publication. Cleaning steps, quarantined rows, duplicate handling, field mappings and proposed matches make preparation visible. Existing values, corroborating values and conflicts are distinguished in the proposed changes. At the record level, source views provide the references available for understanding a property or relationship and checking the original context.

6.2 Human review

The product exposes the reasons behind proposed record matches and documented detector findings. Separate review is required by specific workflows, including intake publication and face-search confirmation. A person's recorded decision remains distinct from the machine proposal. This distinction matters when information is incomplete, two records disagree or an apparent pattern has an ordinary explanation.

6.3 Access and handling

Record access is evaluated in the context of identity, role, agency, case and purpose. Protected values can remain masked, and permitted reveal actions require a reason. A different layout, map layer or graph expansion does not create additional authority. Exports apply their release context, while retention actions distinguish eligible records from cases subject to a legal hold.

6.4 Evidence and audit

Exhibit fingerprints support comparison of stored bytes with the recorded value; custody events document subsequent handling. The audit chain records activity and can be checked for integrity. Sealing a daily root and publishing an independent copy are separate steps. These mechanisms support review of handling and integrity; assessment of the original evidence still requires examination of its provenance and content.

6.5 Reviewing a disputed result

When a result is questioned, the reviewer can move back through its supporting records, identity associations and preparation context. A conflicting value should be examined against its source and date rather than treated as a formatting problem. Likewise, an intact file fingerprint answers a question about bytes, while the custody record answers questions about handling. Maintaining these separate references helps the institution identify whether a concern relates to the original material, its interpretation or an action taken within the application.

07

Deployment and integration

Mosaic is an inspectable application with an explicit record model. Preparing an operational installation requires the institution's source arrangements, identity configuration and infrastructure decisions.

Application environment

React / TypeScript interface
Python FastAPI service
SQLite or PostgreSQL

Configured integrations

OIDC identity and policy
Permitted source extracts
Maps and reference services

Infrastructure, capacity, connectivity and operating arrangements are established for the intended installation.

7.1 Application components

The interface uses React and TypeScript, with a Python FastAPI service. The application supports SQLite and PostgreSQL, and the repository is licensed under Apache 2.0. These components describe the implementation available for examination. Storage topology, capacity, backup arrangements and service operation must be selected for the intended environment.

7.2 Identity and policy

Production authentication uses configured OpenID Connect sign-in; the repository includes Keycloak configuration. Policy evaluation can use Open Policy Agent or the built-in implementation. Integration requires mapping actual institutional identities, roles, agencies and case responsibilities to the application's access model. The account-switching facility shown in the demonstration is not the production authentication process.

7.3 Records and external services

Data availability depends on authorised extracts, configured connectors and source agreements. A connector does not provide automatic access to a government database. Maps use the configured basemap and geographic reference material. External map tiles and alert feeds require connectivity or an appropriate local service; offline operation depends on which resources have been supplied locally.

7.4 Implementation considerations

A deployment assessment should establish the source formats, record volumes, update intervals, handling requirements, review responsibilities and retention configuration applicable to the institution. The illustrated workflows provide a basis for that assessment. The synthetic demonstration does not establish production capacity, availability commitments or performance in an operational environment.

7.5 Preparation for operational use

Implementation planning should identify who supplies each extract, how changes are received, who reviews proposed publication and which role maintains source-quality issues. It should also establish how identity is provisioned, where exports may be released, which geographic services are available and who operates backup and recovery. These arrangements connect the product's implemented capabilities to the institution's actual working process. They must be established for the deployment rather than inferred from the demonstration configuration.

08

Document scope and reading guide

This edition combines a company and product explanation with an illustrated reference to the application. Each feature chapter explains its purpose and workflow before presenting the associated screens.

COMPANY CONTEXT
Purpose, scope and operating model

PRODUCT CHAPTERS
Workflow explanations and real screens

REFERENCE ACCESS
Linked contents, bookmarks and index

8.1 How the chapters are organised

Seventeen chapters follow the principal navigation areas. Each chapter introduces the input, operating process, output and relevant controls. The subsequent figure pages explain individual views, dialogs or states. The contents, PDF bookmarks and screen index provide direct navigation, allowing the document to support both a sequential product review and a focused discussion of one capability.

8.2 How to read the figures

Each illustrated page contains one original screenshot. The adjacent text explains its purpose, available controls and relationship to the broader workflow. Landscape images are presented at a larger width than in the first edition; portrait report examples use a separate layout. Figures retain their source pixel dimensions in the PDF, so small interface details can be examined by zooming.

8.3 Demonstration material

The screens show synthetic investigative cases and demonstration identities. Geographic reference information and public alert material can contain real place or agency names. Counts, amounts, dates and named records within the images describe the illustrated scenario. They are not claims of customer use, investigative findings, throughput, accuracy or institutional endorsement.

8.4 Scope of the explanations

The text describes the available application and distinguishes operational decisions from software output. Diagnostic test-result screens and benchmark tables are excluded from the illustrations. The administration chapter explains the role of those facilities without presenting test results. Product controls support institutional procedures; the document does not represent legal advice or a certification of compliance.

8.5 Interpreting the examples

A figure illustrates a particular state of the product. A filter, selection or available action may differ with the acting role and the records loaded into the case. Read the screenshot together with its explanation and the chapter introduction. Where a procedure spans several screens, follow the figures in order to distinguish setup, review and completion. The editable source preserves the original screenshots separately from the written explanations, making both the visual material and its interpretation available for review.

01

Workspace

The workspace establishes the officer's active identity, case and immediate responsibilities. It provides the common point of entry to the investigation and the decisions that require attention.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Workspace	9 individual screens	01–09

01.1 Purpose and inputs

The overview combines the active case with work-queue entries relevant to the acting user. These may include leads, watched activity, saved-search results, requests, approvals and refusals. The case panel retains the investigation's purpose, legal basis and assigned officers, so the user can verify the context before opening personal records.

01.2 Operating workflow

The officer reviews the queue, filters by category or text and opens the relevant item. Global search accepts names and supported identifiers, with keyboard navigation to the selected record. Name comparison accommodates supported script and spelling variations. Opening or switching a case changes the context used by subsequent work; role-specific views expose the decisions available to an officer or supervisor.

01.3 Outputs and controls

The workspace routes the user to a record, request or analytical view while retaining the active context. Restricted results and refused screens are represented explicitly. The account menu identifies the acting user and role; the demonstration picker illustrates these differences. Operational deployments use configured authentication. Work-queue times and audit times are labelled according to their respective time conventions.

01.4 Practical sequence

Begin by confirming the identity and active case, then review outstanding decisions before opening a new enquiry. Use search when a reference is already known and the work queue when the task arises from an update or request. After following an item, return to the case context to determine whether the next step is further examination, an approval request or preparation of a report. A refusal should be understood as an access decision rather than a failed search.

Workspace overview

Figure 01 / Illustrated product reference



Figure 01 · Workspace overview

Synthetic demonstration

Purpose and operation

The overview brings the active case, navigation and work queue into one operating context. Before opening records, the officer can confirm the case purpose and identify outstanding work. The queue routes requests, approvals, watched activity and other relevant items to the appropriate screen. The case summary provides direct access to its records and analytical views.

Controls and workflow

01 **Navigation.** Workspace, Investigation, Records, Operations and Governance organise the available tools by function and role.

02 **Global search.** Ctrl+K opens search for names, phones, PANs, accounts, vehicles, companies and case references.

03 **Case context.** The selected case supplies the purpose for personal-record access. Switching case updates the working context.

Controls continued

04 **Work queue.** Category and text filters narrow new activity, requests, approvals, matches and decisions.

05 **Case summary.** Purpose, officers, evidence and legal basis remain accessible beside links to the network, money trail and map.

06 **Handling information.** The strip identifies the highest marking currently displayed and reminds the user that access is recorded.

Using the overview

The queue and case summary serve different purposes. The queue identifies work awaiting attention, while the case panel supplies the investigation to which that work belongs. Opening an item provides its detail rather than completing it. The officer should follow the relevant request, record or lead and use the action available in that workflow. This preserves a distinction between noticing an item, examining it and recording a decision.

Global record search

Figure 02 / Illustrated product reference



Figure 02 · Global record search

Synthetic demonstration

Purpose and operation

Global search locates permitted records from a name or supported identifier. Results are grouped by record type, with contextual details such as district to help distinguish similar names. Selecting a result opens its associated record view. Withheld counts distinguish restricted matches from a search with no matching records, without exposing the restricted material. The active identity and case govern the result set.

Controls and workflow

01 Use Ctrl+K to focus search, arrow keys to select a result, Enter to open it and Escape to close the results. Search suggestions follow the active identity and case.

Evaluating a search result

A result should be selected using both its identifier and the surrounding context. Two similar names can belong to different people, and several types of object may match the same enquiry. Open the relevant record to inspect its particulars and sources before following a relationship or adding material to the case. A withheld count reports that some matches are restricted; it is not a reason to infer their identities or content. The available result remains tied to the active case.

Working sequence

Enter a known reference, review the grouped results and select the relevant object. Use the available district and type labels to distinguish similar entries. Opening the record establishes the next context for examining its particulars, relationships and source information; it does not automatically add the result to the case or confirm an identity association.

Search across scripts and spellings

Figure 03 / Illustrated product reference



Figure 03 · Search across scripts and spellings

Synthetic demonstration

Purpose and operation

Name search compares supported Indian scripts and English transliterations. The illustrated enquiry returns spelling variants associated with the same search term, helping an officer locate records whose source systems use different conventions. The matching process accommodates initials, common honorifics and surname-first arrangements. A search match is a retrieval aid: the officer must inspect the identifying details and provenance before concluding that two records describe the same person.

Identity remains a separate question

The spelling variants improve retrieval across sources that record names differently. They do not replace examination of a person's other details. Compare the family information, birth details, district and identifiers available in the record, and use the identity-review workflow where the association remains uncertain. A name found through transliteration can be relevant to the enquiry even when the original source preserves a different script. Keeping that original representation helps a reviewer understand how the source described the person.

Working sequence

Start with the spelling available in the original material and examine the returned variants. Preserve the original name when discussing the source, even if the search used another script. After opening a candidate record, compare the identifiers and context that distinguish that individual. If the enquiry concerns whether two existing records should be associated, continue through the matching review rather than relying on search similarity alone.

Case creation

Figure 04 / Illustrated product reference



Figure 04 · Case creation

Synthetic demonstration

Purpose and operation

Case creation establishes the context for subsequent record access. The officer provides a title, selects an approved purpose and records the basis for the investigation, including the applicable reference or order. Where an FIR number is supplied, matching records can be associated with the case. The resulting case carries its purpose into later searches, views and exports, allowing those actions to be reviewed against the context in which they were performed.

Completing the case context

The title should identify the work clearly, while the purpose and recorded basis explain why the case is being opened. Review those fields together before submitting the form. A reference such as an FIR can connect existing material to the case, but the officer should still examine what has been associated and whether it is relevant. After creation, confirm the selected case in the workspace before searching personal records. Later reviewers can then relate access and export events to the stated context.

Working sequence

Complete the case title, purpose and basis as separate fields. Include the relevant reference where it is available, then review the form before creating the case. Once it appears in the workspace, inspect its associated records and confirm that it is active. The subsequent dossier, graph and export actions can then be understood against the same recorded investigation context.

Investigating officer’s work queue

Figure 05 / Illustrated product reference



Figure 05 · Investigating officer’s work queue

Synthetic demonstration

Purpose and operation

The investigating officer’s queue presents available updates associated with the case. The illustrated scenario includes watched activity, area observations and detector leads. Priority and category controls help the officer select the items requiring examination, while each entry provides a route to its supporting record. The adjoining case panel retains the principal case details so that opening a queue item does not detach it from the investigation.

Controls and workflow

01 Refresh reloads the work queue. Category filters and Find in queue narrow it to approvals, requests, watches, saved searches or refusals.

02 Recent decisions records the response to earlier requests. Work-queue times use IST; audit timestamps identify UTC explicitly.

Acting on an update

The time shown on an update is part of its context. Newly available material may describe an earlier event, so the officer should open the source record before interpreting it as recent activity. Category filters help separate approval-related work from leads and observations. Where an update changes a line of enquiry, continue into the case workflow and record the appropriate follow-up rather than treating the queue’s priority as an investigative conclusion.

Working sequence

Refresh the queue when checking for available updates, then use the category and text filters to isolate the work required. Open an item to examine the associated material. The case panel remains a route to the board and broader analytical views when the update needs to be considered alongside the rest of the investigation.

Supervisory decisions

Figure 06 / Illustrated product reference



Figure 06 · Supervisory decisions

Synthetic demonstration

Purpose and operation

The supervisory view concentrates requests and decisions that the acting user is eligible to review. A decision card presents the request with its context and provides the applicable approval or refusal action. Recording the reason preserves the basis of the decision and makes its outcome available to the requesting officer. The surrounding case information helps the supervisor assess the request within the investigation rather than as an isolated task.

Controls and workflow

01 A request card carries the decision action and recorded reason. Approval is available only where the acting supervisor satisfies the relevant role, agency, membership and two-person checks.

Reviewing the request

The supervisor should consider what is requested, the case to which it belongs and the basis provided by the proposing officer. Approval and refusal are decisions on that request, not general changes to the officer's permissions. A useful reason explains the decision in terms of the requested work and available material. The resulting status allows the requesting officer to continue or revise the work with a clear understanding of the recorded outcome.

Working sequence

Select the pending request and examine its stated purpose with the visible case information. Record the reason before choosing the applicable decision. Review the resulting state so the team can distinguish a completed decision from a request still awaiting attention. Eligibility checks remain part of the action even when the decision is presented directly in the queue.

Workspace appearance

Figure 07 / Illustrated product reference



Figure 07 · Workspace appearance

Synthetic demonstration

Purpose and operation

The workspace provides light and dark appearance options. The illustrated light view presents navigation, record details and analytical material on a consistent light surface while retaining the same case context and controls. Appearance preferences are separate from access rights: the acting identity, role and case continue to govern available records and actions. The account menu provides a visible reference for checking the user's current operating identity.

Presentation and operating context

Theme selection is an interface preference and should not be confused with a different user role. The same case remains selected, and available controls continue to reflect the acting account. Before demonstrating an approval or audit workflow, check the identity in the account menu rather than inferring it from the appearance of the screen. The light and dark views are useful alternatives for reading the same information under different working conditions; they do not alter the meaning of its handling marks.

Working sequence

Open the account controls to change the theme, then return to the same case view. Check that the selected identity and case are appropriate for the task before opening records. For a product demonstration, use the appearance control to show an alternative reading environment and the identity picker only when deliberately demonstrating a different role. The two controls serve independent purposes.

Identity and session controls

Figure 08 / Illustrated product reference



Figure 08 · Identity and session controls

Synthetic demonstration

Purpose and operation

The account menu identifies the acting officer, agency and role. Those details determine which work areas the interface offers and which records the service may return. The screenshot shows the demonstration account picker; an operational deployment uses its configured sign-in service.

Controls and workflow

01 Open the avatar to check the active identity before starting work.

02 The demonstration picker changes the synthetic user so different roles can be explored. It is a demo facility, not the production sign-in flow.

03 Production sign-in uses the configured OIDC provider. Sign out ends that session; the theme control changes the workspace appearance.

Interpreting the demonstration

The picker allows the product demonstration to show how the same case appears to different roles. It should be used to understand the separation between preparation, supervision and oversight. Changing the demonstration identity changes the actor for subsequent requests. When documenting or reviewing an action, read the acting identity and case together so that the available control is understood in the correct role context.

Working sequence

Read the displayed user, agency and role before using the demonstration picker. After a change, inspect the navigation and queue to understand which responsibilities are now available. In an operational session, use the configured sign-out action when ending work; the demonstration selector should not be presented as the institution's authentication mechanism.

Example. A demonstration can move from the investigating officer to the supervisor to show both sides of an approval.

Role-based access refusal

Figure 09 / Illustrated product reference



Figure 09 · Role-based access refusal

Synthetic demonstration

Purpose and operation

A copied navigation link does not grant permission. When the selected role cannot use a screen, Mosaic explains that refusal and offers a route back to the overview. Record-level requests are also checked by the service.

Controls and workflow

01 Navigation shows the work areas offered to the active role.

02 The refusal screen is different from an empty result: the user is not authorised for this work area.

03 Back to overview returns to the available work queue without changing identity or permissions.

Understanding the outcome

A refusal establishes that the selected identity cannot use the requested work area. It should not be interpreted as evidence that the relevant records do not exist. Returning to the overview restores a route to the functions available to that role. If an operational task requires a different authorisation, it must follow the institution's configured process; changing a URL or choosing another visual layout does not create that authority.

Working sequence

Read the refusal message, then use Back to overview to return to the role's available work. Confirm the active identity if the screen was opened from a saved or copied link. The appropriate next step depends on the permitted task: an oversight user can review activity through the audit workspace, while an investigator uses the case functions available to their own role.

Example. An oversight officer can inspect access events without receiving the investigator's personal-record workspace.

02

Case management and evidence

The case is the organising unit for an investigation. It connects the recorded basis for the work with the team, records, leads, exhibits, reporting and eventual outcome.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Case management and evidence	16 individual screens	10–25

02.1 Case development

The case board summarises the available network, financial activity, alerts and timeline. Evidence-based prioritisation provides reasons for examining particular people; it is scoped to the case and does not establish culpability. An officer can inspect the supporting facts, open a dossier or create a lead. The lead board records progress through investigation, approval, authorisation and closure, with supervisory control over authorisation.

02.2 Evidence and reporting

Files are added as exhibits with their description, source or device details and recorded order. A SHA-256 fingerprint supports later integrity checks, while custody events document handling. The report editor provides case-diary, charge-sheet-annexure and intelligence-summary templates. Structured blocks combine records, exhibits, patterns and relationships with the officer's narrative. Draft facts refresh from the records; an exported document is a fixed version.

02.3 Release and lifecycle

Exports identify their recipient and clearance. An evidence pack can include the exhibits, custody information, draft certificate and hash manifest. The officer must review its content and release context. Closing a case records an outcome and engages its configured retention treatment. Legal holds and their removal require reasons, while eligible purge actions produce a recorded manifest. Closure, hold and deletion are separate operations.

02.4 Working across the case lifecycle

A useful case narrative connects the initial reference, the records examined and the decisions taken. The board provides orientation; the network and timeline support examination; the lead board records progress. Exhibits and reports preserve selected material for review and release. These functions should be used together so that a report conclusion can be traced to its supporting records and the case status reflects the actual stage of work. Closing the case records an outcome while leaving retention to its separate controls.

Case board

Figure 10 / Illustrated product reference



Figure 10 · Case board

Synthetic demonstration

Purpose and operation

The case board assembles the investigation's purpose, legal basis, team and available record summaries. It provides an overview of the case network and routes the officer to detailed evidence, financial activity and reports. Case-specific prioritisation directs attention to supporting facts; the officer can inspect its explanation before adopting a line of enquiry.

Controls and workflow

01 **Case identity.** Title, agency, purpose, status and the recorded basis identify the investigation.

02 **Four views.** Case board, Network, Evidence and exports, and Reports organise the case workflow.

03 **Summary measures.** Available records, people, accounts, alerts and financial endpoints describe the loaded case material.

Controls continued

04 **Priority and reasons.** Relevant accounts, transfers, signatories, directors and other links support the case-specific ordering.

05 **Case connections.** Shared people and links open other cases only where the officer has access.

06 **Lifecycle.** Closure records the outcome; configured retention and legal holds govern subsequent handling.

Reading the summary

Counts and totals orient the team to the loaded case material. They should be read alongside the supporting records and current case scope, particularly when the board presents an analytical priority or a financial endpoint. The board is the starting point for detailed examination rather than a substitute for the underlying transaction, relationship or exhibit.

Case-priority explanation

Figure 11 / Illustrated product reference



Figure 11 · Case-priority explanation

Synthetic demonstration

Purpose and operation

Expanding a prioritised person exposes the evidence behind their position on the case board. The explanation identifies the relevant accounts, transfers and other facts, allowing the officer to assess both the relationship and its significance. Dossier, money-trail and network actions provide alternative views of the supporting material. Adding a lead records a line of enquiry for further work; the priority itself is not an established finding about the person.

From priority to enquiry

Read the explanation account by account and relationship by relationship. A large transaction amount, rapid onward movement or association with another record can justify further examination, but each fact has its own source and time context. Use the available analytical links to verify the relationship and identify what additional information would clarify it. If the matter becomes a case lead, describe the question to be investigated rather than converting the displayed priority into an established conclusion.

Working sequence

Open the person’s explanation from the case board and review the facts supporting their position. Follow a relevant account or transfer into the dossier or money trail, or use the network to examine its wider context. Return to the case when deciding whether the matter should become a lead. This sequence connects the board’s summary with the actual evidence the officer examined.

Case lead progression

Figure 12 / Illustrated product reference



Figure 12 · Case lead progression

Synthetic demonstration

Purpose and operation

The lead board coordinates lines of enquiry across five states: Lead, Investigating, Awaiting approval, Action authorised and Closed. Cards retain the item as it progresses, allowing the case team to distinguish active examination from a request awaiting a decision. Moving into Action authorised is restricted to a supervisor. This makes authorisation a separate recorded step, while the remaining board states communicate the progress of the investigation.

Interpreting board states

The column identifies the current stage of work on a lead. Awaiting approval means that a decision is still required; Action authorised records the supervisory step, while Closed indicates that the lead is no longer being progressed in the board. Team members should use these states consistently so that the shared view communicates the work accurately. A card's movement is part of case coordination and should be considered together with its supporting records and the reason for the next action.

Working sequence

Locate the card corresponding to the enquiry and review its present column. Move it as the work reaches the next supported stage. When authorisation is required, place the lead in the relevant approval state for a supervisor's decision. After that decision, the team can distinguish authorised follow-up from an enquiry still being examined. Close the lead when its work has reached the recorded end state.

Case alerts and chronology

Figure 13 / Illustrated product reference



Figure 13 · Case alerts and chronology

Synthetic demonstration

Purpose and operation

The lower case-board views combine financial alerts with chronological events. Alerts expose the relevant finding and amount; the timeline orders available transfers, travel and filings by date. Each entry links to its supporting record. Reading these views together helps the officer examine whether an apparent sequence is supported by the recorded dates, and identify which source material needs further review before a narrative is included in the case report.

Building a chronology

Compare the event reference and date before connecting two entries in a narrative. A filing date, a travel date and a transfer timestamp can describe different stages of activity. The timeline makes their order visible, while the alert identifies a pattern that may warrant closer examination. Use the underlying records to determine whether the sequence supports the proposed explanation. Where records are missing, state the gap in the case analysis rather than assuming that the displayed sequence is complete.

Working sequence

Review the alert list and timeline for the selected case, then open entries relevant to the period under examination. Compare the source record, amount and date where available. Move to the dossier or financial analysis when more detail is needed. The resulting explanation can then describe the sequence of recorded events rather than relying only on their visual proximity in the board.

Case closure and legal holds

Figure 14 / Illustrated product reference



Figure 14 · Case closure and legal holds

Synthetic demonstration

Purpose and operation

Closing a case records the outcome and moves the case out of active investigation. The close dialog asks what happened, such as a filed charge-sheet or a closure report. Retention is then governed by the case's configured retention date and any legal hold.

Controls and workflow

01 Enter the outcome in the close-case dialog, then confirm or cancel.

02 Legal hold and Lift legal hold are separate case actions. Each asks for a recorded reason.

03 Oversight shows scheduled, due and held cases. An authorised retention action removes eligible case-bound data and records a purge manifest.

Separating closure from retention

The closure outcome describes the investigation's status. A legal hold addresses whether material must remain retained despite an otherwise applicable retention schedule. These decisions answer different questions and require their own recorded context. The retention panel provides the later view of due, scheduled and held cases, allowing the team to inspect eligibility and completed purge actions separately from the case's closure statement.

Working sequence

Open the close-case action, enter the outcome and confirm only after reviewing the case status. Use the separate hold controls where retention needs an explicit recorded hold or release. Inspect the retention view later to see how the case is classified; a closure confirmation is not itself a purge record.

Example. A supervisor records the closure outcome while retaining the case under a reasoned hold when further proceedings require it.

Case network

Figure 15 / Illustrated product reference



Figure 15 · Case network

Synthetic demonstration

Purpose and operation

The case network brings its available people, accounts, phones, companies, places and relationships into a common graph. It provides the layout, filter and analysis tools used in the main Network workspace while retaining the selected case. The officer can move from a case summary to relationship examination, select a record and inspect its supporting context. The illustrated neighbourhood view focuses on the selected company and its directly linked case records. The graph describes the material available to the case rather than all relationships that may exist outside it.

Navigating the case graph

Choose a layout suited to the enquiry, then inspect a relevant record and its links. Relationship filters can separate financial activity from calls, assets or other connections so that the displayed structure remains understandable. A hidden item is only removed from the working view; it is not deleted from the case. When a structural result appears significant, open the corresponding records before describing its meaning in a lead or report. The case board remains the broader reference for progress and outcomes.

Working sequence

Open Network within the case, choose the relevant layout and narrow the relationship layers where necessary. Select a record to inspect its details and expand only the neighbourhood needed for the question. The same case context remains active when returning to the board, evidence or reports, helping the team connect the visual analysis with its case work.

Exhibit registration

Figure 16 / Illustrated product reference



Figure 16 · Exhibit registration

Synthetic demonstration

Purpose and operation

Exhibit registration associates an uploaded file with its description, origin and handling context. The form captures available device details, including make, model, serial number, IMEI or MAC address, together with the person or source that produced the material and the relevant order. Mosaic computes a SHA-256 fingerprint and stores the file through its write-once evidence workflow. Subsequent verification compares stored bytes with that recorded fingerprint.

Recording the exhibit accurately

Use the description and source fields to make the exhibit distinguishable from other files received in the same investigation. Device identifiers should reflect the available seizure or production record, rather than assumptions made from a filename. Review the file and the recorded order before adding it. The fingerprint subsequently answers whether the stored bytes match the registered version; it does not independently establish the truth of the document or the circumstances under which it was produced.

Working sequence

Choose the file, provide a clear description and complete the available production or seizure details. Review the relevant device identifiers and order reference before registering the exhibit. After submission, locate the file in the evidence locker and inspect its recorded fingerprint and custody information. This establishes a practical route from receipt of the file to later verification and selection for release.

Evidence locker and custody

Figure 17 / Illustrated product reference



Figure 17 · Evidence locker and custody

Synthetic demonstration

Purpose and operation

The evidence locker lists sealed files with their descriptions, source details and fingerprints. The file and its custody history are connected, allowing a reviewer to check what was received and the actions recorded against it.

Controls and workflow

01 Select an exhibit to inspect its custody chain, then close the chain panel to return to the locker.

02 Download retrieves the exhibit through the case workflow and records the access.

03 Verify checks the stored bytes against the recorded fingerprint. A matching hash supports an integrity check; it does not establish that the original content was truthful.

Preparing for release

Before selecting material for an export, inspect the exhibit description, source context and custody events. Verification supports checking the stored file against its registered fingerprint. A release should then be considered in the context of the intended recipient and clearance. Keeping exhibit registration, custody inspection and release as distinct steps makes it easier to understand which file was held, what handling was recorded and which copy was subsequently provided.

Working sequence

Select an exhibit from the locker to inspect its details and custody chain. Use Verify when checking the stored bytes and Download when the case workflow requires a copy. Return to the locker after examining the chain, then use the export workflow when material must be assembled for a named recipient.

Example. Before preparing a release, an officer checks the uploaded bank statement's fingerprint and reviews its custody events.

Evidence release and export

Figure 18 / Illustrated product reference



Figure 18 · Evidence release and export

Synthetic demonstration

Purpose and operation

The evidence-release view combines export selection with a named recipient and release clearance. The officer can produce a case report or an evidence pack containing the relevant files and supporting records. Custody information and fingerprints provide references for checking the released material. The release context should be reviewed together with the selected content so that the exported copy reflects the intended recipient and handling conditions.

Controls and workflow

01 Choose Case report (PDF), Report (HTML) or the court evidence pack ZIP. Specify the recipient and release clearance. The pack includes exhibits, custody records, the draft certificate and a hash manifest.

Checking the release package

The package should be understood as a set of related materials: the report communicates the reviewed narrative, exhibits provide the source files, custody records describe handling and the manifest supplies hash references. The draft certificate is a document for the responsible officer's review, not an automatic determination of admissibility. Confirm that the chosen export format contains the material required for the recipient and that the stated clearance is appropriate to the intended release.

Working sequence

Choose the required format, enter the recipient and select the release clearance. Review the intended package contents before exporting. The report, evidence files and supporting manifest serve different purposes, so check the output against the recipient's need. A later export should be reviewed in its own release context rather than assumed to be identical to an earlier package.

Report templates

Figure 19 / Illustrated product reference



Figure 19 · Report templates

Synthetic demonstration

Purpose and operation

The report list provides three starting templates: case diary, charge-sheet annexure and intelligence summary. Each organises the relevant case material for a different reporting purpose. Creating a draft supplies structured sections and available records, after which the officer selects content and writes the analysis. A template assists preparation; the officer remains responsible for reviewing the facts, narrative and suitability of the completed document before release.

Selecting a reporting purpose

Choose the template according to the intended use of the document. A case diary, an annexure and an intelligence summary organise information differently, even when they draw from the same case records. Review the initial structure, remove material that is not relevant to the report and add the explanation required by its reader. The template provides a starting point for drafting; it does not replace the officer's responsibility to assess the content and complete the document for its specific purpose.

Working sequence

Select the template that matches the reporting purpose and open the resulting draft. Review the initial sections and available case records before inserting additional material. Develop the narrative in the editor, choose which structured fields should print and save the reviewed draft. Use the recipient-specific export when preparing a fixed copy; the report list remains the point of return for other drafts in the case.

Structured report composition

Figure 20 / Illustrated product reference



Figure 20 · Structured report composition

Synthetic demonstration

Purpose and operation

The editor combines authored narrative with structured case material. The insertion panel provides records, exhibits, pattern leads, area searches and relationships that can be added as report blocks. Those blocks retain references to the underlying material and refresh their facts when the draft is opened. The officer can therefore review current source-backed content alongside their interpretation before producing a fixed export.

Maintaining a traceable narrative

Use structured blocks for facts that should retain their link to a record, and use authored text to explain their significance. This distinction helps a reader separate what the source states from the officer's assessment. Since draft facts refresh, review the assembled report again before export, particularly after new material has been published to the case. The resulting PDF fixes the reviewed version at export, while the editable draft remains part of the working process.

Working sequence

Begin with the report's structure and narrative, then insert the records needed to support each part. Use the right-hand panel to select an exhibit, pattern, area search or relationship where relevant. Inspect the inserted block and add the officer's interpretation beside it. Reorder the blocks into a coherent reading sequence, save the draft and review the assembled content before opening the export controls.

Report content selection

Figure 21 / Illustrated product reference



Figure 21 · Report content selection

Synthetic demonstration

Purpose and operation

A report is assembled from structured blocks. A record block can include particulars, phones and accounts, addresses and criminal history. Its officer's note adds interpretation beneath the sourced material, keeping the narrative beside the facts it discusses.

Controls and workflow

01 Use the per-item checkboxes under What to print to include the relevant record sections.

02 Insert a heading, free text, a record, an exhibit, a pattern lead, an area search or links between records.

03 Move blocks up or down, or remove them from this draft. Removing a report block does not delete its source record.

Choosing relevant detail

The selection controls determine which available portions of a record appear in the report. Include the fields needed to understand the point being made and keep the officer's note connected to those facts. Reordering blocks changes the reading sequence, while removing a block only changes this draft. The original record remains available to the case, allowing another report to use a different selection for a different reader.

Working sequence

Select a record block and review its available print options. Include the relevant particulars, accounts, addresses or history, then add an officer's note where explanation is required. Move the block to the appropriate position in the narrative. Removing it changes the report's selection without deleting the underlying record from the investigation.

Example. An intelligence summary can show the relevant accounts and a short officer's note without printing every available field.

Draft management

Figure 22 / Illustrated product reference



Figure 22 · Draft management

Synthetic demonstration

Purpose and operation

The report title, text and block order are editable. Unsaved changes are shown explicitly. Saving preserves the draft; exporting produces a fixed copy for a named reader. If a competing update is detected, the editor presents a reload action.

Controls and workflow

01 Save stores the edited draft. Returning to All reports or opening Export PDF first saves pending edits through the editor flow.

02 Already inserted records are disabled in the insertion list to avoid accidental duplicate blocks.

03 The draft's creator can discard it. Reload refreshes a conflicting draft so the officer can review the current version before continuing.

Managing a reviewed version

Unsaved changes and competing updates matter because a report can combine current facts with authored analysis. Review the title, block sequence and notes before saving. If the editor reports a conflict, reload and inspect the current version before continuing the edits. The subsequent export should follow a review of that assembled content so that the fixed copy corresponds to the version the officer intended to release.

Working sequence

Check the unsaved state after changing the title, text or block order. Save the work before treating the draft as ready for release. If a competing update is reported, reload the current version and review it before continuing. Discarding a draft is a separate creator action and should be distinguished from removing one block.

Example. The officer arranges the account evidence before the narrative conclusion, saves the draft and exports the reviewed copy.

Recipient-specific report release

Figure 23 / Illustrated product reference



Figure 23 · Recipient-specific report release

Synthetic demonstration

Purpose and operation

The export dialog identifies the intended reader and release clearance before producing the PDF. The document carries the applicable handling information and a watermark tied to the release context. Export creates a fixed representation of the reviewed draft, while the editable report remains available for subsequent work. The officer should confirm the recipient, selected content and narrative before releasing that version.

Review before producing the copy

Confirm the reader's identity and release level alongside the report content. The exported version may circulate separately from the workspace, so its handling information and source references are important to later review. Check that the narrative distinguishes recorded facts from interpretation and that the selected blocks support the report's purpose. Subsequent changes to the editable draft do not change an already exported copy. A later release should be treated as another reviewed version with its own release context.

Working sequence

Open the export action after reviewing the draft. Enter the named reader and the appropriate release clearance, then produce the fixed document. Inspect its heading, selected material and handling information before use. If the report needs further changes, revise the editable draft and review the next export as a new version rather than assuming the previously generated copy will update.

Exported case report

Figure 24 / Illustrated product reference



SECRET

ED · INTELLIGENCE SUMMARY / CASE REPORT

Operation Mirage: laundering of cyber-fraud proceeds

Case	CASE-2026-F13C17
Purpose	money laundering investigation
Legal basis	ECIR/MBZO-II/31 under PMLA ss.3-4; scheduled offence BNS 318(4), 319(2); FIU-IND STR 88412
Opened	2026-10-15T07:07 by ed.dd
Prepared	2026-10-18T05:45 by ed.dd · release copy for Special Court PMLA, Mumbai (clearance SECRET)
Case records	STR/FIU-IND/2026/88412, ECIR/MBZO-II/2026/31
Network examined	636 objects; 15 ranked persons; 25 typology alerts

Scores below rank leads by evidence found in the data (money, records, communications, control of companies). They are investigative leads for the officer, not findings of guilt. Every fact is traceable to its source system (annex).

1. Persons of interest, ranked by evidence

#	Name	Role	Score	Principal evidence
1	Javed Abdul Shaikh	Facilitator / layering	98	Account ··7480: Rs 87,800,000 of large credits; 77% moved out within 72 h; Account ··7480: Cycle of 3 accounts moving at least Rs 66,048,000: Kairos Infra Solutions Pvt Ltd ·6170 -> Arcadia Impex Pvt Ltd ·2088 -> Novastar Commodities Pvt Ltd ·7480 -> Kairos Infra Solutions Pvt Ltd ·6170; Account ··8919: 35 cash deposits between Rs 45,000 and Rs 49,999 totalling Rs 1,711,000
2	Sameer Abdul Sayyed	Suspected kingpin / ultimate beneficiary	88	Controls offshore entity Gulf Horizon General Trading FZE (AE) that received Rs 91,500,000; Received Rs 14,000,000 from flagged accounts; Family members received Rs 41,800,000 from flagged accounts
3	Rohit Ganesh Thorat	Money mule	76	Account ··4792: 4 senders, Rs 404,999 in; 92% forwarded within 24 h; account opened 2026-07-16, KYC min; Account ··4792: Named in 4 complaint(s) / case(s); Account ··6553: 4 senders, Rs 774,999 in; 92% forwarded within 24 h; account opened 2026-07-11, KYC min
4	Ajay Akash Kharat	Mule herder / recruiter	76	Account ··4178: Rs 2,940,000 sent to a crypto exchange in 3 transfers; Account ··4178: Named in 1 complaint(s) / case(s); Received Rs 1,794,000 from flagged accounts
5	Sunil Sachin Deshmukh	Money mule	76	Account ··6103: 3 senders, Rs 284,999 in; 92% forwarded within 24 h; account opened 2026-02-17, KYC min; Account ··6103: Named in 3 complaint(s) / case(s); Account ··5538: 3 senders, Rs 435,000 in; 92% forwarded within 24 h; account opened 2026-05-11, KYC min
6	Rukhsar Irfan Shaikh	Money mule	75	Account ··1882: 4 senders, Rs 609,999 in; 92% forwarded within 24 h; account opened 2026-07-23, KYC min; Account ··1882: Named in 4 complaint(s) / case(s); Account ··5325: 4 senders, Rs 1,085,000 in; 92% forwarded within 24 h; account opened 2026-06-22, KYC min
7	Savita Ganesh Gaikwad	Money mule	75	Account ··0593: 3 senders, Rs 695,000 in; 92% forwarded within 24 h; account opened 2026-05-16, KYC min; Account ··0593: Named in 3 complaint(s) / case(s); Account ··5395: 3 senders, Rs 435,000 in; 92% forwarded within 24 h; account opened 2026-04-28, KYC min
8	Savita Sachin Wagh	Money mule	75	Account ··5310: 4 senders, Rs 609,999 in; 92% forwarded within 24 h; account opened 2026-04-22, KYC min; Account ··5310: Named in 4 complaint(s) / case(s); Account ··4361: 4 senders, Rs 549,500 in; 92% forwarded within 24 h; account opened 2026-07-02, KYC min
9	Swati Nitin Bhagat	Money mule	74	Account ··6847: 3 senders, Rs 354,500 in; 92% forwarded within 24 h; account opened 2026-04-14, KYC min; Account ··6847: Named in 3 complaint(s) / case(s); Account ··8125: 3 senders, Rs 815,000 in; 92% forwarded within 24 h; account opened 2026-02-22, KYC min

Mosaic export B7ABC60E · by ed.dd · 2026-10-18 05:45 UTC · copy for Special Court PMLA, Mumbai

SECRET · page 1/5

Figure 24 · Exported case reportSynthetic demonstration

Reading the exported document

The page hierarchy identifies the case and organises its selected facts for the recipient. Read a reported amount or relationship with its supporting reference and the officer's explanation. The document is a presentation of the reviewed material, while the evidence locker and source records remain the references for deeper examination. This distinction helps the recipient identify what is directly recorded, what has been selected for the report and what interpretation has been added by its author.

Purpose and operation

The exported case report presents the reviewed draft as a fixed document. It combines selected record facts with the officer's narrative and the source references included by the report workflow. The illustrated page shows the resulting document hierarchy and handling context. It should be read as an example of the export format; the synthetic names, amounts and case details do not describe an operational investigation.

Working sequence

Read the case identity and release context first, then follow the report's sections in order. Where a statement depends on a particular record or exhibit, use its printed reference to identify the supporting material. Compare the officer's interpretation with those facts when reviewing a conclusion. The document communicates the selected case narrative; it does not expose every record that remains available in the workspace.

Draft evidence certificate

Figure 25 / Illustrated product reference



DRAFT CERTIFICATE - TO BE VERIFIED AND SIGNED

CERTIFICATE UNDER SECTION 63(4)(c) OF THE BHARATIYA SAKSHYA ADHINIYAM, 2023

PART A (to be filled by the party)

I, Deputy Director, ED Mumbai Zonal Office, do hereby solemnly affirm and sincerely state and submit as follows:
I have produced the electronic record / output of the digital record 'cctv-still.jpg' (Face search still), taken from the following device / digital record source:

Computer / storage media
DVR
Mobile phone
Flash drive
CD / DVD
Server
Cloud
Other

Make and model _____
Serial number _____
IMEI / UIN / UID / MAC / Cloud ID _____
Seized from / custody _____
Legal order Seizure memo 12/2026: ATM camera footage, Vashi

The digital device or the digital record source was under the lawful control for regularly creating, storing or processing information for the purposes of carrying out regular activities, and during this period the computer or communication device was working properly and the relevant information was regularly fed into it during the ordinary course of business. If the computer / digital device was not working properly at any time, that did not affect the electronic / digital record or its accuracy.
The digital device or the source of the electronic record is: owned maintained managed operated by me (select as applicable).
I state that the hash value(s) of the electronic / digital record(s) is/are:
SHA-256: e95ab4427919a6f57afb7fe6e1fc53496f2b8cf5a36cc4eed7141c8504b7c4a4
MD5: 39c476946314a29d6a578d311499609d
obtained through the following algorithm: SHA1 SHA256 MD5 Other (legally acceptable standard). (Hash report to be enclosed with the certificate.)

Date (DD/MM/YYYY): _____ Place: _____ Name and signature: _____

PART B (to be filled by the expert)

I, _____, son / daughter / spouse of _____, residing / employed at _____, do hereby solemnly affirm and sincerely state and submit that the produced electronic record / output of the digital record was obtained from the device described above, and that its hash value(s) is/are:
SHA-256 / MD5 (to be computed independently by the expert): _____

Date (DD/MM/YYYY): _____ Place: _____ Name, designation and signature: _____

Mosaic exhibit evidence:6364ced46bd1fa75 · uploaded 2026-10-18T05:42 by ed.dd · 3 custody events recorded. This draft was generated from the evidence locker; the signatories must verify every statement before signing.

Mosaic export 402B8464 · by ed.dd · 2026-10-18 05:45 UTC · copy for court filing DRAFT CERTIFICATE - TO BE VERIFIED AND SIGNED · page 1/2

Figure 25 · Draft evidence certificateSynthetic demonstration

Document preparation and review

Check the exhibit description, recorded device information and handling details against the material actually received. A generated field can only reflect information present in the system; missing or inaccurate source details must be addressed by the responsible officer. Keep the draft associated with its exhibit and the relevant release package so that a reviewer can compare the document with the underlying records. The completed document and its use depend on the applicable process and the authorised signatory's review.

Purpose and operation

The evidence pack includes a draft certificate populated from the information held in the case workflow. It connects the exhibit details and recorded handling information with a document prepared for review. The illustration shows the generated format, not a completed or independently validated certification. The responsible officer must review the source information, complete the applicable requirements and assess the document's suitability for its intended use.

Working sequence

Locate the certificate within the evidence package and identify the exhibit or material to which it relates. Compare its populated details with the registration record and the relevant source documentation. Resolve incomplete information through the responsible officer's review before relying on the document. Retain its relationship to the package and manifest so that a later reader can understand which files the reviewed certificate concerns.

03

Investigative leads

Leads identify patterns that warrant examination. They connect a detector's finding to the records, measurements and review steps needed to determine whether further case work is justified.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Investigative leads	3 individual screens	26–28

03.1 Inputs and detection

The implemented detector library covers multiple mission tracks, using the record families relevant to each question. A lead can arise from financial relationships, communications, movement, assets or combinations of those sources. Detector output is constrained by the available material and its operating scope; a missing or incomplete source can change what the detector is able to identify.

03.2 Review workflow

The officer filters the lead list by pattern and status, then opens a finding. The detail explains its measurements, thresholds and supporting material, together with plausible innocent explanations. The officer should inspect those records and the time interval before requesting a case or dismissing the lead. Before case approval, the workflow uses the permitted presentation of parties rather than granting unrestricted identity access.

03.3 Outputs and decisions

A case request records a title, purpose and legal basis for separate supervisory consideration. The approving supervisor must satisfy the applicable agency and independence checks. Dismissal records a reason. An approved request moves the work into the authorised case context; neither the presence of a pattern nor its priority is itself a determination that an offence occurred.

03.4 Evaluating the finding

A lead should be examined against the detector's stated question. Identify the records that meet the condition, check their dates and compare the explanation with other plausible accounts of the activity. Where the available material supports further work, the case request should state what is to be investigated and its recorded basis. Where it does not, the dismissal reason should explain the disposition sufficiently for another reviewer to understand why the lead was not progressed.

Detector finding and evidence

Figure 26 / Illustrated product reference



Figure 26 · Detector finding and evidence

Synthetic demonstration

Purpose and operation

A detector finding presents the question, measurements and supporting records that prompted the lead. The officer can inspect the pattern in its mission context and compare the evidence with the stated thresholds. The accompanying explanation includes possible ordinary interpretations, helping the reviewer identify what further information is needed. Pre-case presentation preserves the permitted level of identity access until the relevant request has been approved.

Controls and workflow

01 **Mission tracks.** An NCB officer sees narcotics, precursors and couriers. Every agency sees only its own tracks.

02 **Patterns.** Filter by detector: handset-sharing crew, foreign handler, precursor diversion, successor SIM, convoy.

03 **The lead list**, with severity, pattern, tracks and when the pattern was last seen.

Controls continued

04 **Pseudonymous until a case opens.** Parties are Subject A, Subject B and so on. Names appear only to members of a case opened on the lead.

05 **Evidence behind it:** the numbers, contacts, dates and reasoning. Subject C's number first appeared 26 days after Subject B's went silent, and calls 7 of its 9 regular contacts.

06 **How this pattern works:** the detector in plain words, what it deliberately ignores, and the innocent explanations to rule out.

Interpreting supporting evidence

The finding should be assessed using the records that satisfy the detector's condition. Examine the relevant dates, identifiers and measurements, then compare them with the stated innocent explanations and source limitations. Where the pattern supports a specific question, formulate that question in the case request. Where the evidence does not justify further work, record a dismissal reason. This retains the distinction between a detector identifying a pattern and an officer deciding how the institution should respond.

Case request and lead disposition

Figure 27 / Illustrated product reference



Figure 27 · Case request and lead disposition

Synthetic demonstration

Purpose and operation

The lead can be submitted as a case request with a title, purpose and recorded legal basis. An eligible supervisor reviews the request separately from the proposing officer. Alternatively, dismissal records the reason for not proceeding with that lead. Both actions preserve a disposition rather than leaving the finding without an explanation. The request workflow establishes whether the proposed work should enter an authorised case context.

A reviewable request

A well-formed request explains the work proposed and relates its purpose to the supporting lead. The recorded basis should be specific to that enquiry rather than a generic description of the agency's mission. The separate supervisor can then consider the requested case context and the material supporting it. After the decision, the officer should use the resulting status to continue the authorised work or address the reason for refusal, rather than treating submission as approval.

Working sequence

Open the lead detail, inspect the supporting finding and choose whether to request a case or dismiss the lead. For a request, supply the title, purpose and basis required for review. The separate supervisor then records the eligible decision. For dismissal, enter the reason explaining the disposition. Either route makes the response to the finding visible to the workflow.

Approved lead in case context

Figure 28 / Illustrated product reference



Figure 28 · Approved lead in case context

Synthetic demonstration

Purpose and operation

After an approved request establishes the case context, the lead can be examined with the identity and record information the case is permitted to access. The officer reviews the participating records and supporting relationships, then continues through the dossier, network or case workflow. Approval authorises the relevant case work; it does not establish that the detector's interpretation is correct. The supporting evidence remains subject to examination.

Continuing the investigation

The authorised case context allows the officer to examine relevant identities and relationships through the ordinary case tools. Review the lead against dossiers, the network and the timeline to determine whether the available facts support a coherent line of enquiry. Additional records may strengthen, qualify or contradict the initial pattern. Preserve that distinction in the case narrative so that later readers can understand how the investigation developed from the original detector finding.

Working sequence

Open the approved case from the lead workflow and verify that it is the active context. Examine the now-available party information and inspect the relevant links in the dossier or network. Use the case lead board to coordinate further work and the reporting tools to preserve reviewed facts. The original finding remains a reference for understanding how this enquiry began.

04

Financial alerts

Financial alerts organise typology findings for review. They bring the relevant accounts, amounts and transaction paths into view so that the officer can examine how a finding was produced.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Financial alerts	2 individual screens	29–30

04.1 Purpose and inputs

The alert workflow applies implemented financial typologies to the available records. Different rules address different structures, including movement through accounts and relationships between entities. The result is an analytical finding with a stated rule and supporting material. Its completeness depends on the transactions and links present in the permitted case context.

04.2 Examination process

The officer narrows the list by rule or severity and opens an alert. The selected finding exposes the amount, path or other measurements relevant to that typology. Links to dossiers, the money trail and the network allow the officer to inspect the parties and records from several perspectives. Dates, direction, ownership and the source of each transaction remain necessary to interpreting the pattern.

04.3 Interpretation and follow-up

Severity organises attention among findings; it is not a general risk label for a person. The officer assesses the underlying material and plausible explanations before adopting a line of enquiry. An alert can inform case work or a report, but the human analysis should explain which facts support the conclusion and what additional material would be required to resolve uncertainty.

04.4 From alert to case analysis

Treat the alert as a reference to a set of transactions and relationships. Establish which accounts are involved, how the amounts were calculated and whether the relevant dates support the proposed sequence. The dossier supplies entity context; tracing examines direction and endpoints; the network shows the wider structure. The resulting case narrative should identify which records support the interpretation and which aspects remain unresolved, rather than repeating the rule name as a conclusion.

Financial typology alerts

Figure 29 / Illustrated product reference



Figure 29 · Financial typology alerts

Synthetic demonstration

Purpose and operation

The alert list organises financial findings from the implemented typology rules. Each entry identifies the applicable rule, severity and supporting context. Filters help the officer narrow the list to a particular kind of pattern before opening its detail. The selected alert then provides a route to the relevant accounts, parties and transaction analysis. Severity prioritises review of findings and should not be read as a general assessment of a person.

Controls and workflow

01 **Typologies**, with the number of alerts in the case.

02 **Score**, showing which alert to read first.

03 **Subject and finding** in plain words, with the amount.

Controls continued

04 **Next steps:** open the dossier, trace the funds or see the network.

05 Filter by typology and severity. Select one alert to read the detailed finding, then use Open dossier, Trace funds or Network. Alert priority helps order review; it is not a finding about a person.

Organising analytical attention

Rule and severity filters answer which findings are being reviewed, not which people have been established as responsible for an offence. Open an alert to examine its actual measurements and records. The same account can appear in several findings for different reasons, so avoid treating the number of alerts as independent confirmation. Use the selected finding to identify the transactions and relationships requiring examination, then relate the result to the active case and the source material available.

Transaction-path examination

Figure 30 / Illustrated product reference



Figure 30 · Transaction-path examination

Synthetic demonstration

Purpose and operation

The filtered view isolates a particular financial typology and presents its selected finding. For a potential circular transfer pattern, the officer examines the path, amount and participating accounts, then checks the underlying transactions and their chronology. Dossier, money-trail and network links provide supporting views. The structure of a path is only part of the assessment; source coverage, timing and the purpose of transfers remain relevant to the interpretation.

Checking a proposed transfer pattern

Follow the transaction references in sequence and distinguish an account's role in the path from the identity of its holder. A visually circular route requires appropriate direction and chronology before it can support an account of funds returning to an earlier point. Amount thresholds and available source coverage can affect the displayed structure. The officer's explanation should therefore identify the relevant transactions and dates, together with any limitations that affect the interpretation.

Working sequence

Select the relevant typology filter and open an alert from the narrowed list. Review the amount and path presented in the detail, then follow the associated records into tracing or the network. Check the individual transfers in the dossier when chronology matters. The resulting analysis should describe the transaction sequence and its evidence, rather than simply restating the filter or rule label.

05

Watches and saved searches

Watches retain an investigative question across changes in the available data. They return relevant activity to the work queue so that the officer can review new material in its case context.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Watches and saved searches	4 individual screens	31–34

05.1 Watch scope

An entity watch follows activity associated with a selected record. A place watch describes a geographic area and the relevant context for monitoring it. The officer records a reason and chooses the supported history interval. Activity is then presented with its kind and importance, allowing the user to examine the underlying event rather than relying on an unexplained notification.

05.2 Review workflow

The watchlist provides access to current watches and their resulting activity. Filters narrow the items requiring attention, and reviewed status distinguishes material already considered. Stopping a watch is an explicit action with a reason. The work queue brings relevant updates back into the officer’s daily workflow without requiring the original analytical view to remain open.

05.3 Saved queries and limits

Explorer searches can also be saved with a reason and subsequently re-evaluated as the work queue loads. This retains a repeatable query as well as a selected object or area. The capability operates on records available to Mosaic; it does not imply continuous access to external feeds. An update indicates relevant available material, which the officer must still examine for significance and reliability.

05.4 Maintaining an active enquiry

A watch is most useful when its recorded reason explains what the case expects to learn. Review the available updates, follow the supporting records and mark items considered so the team can distinguish fresh material. When the enquiry no longer requires monitoring, stop the watch with a reason. For a saved query, review both the search criteria and newly matching records; a match can reflect a new ingestion or changed visibility rather than a newly occurring event.

Entity-watch activity

Figure 31 / Illustrated product reference



Figure 31 · Entity-watch activity

Synthetic demonstration

Purpose and operation

The entity-watch view groups new activity associated with records followed by the case. Each item provides its category and review status, allowing the team to distinguish new material from entries already examined. Importance and activity filters organise the queue, while the underlying record provides the evidence for follow-up. A watch preserves the investigative interest and its reason; it does not grant additional access to restricted sources.

Controls and workflow

01 Select an entity watch to inspect the available new activity and its underlying records.

02 Filter by activity kind and importance to organise the items requiring review.

03 Mark reviewed records that the item has been examined; Stop watching requires a recorded reason.

Review and disposition

Opening an activity item allows the officer to inspect what changed and whether it matters to the enquiry. Marking it reviewed records that the team has considered it; this does not imply that every activity item requires further action. Where the update contributes to a lead or report, follow the corresponding case workflow. If the original reason for monitoring no longer applies, stop the watch and record why it is no longer required.

Working sequence

Choose the watched record and narrow its activity by kind or importance. Open a relevant item to examine the underlying source, then mark it reviewed when considered. The team can continue through the case tools if follow-up is required or stop the watch with a reason when the monitoring question no longer applies.

Geographic watch

Figure 32 / Illustrated product reference



Figure 32 · Geographic watch

Synthetic demonstration

Purpose and operation

A geographic watch retains a defined area and its case context. Newly ingested vehicle or communication observations within the area can appear when they are visible to the case. The illustrated scenario uses a circular area and distinguishes relevant recorded activity for review. An observation must still be interpreted according to its source, time and relationship to a person; proximity alone does not establish participation in an event.

Interpreting location-based updates

Read the observation type and recorded time before linking it to the reason for the watch. A plate read identifies a vehicle observation, while a communication record may describe a device's association with a source location. Their geographic precision and relationship to a person can differ. Open the supporting record and inspect the available owner or subscriber context before treating the update as evidence of a person's presence or activity inside the watched area.

Working sequence

Select the place watch and review the area to which it applies. Examine the available updates by their observation type and time, then open the relevant vehicle, phone or associated record. Compare that material with the reason for the watch before taking a case action. Review status helps the team distinguish updates already considered from newly available observations.

Watch configuration

Figure 33 / Illustrated product reference



Figure 33 · Watch configuration

Synthetic demonstration

Purpose and operation

The watch dialog records why the case is following the selected record and defines the history to include. The officer can begin from the current point or include the supported 30-day or 90-day interval. The reason remains available to the case team when reviewing subsequent activity. Saved searches provide a related workflow for retaining a query; they are re-evaluated when the work queue loads, using the records available to the case.

Defining the enquiry

The reason should explain why the selected record or area matters to the case. The history interval determines whether the review begins with previously available activity or only the current starting point. Check these settings before creating the watch so the team can interpret subsequent updates consistently. A watch relies on information that becomes available to Mosaic; it is not an instruction to an external source to collect new data. Later review should consider the source and event date behind each update.

Working sequence

Enter the investigative reason and choose whether the watch starts now or includes the supported historical period. Review the selected entity or area before confirming. The resulting watch becomes available to the case team for activity review. Its future updates should be assessed against the recorded question, and the watch can be stopped with a reason when that question no longer requires monitoring.

Saved-search review

Figure 34 / Illustrated product reference



Figure 34 · Saved-search review

Synthetic demonstration

Purpose and operation

A saved search retains a query for the active case. When it is evaluated again as the work queue loads, newly visible matching records can reach the queue and this saved-search view. It uses the records available to the case, not an unrestricted external search.

Controls and workflow

01 Select a saved search to read its name, reason and visible results.

02 Mark the results reviewed so the case team can distinguish new material from material already read.

03 Stop searching ends the saved search with a recorded reason. Start a new saved search from Explorer.

Reviewing new matches

A saved search preserves the query as well as the case context in which it is used. A newly visible result can reflect an additional extract or another permitted update, rather than an event that has just occurred. Open the matching record and examine its date and provenance before deciding whether it changes the enquiry. The recorded reason helps the team understand why the query remains active and when it should be stopped.

Working sequence

Select the saved search to inspect its name, reason and matching records. Open relevant results for detailed examination, then mark the material reviewed. Use Stop searching when the query is no longer required. Create or refine a search through Explorer when the underlying question changes, so the retained query continues to describe the intended enquiry.

Example. A saved family-name search can bring a newly ingested matching record to the team's attention on its next evaluation.

06

Network analysis

The network presents records and relationships as an interactive graph. It supports structural examination while preserving the distinction between recorded links, analytical measures and investigative conclusions.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Network analysis	7 individual screens	35–41

06.1 Exploration

The officer selects records, expands their neighbours and switches between layouts suited to structure, money flow, record types or communities. Filters narrow relationship classes and object families. Labels, spacing, zoom, search and the record list make a complex view more manageable. Hiding an item changes the working view; it does not delete the underlying record.

06.2 Analytical methods

Analysis of the loaded graph includes communities, betweenness, articulation points, k-cores, connected components, directed cycles and bridges. Path tools can examine undirected, directed and money-only connections, including alternative paths. These methods answer structural questions about the material currently loaded. For example, a bridge can identify a connection whose removal separates parts of that graph.

06.3 Interpretation and scope

A network measure describes the graph, not a person's intent. A cycle containing different relationship types is not necessarily a circular movement of money, and maximum flow is not a statement of actual transferred value. The officer should inspect edge types and supporting records before drawing conclusions. Expansion and layout changes remain subject to the active permissions and cannot widen the user's authority.

06.4 A disciplined analytical sequence

Start with the question, then choose the layout and relationship types that address it. Inspect a small number of relevant records before relying on a structural measure. When a path or community appears significant, examine its component links and source references. Keep the selected scope and loaded graph in mind when comparing results. A visually central record may represent a shared service or a commonly occurring identifier rather than the operational centre of an activity.

Network workspace

Figure 35 / Illustrated product reference



Figure 35 · Network workspace

Synthetic demonstration

Purpose and operation

The network represents available records as nodes and relationships as links. Money transfers, calls, shared devices, directorships, addresses and family relationships can be examined in the same working view. The presentation distinguishes recorded relationships from machine suggestions. Layout and filtering controls help the officer select the structure relevant to the question while retaining access to the supporting record inspector.

Controls and workflow

01 **Layouts.** Structure, money flow, record type, community, neighbourhood and force-directed views organise the graph.

02 **Analysis.** The loaded graph can be examined for communities, centrality, connectivity, dense cores and cycles.

03 **Filters.** Relationship layers and record families narrow the displayed material.

Controls continued

04 **Selection.** Click selects, Shift-click adds records, double-click expands and right-click opens dossier access.

05 **Inspector.** Selected-record details and related evidence provide context for the visual connection.

06 **Scope.** Graph exploration remains subject to permissions and the permitted case context.

Selecting the right perspective

Begin with the relationship type relevant to the enquiry, then use the inspector to check individual records. A visual cluster can arise from a common address, device or service as well as from coordinated activity. Structural analysis can identify where to look, but the supporting relationship and its source determine what the connection means. Keep the loaded scope in view when comparing apparent groups or routes.

Network record list

Figure 36 / Illustrated product reference



Figure 36 · Network record list

Synthetic demonstration

Purpose and operation

The record list provides a searchable alternative to locating a small node in a dense graph. Selecting a row focuses that record and its available relationships. It also provides a usable selection route when a graphical view is difficult to navigate.

Controls and workflow

01 Toggle Record list and search, then type a name or reference.

02 Click a record to select it; multiple selection allows actions on more than one loaded record.

03 Fit to view, zoom, labels, spacing and rearrange change the presentation. Remove from this view only hides a node from the current canvas.

Selection without visual ambiguity

The list is useful when several nodes overlap or the graph contains many similarly labelled accounts. Find the record by its available name or reference, select it and inspect the associated details before expanding its neighbourhood. View controls improve readability but do not change the source records. When removing a node from the canvas, remember that structural analysis can still operate over the loaded graph, including records hidden from the current view.

Working sequence

Open Record list and search, enter a name or reference and select the intended row. Inspect the selected record before expanding or applying an action to it. Multiple selection supports work on several loaded records, while fit, spacing and labels improve the canvas presentation. These controls offer a precise route through a dense graph.

Example. In a network with many accounts, an analyst searches the last digits of an account reference and opens its inspector.

Layouts and relationship filters

Figure 37 / Illustrated product reference



Figure 37 · Layouts and relationship filters

Synthetic demonstration

Purpose and operation

Layouts organise the same available records in different ways. By record type places similar objects together; money flow follows transfers; neighbourhood focuses on the selected record. Presentation controls help the officer read the network without changing the underlying facts.

Controls and workflow

01 Choose Structure, Money flow, By record type, By community, Neighbourhood or Force-directed.

02 Filter relationship layers and record families to concentrate on money, communications or assets.

03 Neighbourhood depth and path methods work within loaded records. They do not enlarge the case's access rights.

Layout as an analytical choice

The same relationships can appear very different when organised by type, community or direction of transfer. Choose the layout to make the relevant question easier to examine, then confirm the facts in the inspector. A layout is a presentation method rather than additional evidence. Comparing two views can help identify which apparent pattern is a feature of the records and which is produced by their arrangement on the canvas.

Working sequence

Choose the layout corresponding to the question: record type for object categories, money flow for transfers or neighbourhood for a selected record. Apply the relevant relationship filters and inspect the resulting connections. Switch views when another perspective is useful, keeping the same source records and permission boundary in mind while interpreting the different arrangements.

Example. The analyst groups accounts and companies by type to see which people control several organisations.

Structural analysis

Figure 38 / Illustrated product reference



Figure 38 · Structural analysis

Synthetic demonstration

Purpose and operation

The analysis panel examines structural properties of the loaded graph. Community detection groups records with stronger internal connectivity; centrality and articulation measures identify positions connecting other parts of the graph. Components, bridges, dense cores and directed cycles provide additional perspectives. Selecting a result directs the officer to records that merit inspection. These measures describe the graph presented to the analysis and do not determine the intent or conduct of its participants.

Reading a structural result

A record with high betweenness appears on routes between other loaded records, while an articulation point has a specific effect on connectivity if removed. These are different structural properties and should be described accurately. Inspect the selected node or edge to understand whether it represents a person, account, device or another object. The analytical result can guide follow-up, but the case explanation must relate it to the actual type, date and source of each relationship.

Working sequence

Run analysis on the loaded graph and select the structural result relevant to the enquiry. Open the identified group, connector or cycle and examine its records through the inspector. Compare the types of relationships involved before describing the result. If the finding changes the next investigative question, continue into the case workflow with the supporting source references rather than treating the structural label as a conclusion.

Communities and connectivity

Figure 39 / Illustrated product reference



Figure 39 · Communities and connectivity

Synthetic demonstration

Purpose and operation

Network structure analysis works over all loaded records, including those currently hidden on the canvas. Its groups, routes and weak connections describe the available graph. They help an officer choose what to inspect next.

Controls and workflow

01 Groups identifies communities. Go-betweens lists records on routes between other records.

02 Records holding it together, Only links between parts and Separate parts identify articulation points, bridges and disconnected components.

03 Tightest group and Loops expose a dense core and directed cycles. Mixed-link cycles are not proof of round-tripping; transaction chronology must be checked separately.

Checking the underlying links

A community or dense core identifies a pattern in connectivity. Examine the kinds of links within that group and the records connecting it to other groups before assigning a substantive meaning. A shared service can connect many otherwise unrelated records. Similarly, a directed cycle that combines different relationship types is not a transaction sequence. The inspector and source records provide the evidence needed to distinguish those cases.

Working sequence

Select the available community or connectivity result and identify its member records. Inspect links within the group and the records joining it to other components. The loaded graph is the analytical scope, including records hidden on the current canvas. Use the evidence behind those links to explain why the structure matters to the case.

Example. A shared handset may appear as a connection between two groups. The officer opens its source records before interpreting that position.

Financial-flow layout

Figure 40 / Illustrated product reference



Figure 40 · Financial-flow layout

Synthetic demonstration

Purpose and operation

The financial-flow layout arranges the relevant accounts and transfer relationships to make direction easier to follow. Links are sized according to the represented amounts, helping the analyst compare routes without reconstructing the structure from separate statements. The officer should inspect the underlying transactions and selected scope when interpreting the visual. Aggregated transfers describe the available records; they do not resolve the purpose or ultimate control of the funds.

Comparing financial routes

Read the layout from its source side toward the available destinations, then inspect the lanes relevant to the enquiry. A wider lane indicates a larger represented amount; it does not by itself explain why the transfer occurred. Consider whether the view aggregates several transactions and check their dates in the underlying records. If a route appears incomplete, inspect the selected scope and available accounts before assuming that the displayed endpoint is the ultimate recipient.

Working sequence

Switch to Money flow, then inspect the account or party at the start of the relevant route. Follow the directed links and compare the represented amounts. Select a component to examine its details and use the dossier when transaction-level evidence is needed. The flow layout provides orientation; the dated records establish the sequence that can be described in the investigation.

Record inspection and path analysis

Figure 41 / Illustrated product reference



Figure 41 · Record inspection and path analysis

Synthetic demonstration

Purpose and operation

Selecting a record opens its available details and related evidence. From the selection controls, the officer can inspect the record, expand its neighbourhood or compare paths between selected endpoints. Supported methods include shortest paths, alternative routes, directed paths and money-only examination. A maximum-flow result is a capacity calculation over the loaded graph, not a statement of actual transferred value. Path findings require inspection of their component relationships.

Controls and workflow

01 Path choices include shortest connection in either direction, three alternative routes, shortest directed path, money-only path and maximum flow. A capacity calculation is not proof that a particular amount actually travelled along that route.

Choosing a path method

The method determines the question answered. A shortest path identifies a small number of connecting links, while directed and money-only options constrain which relationships can be followed. Alternative routes can expose different chains between the endpoints. Inspect each component before using the result in a report, particularly when the chain includes inferred associations. The available paths are drawn from the loaded graph and should not be described as an exhaustive account of all possible relationships outside it.

Working sequence

Select one record to inspect its particulars or choose two endpoints for a path enquiry. Choose the appropriate method and review each step in the returned route. Expand a neighbourhood only where it helps the question being examined. Hiding or rearranging items changes the view, while the underlying loaded records remain the analytical reference.

07

Entity dossier

The dossier consolidates the authorised information associated with a selected entity. It provides a structured reading of identity, activity, relationships and provenance without requiring the officer to rebuild that context in each tool.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Entity dossier	10 individual screens	42–51

07.1 Record overview

The overview presents the available identifying details, original-script names, family information, addresses and source references. Case-specific priority and its reasons can direct attention to relevant facts. Actions connect the record to leads, watches, the network and financial tracing. Masked fields remain visibly distinct from values available to the acting officer.

07.2 Activity and relationships

Dedicated views organise financial activity, communication records, travel, assets, relationships and chronological events. Financial filters can narrow accounts and amounts; transaction rows retain direction, channel, narration and counterparties. Communications summaries provide contacts and timing. The network and timeline place the record's activity in relation to other objects and events, with paging where the record set requires it.

07.3 Provenance and controls

The sources view identifies available property origins, ingestion context and original rows. The officer should use these references to assess conflicting or incomplete information. A permitted unmask action requires a reason and cannot reveal a complete value that was never stored. The dossier assembles the records the case may read; it is neither a complete biography nor evidence that all relevant sources have been obtained.

07.4 Reading across tabs

The dossier is most useful when its tabs are read together. An apparent financial change can be compared with the timeline and relevant source rows. A communication contact can be examined in the network and through the identifier associated with it. A travel booking can be checked against its date and supporting reference. This approach preserves the distinction between the presence of a record and the interpretation placed upon it, while reducing repeated searches for the same entity.

Dossier overview

Figure 42 / Illustrated product reference



Figure 42 · Dossier overview

Synthetic demonstration

Purpose and operation

The dossier assembles the authorised records associated with the selected entity. Its overview provides identifying information, case context and routes to deeper examination. Eight tabs organise the overview, record and patterns, financials, network, communications, travel and assets, timeline and sources. Each tab offers a different perspective on the available material while retaining the selected record.

Controls and workflow

01 **Identity.** Available names, original scripts, birth details, family, occupation, income and address identify the record.

02 **Photograph.** The image retains its available source reference.

03 **Case assessment.** Priority, relevant alerts and supporting facts connect the entity to the active investigation.

Controls continued

04 **Follow-up.** Actions open the network, connections, money trail or map, and can create a watch or case lead.

05 **Protected fields.** Masked values remain subject to permission and a recorded reveal reason.

06 **Summaries.** Counts and financial totals describe available accounts, phones, relationships, cases, alerts and journeys.

Establishing the selected identity

Check the entity's identifying details and source photograph before moving to an analytical tab. Similar names, shared addresses and associated family records require contextual reading. The overview's case assessment describes the entity's relevance within this investigation, while the other tabs provide the facts needed to examine it. Use the source view where an identifier or association requires explanation.

Case assessment and actions

Figure 43 / Illustrated product reference



Figure 43 · Case assessment and actions

Synthetic demonstration

Purpose and operation

The lower overview explains the subject's position in this case and shows related alerts. Its facts refer to the case network: account activity, transaction timing and recorded relationships. A position in this network is an investigative pointer, not a general risk score stored on the person.

Controls and workflow

01 Read the evidence behind the case assessment rather than relying on the rank alone.

02 Follow the account or relationship reference to inspect its source-backed details.

03 Use the neighbouring alerts to choose a focused money trail or network question.

Interpreting a suggested next step

The assessment brings relevant facts and available actions into the same view. It helps the officer choose what to examine next, but it does not require a particular investigative conclusion. Open the cited financial activity, relationship or pattern and assess its source. Creating a lead or watch should follow a reasoned decision about the enquiry, rather than the presence of an action button beside the assessment.

Working sequence

Review the assessment alongside the entity's identifying details. Open the facts supporting an alert or priority before choosing a follow-up action. Use the network, trace or map for further analysis, or create a lead or watch where the case requires it. Each next step should relate to the question supported by the reviewed material.

Example. An officer checks the account-level reasons behind a high position before adding a lead to the case board.

Protected-field access

Figure 44 / Illustrated product reference



Figure 44 · Protected-field access

Synthetic demonstration

Purpose and operation

A masked value is shown as protected rather than absent. Where policy permits, the officer can request an unmask action with a written reason. The service still checks the officer, case and field; entering a reason alone does not grant access.

Controls and workflow

01 Choose Unmask on the protected value to open the dialog.

02 State the case-specific reason, then confirm or cancel.

03 The access decision is recorded. An identifier stored only in partial form cannot be reconstructed by unmasking it.

Protected information in context

A reveal request should relate to the work being performed in the active case. The recorded reason allows later review of why the additional detail was sought. Permission and storage limits remain separate: a user may be eligible for an action while the complete original value was never retained. A masked identifier should therefore be read as a protected or limited representation, not silently treated as a missing field or a value that can always be reconstructed.

Working sequence

Identify the protected field required for the enquiry and open the available reveal action. Record the reason in the active case context, then review the result of the access decision. If the value remains unavailable, distinguish a permission refusal from a value that was only stored in partial form. Continue using the information actually available.

Example. An investigator records why a protected contact value is needed to follow an authorised line of enquiry.

Case history and pattern findings

Figure 45 / Illustrated product reference



Figure 45 · Case history and pattern findings

Synthetic demonstration

Purpose and operation

Record and patterns brings together the available incident history and detector findings associated with the selected person. Entries retain the recorded role, reference, legal sections and status where present. Other available material can include a history sheet, recurring contacts, tower information and weapon references. The officer should distinguish a person's recorded involvement or allegation from an established outcome and inspect the source of each entry before using it in analysis.

Distinguishing records from conclusions

A person may appear in a source record in different roles and at different stages of a proceeding. Read the role, status and reference together rather than treating every entry as the same kind of finding. Pattern results are additional analytical material and require their own examination. When preparing a report, identify which source supports the statement and whether it describes an allegation, an observation, an association or an established recorded outcome.

Working sequence

Review the listed incident and pattern entries for the selected person. Check each reference, recorded role and current status before opening its supporting detail. Where the view includes contacts, tower information or weapon associations, inspect the available identifiers and source context. Use the material in a lead or report only with the explanation needed to distinguish recorded involvement from the officer's interpretation.

Accounts and transaction history

Figure 46 / Illustrated product reference



Figure 46 · Accounts and transaction history

Synthetic demonstration

Purpose and operation

The financial view lists the available accounts and summarises inflows and outflows over time. Transaction rows retain channel, narration and counterparty details so that the officer can move from a monthly pattern to an individual transfer. Account and amount filters narrow the working set. The onward-trace action opens financial tracing from the current entity, preserving a route between the summary and the transaction relationships requiring examination.

Controls and workflow

01 Filter to one account and set Min ₹ to hide smaller transactions. The table preserves date, direction, amount, payment channel, narration, counterparty and reference.

From summary to transaction

Use the monthly display to identify the period requiring examination, then narrow the transaction rows by account or amount. Check direction, narration and counterparty before describing a movement of funds. Transfers touching flagged accounts are prompts for review, not independent conclusions about their purpose. Where further movement is relevant, use the onward trace and retain the transaction reference so that the narrative can be checked against the source rather than only against an aggregate chart.

Working sequence

Choose an account or amount filter to focus the transaction list. Review a relevant period in the summary, then inspect the individual direction, narration and counterparty references. Use Trace onward when the question concerns subsequent movement. Return to the transaction rows to verify the dated evidence behind any route that will be described in the report.

Entity relationship network

Figure 47 / Illustrated product reference



Figure 47 · Entity relationship network

Synthetic demonstration

Purpose and operation

The Network tab embeds the graph inside the dossier. It lets the investigator move from identity to relationships without starting another search. The familiar layout, filtering and selection controls are available around the entity's loaded neighbourhood. In this example, selecting Zenova Trading Pvt Ltd exposes its links to directors, its bank account, its registered address and a case record.

Controls and workflow

01 Change relationship layers to compare calls, accounts, companies and other connections.

02 Select a related record for inspection or open its dossier.

03 Use the full Network action when a larger workspace is needed for the same investigation.

Reading entity-centred relationships

The dossier network starts from the selected entity and provides a relationship context for the other tabs. Inspect the edge type before interpreting a connection to another person or object. Shared assets, communication identifiers and direct financial interactions are different kinds of association. Where a relationship appears relevant, use the inspector or linked dossier to examine its source and timing before carrying it into a line of enquiry.

Working sequence

Open the Network tab for the selected entity and inspect the immediate relationships. Choose a linked record to view its available detail and compare it with the financial, communication or source information in the dossier. Use broader network exploration when the question extends beyond this local context, while retaining the case and the identity under examination.

Example. After reading a company's financials, the officer selects the company in its network and examines its directors and account relationships.

Communication-record analysis

Figure 48 / Illustrated product reference



Figure 48 · Communication-record analysis

Synthetic demonstration

Purpose and operation

The communications view summarises the available call records by contact, duration and time. Contact entries include call counts, minutes and the first and last recorded interaction, together with subscriber information where available. The hourly distribution helps the officer examine timing within the loaded material. Call metadata establishes a recorded connection between identifiers; it does not reveal conversation content or independently establish who used a device at that moment.

Understanding the metadata

A contact total summarises records associated with identifiers. Review first and last interaction times and the underlying subscriber context before describing the relationship between people. An hourly distribution can identify a period worth examining, but it does not establish a routine beyond the source coverage. Compare relevant events with the timeline and other case material, and preserve the distinction between a recorded device interaction and evidence about the participants or content of a conversation.

Working sequence

Identify a contact relevant to the enquiry and review its count, duration and first and last recorded interaction. Compare the hourly distribution with the period under investigation, then inspect the associated subscriber or identifier where available. Relate any significant timing to the timeline and other source material before including it in an account of the person's activity.

Travel and asset records

Figure 49 / Illustrated product reference



Figure 49 · Travel and asset records

Synthetic demonstration

Purpose and operation

Travel and assets groups the available journey, booking and ownership records associated with the entity. Routes, dates and booking references provide a basis for chronological comparison. Vehicle, property, firearm or wallet records are shown where the permitted source material supports them, including relevant family context. Ownership, booking and actual use should be assessed separately. Any comparison with declared income requires examination of the underlying dates, values and sources.

Assessing ownership and movement

A booking reference, a registration and an asset record answer different questions. Inspect the source to determine whether it records a reservation, an observed journey, a registered owner or another relationship. Family-associated assets should retain the person to whom the source attributes them. The combined view can identify matters requiring further examination, but any conclusion about use, control or disproportionate ownership requires the relevant dates, values and supporting records.

Working sequence

Select the journey or asset relevant to the case and inspect its date, route, booking reference or ownership detail. Establish which person the source associates with the item, including family context where shown. Compare the record with the timeline or other evidence before making an interpretation about use or control. The combined tab helps identify relevant material while preserving the different meanings of its source types.

Chronological record view

Figure 50 / Illustrated product reference



Figure 50 · Chronological record view

Synthetic demonstration

Purpose and operation

The timeline orders available dated events for the selected record, including transactions, calls, travel, incidents and filings. Each event links to the record from which it was derived, and paging provides access to further entries. This common chronology supports comparison across different source types. The officer should consider the meaning of each timestamp, source coverage and any gaps before presenting the sequence as an explanation of events.

Controls and workflow

01 Use Newer and the available paging controls to move through dated events. Open an entry to inspect the record rather than treating the timeline caption as the whole evidence.

Constructing an evidence-based sequence

Start with the period relevant to the case and open the records behind significant events. Several source types may use dates with different meanings, such as an event date, filing date or transaction timestamp. Consider these differences when linking entries into a sequence. The newest-first view and paging support navigation through available material; they do not imply that every event in the person's activity has been captured or that nearby entries are causally related.

Working sequence

Review the latest events or page to the period relevant to the investigation. Open a significant entry to inspect the source from which it was derived. Compare the event with related financial, travel or communication records, then return to the chronological view to assess the sequence. Keep date semantics and source coverage explicit when preparing the narrative.

Source provenance

Figure 51 / Illustrated product reference



Figure 51 · Source provenance

Synthetic demonstration

Purpose and operation

Sources provides the route from a consolidated dossier back to its available origins. Property-level information identifies the source system, record reference, ingestion context and matching information where recorded. The original source rows provide context for values that agree or conflict. This view is essential when an officer needs to explain why a fact appears in the dossier or assess whether a proposed identity association is adequately supported.

Resolving a question about a fact

When a consolidated value is disputed, identify the source row and the context in which it arrived. Compare any competing values rather than assuming the displayed field is the only available version. Matching information helps explain why a row was associated with the entity, while the original source provides its own wording and identifiers. This distinction is useful when deciding whether the issue concerns a source error, an identity association or the interpretation of an otherwise accurate record.

Working sequence

Locate the property or source row relevant to the question. Review the source system, reference and available ingestion or matching information. Compare the original material with the consolidated value, particularly if another source disagrees. The resulting assessment should identify whether the value itself, its association with the entity or the interpretation of the record requires further review.

08

Financial transaction tracing

Money trail follows directed financial relationships from a selected person, company or account. It helps the officer examine origin, onward movement and endpoints within the available transaction records.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Financial transaction tracing	3 individual screens	52–54

08.1 Starting conditions

The officer selects a starting entity and chooses the direction of examination. An outward trace follows funds sent onwards; an inward trace examines the available origins. Hop limits and minimum amounts constrain the displayed result. The choice of party-level or account-level presentation changes the analytical granularity without changing the underlying evidence.

08.2 Reading the trace

Directed links represent the financial path exposed by the query. Selecting or hovering over a component reveals the associated context, while endpoint actions connect to dossiers and further analysis. The officer can examine foreign endpoints, cash withdrawals and retail originators or recipients where those records are present. Direction and level of aggregation must be read together to interpret the displayed movement correctly.

08.3 Outputs and limitations

The result provides a path for examination and a route to the underlying records. A trace is bounded by the selected limits and the data available to the case. The end of a displayed path may reflect missing records or a query boundary, rather than the final destination of funds. The officer must substantiate any narrative about source, control or purpose through the relevant transaction and ownership evidence.

08.4 Examining a route

Choose the direction and level of detail before interpreting the shape of a trace. Party aggregation can make a broad route readable, while account detail exposes separate instruments held by one party. Expand or narrow the query to answer a specific question, then inspect the relevant transaction references. Where a route reaches a boundary, determine whether it reflects the selected hop limit, the minimum amount or an absence of further records before describing it as an endpoint.

Outward financial trace

Figure 52 / Illustrated product reference



Figure 52 · Outward financial trace

Synthetic demonstration

Purpose and operation

An outward trace starts from the selected person, company or account and follows available transfers in the direction of movement. Hop and amount controls set the extent of the query, while party or account presentation changes the level of aggregation. The flow and endpoint details help the officer identify routes requiring further examination. The result is limited by the query and the records available to the active case.

Controls and workflow

01 **Direction:** where the money went, or where it came from.

02 **Hops and threshold:** how far to follow, and which small transfers to ignore.

03 **By party or by account:** combine a person's accounts, or keep each one apart.

Controls continued

04 **The flow, hop by hop:** bars are people or accounts, lanes are transfers sized by amount.

05 **End points:** how much ended abroad, in cash or at retail.

06 **Recipients** ranked by the value traced to them, with their flags.

Interpreting the endpoint

An outward path shows the available movement from the selected starting point under the chosen limits. Examine whether an endpoint represents a foreign destination, a cash withdrawal, another recorded party or simply the end of available data. Changing the hop or amount threshold can alter the displayed route. Before reporting a destination, check the relevant account and transaction references and distinguish the observed transfer from any inference about subsequent use or control of the funds.

Inward financial trace

Figure 53 / Illustrated product reference



Figure 53 · Inward financial trace

Synthetic demonstration

Purpose and operation

The incoming direction reverses the question: which accounts or parties supplied funds to the starting record? The diagram groups the traced transfers by hop, while the side panel ranks originators by traced value.

Controls and workflow

01 Switch from Where it went to Where it came from.

02 Adjust hop count and the minimum-transfer amount to choose the extent of the trace.

03 Open an originator's dossier to inspect the underlying person or company, then compare its other links.

Examining available origins

An inward trace asks which recorded transfers lead to the selected endpoint. Review the contributing accounts and the level of aggregation before describing an originator. A party can represent several accounts, while an account-level view keeps those instruments separate. The earliest displayed point is bounded by the available records and query limits; it should not automatically be treated as the original economic source of the funds.

Working sequence

Select the starting record and choose the inward direction. Set the hop and minimum-amount limits, then inspect the available routes leading to the endpoint. Compare party and account presentations where the distinction matters. Open the relevant counterparties and transactions before describing an origin, keeping the selected limits and source coverage attached to that explanation.

Example. Starting with a recipient account, an analyst follows incoming transfers to identify the records feeding it.

Account-level financial trace

Figure 54 / Illustrated product reference



Figure 54 · Account-level financial trace

Synthetic demonstration

Purpose and operation

By account preserves each account as a separate bar. By party combines accounts associated with the same person or company. Comparing the two views distinguishes an overall recipient from the individual accounts through which transfers moved.

Controls and workflow

01 Use By account when the exact account route matters; use By party to compare account holders.

02 Hover a bar to isolate its flows. Select a linked holder or recipient to open the dossier.

03 Read the flagged accounts and end points beside the diagram. Hop and threshold limits can stop a trace before its ultimate destination.

Why account detail matters

Keeping accounts separate helps the officer identify which instrument received or sent a particular transfer. Party aggregation can conceal movement between accounts associated with the same holder, while account detail makes that distinction available for examination. Compare ownership or control references with the transaction path before assigning responsibility. The choice of presentation changes how the route is read, not the recorded evidence behind the transfers.

Working sequence

Choose account-level presentation and identify the instrument relevant to the enquiry. Follow its available incoming or outgoing links and inspect the holder information separately. Comparing this view with party aggregation helps distinguish movements between a person's accounts from movement between different parties. Use the transaction references to support the route described in the case.

Example. Several accounts belonging to one holder may appear as one party but remain distinct in the account view.

09

Relationship examination

Connections supports a focused enquiry about one record's associates or the paths between two records. It complements the broader network with a narrower question and a readable chain of relationships.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Relationship examination	2 individual screens	55–56

09.1 Inputs

The enquiry begins with a selected record. The officer can inspect available associates or specify a second endpoint to examine a relationship between the two. Candidate endpoints can be selected through the search and associated-record controls. The active case and permissions continue to determine which records and relationships are available.

09.2 Workflow

The view presents the relationship structure and its supporting context. The officer examines the sequence of records, opens a dossier when more detail is needed and checks the evidence for each step. Inferred associations require particular attention to their stated basis. Clearing the second endpoint returns the view to exploration from the original record.

09.3 Use of the result

A connection identifies a route through the available record model. It does not by itself establish collaboration, knowledge or intent between the endpoints. The officer should distinguish direct recorded interactions from longer chains or inferred associations, and describe those differences when using the result in a case narrative or deciding what additional evidence to seek.

09.4 Assessing relationship meaning

Read a chain as a sequence of individually supported statements. An ownership link, a call and a shared address are different forms of association and should not be described interchangeably. Consider the time and source context of each step, particularly when the chain combines records from different periods. The result can identify useful questions for follow-up, but the significance of the full chain depends on the evidence for its individual connections.

Relationship-enquiry setup

Figure 55 / Illustrated product reference



Figure 55 · Relationship-enquiry setup

Synthetic demonstration

Purpose and operation

Connections can begin with one record. The screen shows available associations, conduct flags and supporting relationship evidence. Selecting a second record asks for the chain joining them within the case's permitted reach.

Controls and workflow

01 Search the From field for a person, account, phone or company.

02 Choose a second result, an associate or a record in the connection network.

03 Clear the second record to return to the first subject's associations. Open either dossier to review its underlying facts.

Formulating the relationship question

Use one endpoint when examining the selected record's available associates. Add the second when the enquiry concerns a particular pair of records. Check identifiers and context in the selection results to avoid comparing the wrong objects. The view can then expose the available route or associations between those endpoints. The investigative explanation should state which relationship is being examined and why it is relevant, rather than treating any possible path as equally significant.

Working sequence

Select the starting record and inspect the available associates. If the enquiry concerns another specific object, choose that endpoint through the search or related-record controls. Review the resulting relationship view and open relevant dossiers for detail. Clear the second endpoint when returning to a broader examination around the original record.

Example. An officer starts from an account holder, selects an associated company and inspects the records that connect them.

Connections between records

Figure 56 / Illustrated product reference



Figure 56 · Connections between records

Synthetic demonstration

Purpose and operation

The two-record view examines the available connections between selected endpoints. The displayed chain can include direct relationships, intermediate records and inferred associations, each of which requires assessment of its supporting source. The officer can open the linked dossiers to inspect identity and activity in greater detail. A path establishes a connection in the available record model; its significance must be explained through the specific relationships it contains.

Reading a chain of associations

Consider each link as a separate statement supported by a particular record. A path through a shared company, phone or address has a different meaning from a direct transaction. Check whether the links relate to the period under examination and distinguish inferred associations from recorded interactions. The chain can identify useful source material or further questions, but its existence alone does not establish that the endpoints acted together or knew of one another's activity.

Working sequence

Check both selected endpoints before reading the connection between them. Follow the chain in order, opening intermediate records where their identity or relationship requires explanation. Distinguish direct interactions from paths through other objects. When the chain informs a case lead, state which links are supported, what time period they concern and which part of the interpretation still requires further evidence.

10

Geographic investigation

Map combines records and relationships with geographic context. Area search examines observations within a defined place and period, supporting a more precise question than proximity on a general map.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Geographic investigation	5 individual screens	57–61

10.1 Geographic overview

The map can display the active case or other permitted flagged material. Layers represent people, companies, cases, financial movement, relationships and travel. Clusters and zoom provide a route from a regional overview to a local view. Selecting an item exposes its context and provides links to the dossier, trace or network where available.

10.2 Area enquiry

The officer chooses a place, camera, tower or map point, then defines a radius, time interval and reason. Results distinguish the available vehicle, phone and travel observations and show their recorded times and locations. Owner records, dossiers and networks support follow-up. The area can also inform a watch, saved search or report where the workflow provides those actions.

10.3 Interpretation

A registered address does not establish physical presence at a particular time. An observed device or vehicle must be interpreted according to the source and its connection to a person. Inferred relationships are distinct from recorded movement. Areas without an applicable source are identified so that an absence of observations is not mistaken for evidence that no activity occurred.

10.4 From location to evidence

Use the overview to identify the relevant place, then define an area enquiry with an explicit period and radius. Compare observations by source and time, and open the associated records to understand what was observed. A camera read, a tower record and a travel booking have different geographic meanings. Retain those distinctions when selecting material for a report or deciding to watch the area for further available activity.

Geographic overview

Figure 57 / Illustrated product reference



Figure 57 · Geographic overview

Synthetic demonstration

Purpose and operation

The geographic overview combines the selected scope with layers for records and relationships. The officer can examine the active case or other permitted flagged material, switch relevant layers and select a mapped item for context. Financial and travel links show available movement or relationships across places. Map position must be interpreted according to its source: a registered address, a transaction endpoint and an observed location represent different kinds of information.

Controls and workflow

01 **Case overview** or **search an area**.

02 **Scope:** the active case, or everything flagged.

03 **Layers:** money flows, relationships, travel, people and companies, agency cases.

Controls continued

04 **Cross-border flows**, with the amounts.

05 **Key:** machine-inferred links are drawn differently from recorded ones.

06 **Selection:** pick a person or company to bring their money and relationships forward.

Interpreting the selected scope

A broad map can reveal geographic distribution, but the available layers represent different types of information. Select an item to determine whether its position comes from an address, observation, travel record or other source. Relationship lines may describe connections rather than physical movement along the drawn route. Use the map to locate relevant material, then examine the associated dossier or trace before including a geographic interpretation in the case narrative.

Local geographic examination

Figure 58 / Illustrated product reference



Figure 58 · Local geographic examination

Synthetic demonstration

Purpose and operation

The map presents both broad flows and local relationships. Clusters keep nearby records readable at a wide scale. Selecting a cluster or zooming in reveals the records and links that share that location.

Controls and workflow

01 Switch map mode and use the rotation control when exploring the globe.

02 Toggle layers, zoom and select a record to bring its relationships forward.

03 Use the selection panel to open a dossier, money trail or network. A mapped registered address is not proof of presence at a particular time.

Moving from overview to detail

Zoom and clustering change how the same permitted records are presented. A cluster indicates several mapped items within the view, not a single combined event. Open the relevant item and inspect its source context before connecting it to the nearby observations. The local view can help choose an area for a more explicit radius-and-time enquiry, where the search parameters make the geographic question clearer.

Working sequence

Navigate to the region or locality required and inspect the clusters or individual items that become visible. Select a record to open its contextual panel, then follow the available dossier, trace or network action. If a precise local question is required, use an area search with a defined radius and period rather than inferring it from the zoom level.

Example. A cross-border transfer can be followed from the national view into the city where its linked company is registered.

Area-search parameters

Figure 59 / Illustrated product reference



Figure 59 · Area-search parameters

Synthetic demonstration

Purpose and operation

An area search asks which visible records place vehicles, phones or travellers inside a circle during a stated period. The officer chooses a centre, radius, start and end time, and the reason for searching.

Controls and workflow

01 Search for a recorded toll plaza, camera or tower, or use Pick on map.

02 Set the radius in kilometres and the time window. The reason is retained with the search.

03 If there is no recorded sensor in the circle, the screen explains why it cannot place anyone there. Adjust the circle when appropriate.

Defining a reproducible area enquiry

The selected centre, radius and time window determine which observations can match the enquiry. Record a reason that relates those parameters to the investigation. A narrower window can answer a particular event question, while a broader one may include unrelated activity. After running the search, review the source coverage alongside the results so that the absence of an observation is not interpreted beyond what the available sources can establish.

Working sequence

Choose the centre using the available place, camera, tower or map controls. Set the radius, start and end times, and record the reason. Run the enquiry and review both observations and coverage information. Retain these parameters when selecting material for the case so another reviewer can understand which place and period the result represents.

Example. To examine an incident near a toll plaza, the officer narrows the time window to the relevant evening before running the search.

Area observations

Figure 60 / Illustrated product reference



Figure 60 · Area observations

Synthetic demonstration

Purpose and operation

Area search returns available observations matching the selected place, radius and time interval. Vehicle, phone and travel results provide recorded times and locations, with routes to owner records and further analysis. Registered residents are treated separately from observations. The officer should use the source and timing to assess whether a result is relevant to the enquiry and check the coverage information before interpreting an absence of results.

Comparing observations

Read each result's type, first and last recorded times and available location references. The relationship from a vehicle or phone to a person depends on the owner or subscriber records and may require further examination. Registered residents provide geographic context but are not themselves observations during the selected interval. Follow a relevant result into the dossier or network, preserving the search parameters and source basis when using the material in a report.

Working sequence

Review vehicle, phone and travel observations separately, then compare their recorded times and locations. Open an owner or associated dossier when identity context is needed. Use the network to examine relationships relevant to the enquiry. Where the result informs a report or watch, preserve the search area and time interval so the later reader can understand the boundaries of the original question.

Observation details and coverage

Figure 61 / Illustrated product reference



Figure 61 · Observation details and coverage

Synthetic demonstration

Purpose and operation

Area results separate vehicles, phones and travellers, with the recorded locations and time range behind each result. Registered residents are presented separately: an address is different evidence from a toll read or a tower-associated call.

Controls and workflow

01 Select a result to inspect the reads or bookings that placed it in the area.

02 Open the record's dossier or its owner's network when that identity is visible to the case.

03 Watch this area retains the circle for new activity. A report can include the saved area-search result.

Coverage and absence

A result set is only as informative as the sources and period covered by the enquiry. Check any indication that no applicable sensor or observation source is available. An empty result from an uncovered area cannot establish that no relevant activity occurred. Likewise, an observed identifier requires assessment of its relationship to a person. These distinctions should accompany any case narrative that relies on the area search.

Working sequence

Inspect the observation rows and their source indicators before following an associated person or object. Compare registered-resident information separately from timed observations. Where the view indicates missing source coverage, retain that limitation in the analysis. Continue through the relevant dossier or network only when the result provides a supported basis for further examination.

Example. A vehicle read can support a question about its movement; a person's registered address alone cannot establish that they were there.

11

Record exploration

Explorer provides direct access to the permitted record model. It supports both finding a particular object and narrowing a larger collection through structured filters and summaries.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Record exploration	2 individual screens	62–63

11.1 Record inspection

Search and type filters narrow the available objects. Selecting a result opens its properties, relationships, handling context and provenance. The officer can use a known identifier or inspect the information associated with an object before moving to a dossier or another analytical view. The result remains subject to the same access restrictions as the rest of the workspace.

11.2 Aggregate exploration

The police overview summarises incidents by dimensions such as month, district, section and kind. Selecting a summary narrows the underlying result set, allowing the officer to move from a broad distribution to the relevant records. These summaries describe the loaded material and the applied filters; they should be interpreted with regard to source coverage and update timing.

11.3 Continuation of work

Where permitted, an officer can add a record to the active case or request a protected value with a reason. A search can be saved so the same question can be revisited through the work queue. Explorer therefore acts as both a direct record reference and an entry point into case work, while preserving the query and handling context behind the selection.

11.4 Developing a repeatable query

Begin with the reference or category that is known, then narrow the result set using the available filters. Check a sample of the underlying records before interpreting an aggregate distribution. When a query is useful for continued case work, save it with a reason that explains the investigative question. Subsequent results can then be assessed against that question rather than treated as an unstructured list of additional records.

Incident overview and record access

Figure 62 / Illustrated product reference



Figure 62 · Incident overview and record access

Synthetic demonstration

Purpose and operation

Explorer combines text search, object-type selection and record inspection. Police roles can also explore aggregate incident figures by month, district, section of law and kind. Selecting a chart category narrows the incident view.

Controls and workflow

01 Search by name, phone, vehicle or case reference and optionally choose an object type.

02 Open a result to read its properties, sources, marking and links. Add to case and unmask actions require the applicable permission and a reason.

03 Save search asks for a name and a reason so that later matching records can appear in the work queue.

From a summary to its records

An aggregate can identify a district, period or incident category requiring closer examination. Selecting that summary applies a narrower context to the underlying records. Inspect those records before interpreting the distribution, especially where source completeness or reporting dates differ. The result can support a more focused query or case selection, while the source references provide the basis for explaining what the aggregate actually represents.

Working sequence

Choose the relevant incident dimension or enter a direct record search. Selecting a summary narrows the underlying results, which can then be inspected individually. Review properties and provenance before adding material to case work. Save the query when the same question will need to be revisited as additional permitted records become available.

Example. A police analyst starts with incidents in one district, narrows by month and opens the relevant records for the active case.

Filtered record exploration

Figure 63 / Illustrated product reference



Figure 63 · Filtered record exploration

Synthetic demonstration

Purpose and operation

Explorer narrows the available records through search and object-type filters. Selecting a result exposes its properties, links, handling context and provenance. This supports direct examination of a known reference as well as discovery within a filtered collection. Permitted actions include adding a record to the active case, requesting a protected value with a reason and saving a query for later review through the work queue.

Developing the enquiry

Use the result's properties and relationships to determine whether it is the object required by the case. When several records have similar names, compare identifiers and provenance rather than relying on order in the list. A saved search retains the question for later review, while adding a record to a case connects the selected material to current work. These actions serve different purposes and should follow the officer's assessment of the record's relevance.

Working sequence

Enter the query and choose the relevant object type. Select a result to inspect its properties, relationships and source details. Where permitted, add the record to the active case or request a protected value with a reason. If continued review is required, save the query with an explanatory reason so subsequent matching records can be assessed in the same investigative context.

12

Data preparation and publication

Data studio makes the transition from incoming extract to shared case records explicit. Preparation, proposed changes and approval are separate stages, allowing a reviewer to examine the effect before publication.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Data preparation and publication	11 individual screens	64–74

12.1 Prepare and map

The officer chooses the permitted source and case context. Profiling examines values, and an ordered cleaning recipe records transformations, quarantined rows and duplicate treatment. Field mapping assigns rows and columns to record types, properties and relationships. Policy-blocked classes and unmapped fields remain visible. The source material remains the reference for assessing what has changed.

12.2 Match and inspect

Rows are classified as existing, probable or new, with the basis for the match. Checks expose patterns and conflicts with possible ordinary explanations. Proposed operations distinguish new records, filled gaps, corroboration, conflicts and learned spellings. Narrative material can be tagged for identifiers, dates, amounts and places; a name-to-person association requires supporting identifiers on the same page.

12.3 Submit and review

Submission freezes the proposal with its order and explanatory note. A different eligible supervisor in the case reviews the operations and records an approval or rejection reason. Approval publishes the proposed changes. A later revert follows the recorded publication workflow, and pattern analysis can be rerun over the resulting records. The separation of preparation from approval makes the decision and its scope inspectable.

12.4 Reviewing the effect of an intake

A reviewer should be able to move from the proposed operation back to the prepared row and original source. Examine matching evidence and conflicting values before approving the publication. The legal order and explanatory note establish the submitted context; they should be considered with the actual operations. After publication, inspect the resulting records and assess whether a correction or recorded revert is necessary before relying on newly available information in an analytical conclusion.

Extract profiling

Figure 64 / Illustrated product reference



Figure 64 · Extract profiling

Synthetic demonstration

Purpose and operation

Extract profiling examines the incoming material before it becomes shared case data. The studio identifies column characteristics from their values and presents the received rows with the available source context. The officer can inspect the structure, completeness and proposed interpretation before moving to cleaning and mapping. Progress information distinguishes received, typed, cleaned, quarantined, deduplicated, matched and proposed material so preparation remains visible throughout the workflow.

Controls and workflow

01 **Source extracts** the case may use, each obtained under a notice or order.

02 **What happens to the rows:** received, typed, cleaned, held back, de-duplicated, matched and proposed.

03 **Six steps:** columns, clean-up, fields, matching, checks and changes.

Controls continued

04 **Every column read from its values**, not its header, with the formats seen.

05 **The proposal:** what publishing would do, and under which order.

06 **Proposals in my cases**, waiting for or approved by a second officer.

Inspecting an incoming extract

Review the values represented by each column rather than assuming that the header accurately describes them. Missing entries, inconsistent formats and unexpected values can affect mapping and identity matching later in the workflow. The profile provides a basis for choosing the cleaning steps and record interpretation. Before proceeding, confirm that the selected source and case context correspond to the extract being prepared, so that subsequent proposed changes remain connected to the correct origin.

Cleaning and quarantine

Figure 65 / Illustrated product reference



Figure 65 · Cleaning and quarantine

Synthetic demonstration

Purpose and operation

Cleaning applies an ordered recipe to the incoming extract while preserving the source as the reference. The preview exposes changed cells, duplicate handling and quarantined rows so the officer can inspect the result of each transformation. Controls allow the recipe to be applied or reset. Incomplete identifiers require explicit treatment rather than unsupported reconstruction. The prepared values feed the later matching and proposal stages, where their effect can be reviewed before publication.

Controls and workflow

01 Suggested steps resets the clean-up recipe. Apply clean-up previews the configured steps. Cells changed, Quarantined and Duplicates expose separate consequences of the recipe.

Reviewing transformations

An effective cleaning recipe addresses a specific representation problem while preserving the meaning of the source. Inspect changed cells and quarantined rows to understand what was accepted, transformed or excluded from the proposal. Duplicate treatment should be assessed against the extract's identifiers and row structure. Reset and preview controls allow the officer to compare the effect of the recipe before carrying its results into matching and publication. The original source remains the reference for that assessment.

Working sequence

Review the suggested recipe and inspect its effect on representative values. Apply the appropriate steps in order, checking changed cells, duplicates and quarantined material. Reset the recipe where the transformation is unsuitable, then re-examine the result. Continue to field mapping once the prepared representation reflects the intended meaning of the source.

Field and relationship mapping

Figure 66 / Illustrated product reference



Figure 66 · Field and relationship mapping

Synthetic demonstration

Purpose and operation

Field mapping defines how the extract is represented in the record model. A dataset is associated with an object type, rows become objects, columns become properties and joins establish relationships. The officer reviews the suggested mapping, adjusts it where needed and applies the result. Unmapped fields and policy-blocked record classes remain visible so the proposal does not conceal information that could not be represented or was not permitted.

Controls and workflow

01 Default mapping restores the suggested mapping; Apply mapping previews the edited one. Unmapped fields and policy-blocked record classes are explicit.

Representing the source accurately

Mapping determines the meaning of a value in the shared record model. Review whether a column describes an object's property or an identifier used to connect it with another object. A join can add a relationship, so its basis should be checked as carefully as the field itself. Inspect unmapped fields and blocked classes before proceeding. The later changes view allows the reviewer to see the operations produced by these choices rather than approving an unexplained transformation.

Working sequence

Review the dataset type and the proposed mapping of rows and columns. Confirm the properties and joins that will represent the source, then apply the mapping. Inspect fields that remain unmapped or are blocked by policy. The later changes preview should be checked to ensure that these choices produce the intended objects and relationships.

Incoming-record matching

Figure 67 / Illustrated product reference



Figure 67 · Incoming-record matching

Synthetic demonstration

Purpose and operation

The matching stage compares prepared rows with existing records and classifies them as on record, probable or new. The explanation identifies supporting agreement, such as an account number, PAN or phone reference. The officer can filter the categories or use a check-generated lens to inspect a relevant subset. This stage makes the proposed association available for review before the extract changes shared case records.

Controls and workflow

01 Filter All, On record, Probable or New. A lens can narrow the rows from a check; clear the lens to restore the full list.

Assessing the proposed identity

An exact agreement in a specific identifier differs from a probable association based on less complete information. Read the matching explanation and compare any conflicting fields before deciding whether the proposal is suitable for publication. The category filters separate rows requiring different kinds of attention. When a check creates a lens, clear it after examining that subset so that the reviewer can return to the full extract and avoid overlooking other proposed operations.

Working sequence

Filter the prepared rows by On record, Probable or New and examine the supporting identifiers. Open rows associated with a check where further context is required. Clear any temporary lens before returning to the complete extract. The matching result feeds the proposed operations, which the separate reviewer can inspect before publication.

Pre-publication checks

Figure 68 / Illustrated product reference



Figure 68 · Pre-publication checks

Synthetic demonstration

Purpose and operation

Pre-publication checks identify patterns, discrepancies and relationships within the proposed extract. The view provides the supporting rows and possible ordinary explanations so the reviewer can assess why an item requires attention. The proposal can also be examined as links or places. Existing values and incoming information remain distinguishable: new material can fill a gap, corroborate a value or create a conflict requiring review rather than silently replacing the record.

Controls and workflow

01 Show rows opens the records behind a check. Checked and Dismiss record the reviewer's disposition of an individual pattern. Links and place views use the same proposed extract.

Reviewing a flagged condition

Open the supporting rows to determine whether the condition reflects a meaningful issue, a source convention or an ordinary relationship. The check's possible explanation is a prompt for investigation, not an automatic resolution. Use Checked or Dismiss to record the disposition of the individual item. Review the proposed links and places where they help clarify the effect of publication, and consider conflicts separately from new information that simply fills an existing gap.

Working sequence

Select a check and use Show rows to inspect the material that produced it. Compare the condition with its possible ordinary explanation, then record the appropriate checked or dismissed disposition. Examine the links and place views where useful. Proceed to the proposed changes only after the relevant issues and conflicts have been considered.

Proposed record changes

Figure 69 / Illustrated product reference



Figure 69 · Proposed record changes

Synthetic demonstration

Purpose and operation

The Changes view separates new records, gaps filled, corroborated values, conflicts and learned name spellings. These are proposed operations, allowing the reviewer to understand the effect before publication.

Controls and workflow

01 Compare the incoming value with the value already on record.

02 Read conflicts as items for review rather than permission to overwrite the existing value.

03 Check the legal order and proposer's note alongside the proposed operations before submitting.

Assessing publication scope

The changes view makes the effect of the intake concrete. Review new objects separately from additions to existing ones, and distinguish corroboration from disagreement. A conflict requires interpretation of the source and its date; it is not permission to replace an existing value silently. The approving officer should be able to relate the proposed operations to the order, source rows and explanatory note before deciding whether publication is appropriate.

Working sequence

Review each operation category before submission. Compare incoming and existing values for additions, corroboration or conflicts, and inspect the records represented by proposed new objects. Check the order and explanatory note against that scope. The separate supervisor should receive a proposal whose actual effect can be understood without reconstructing the preparation process from the beginning.

Example. A bank extract may confirm an existing PAN while adding an address and flagging a conflicting date for review.

Narrative tagging

Figure 70 / Illustrated product reference



Figure 70 · Narrative tagging

Synthetic demonstration

Purpose and operation

Narrative tagging identifies supported references in document text, including accounts, phones, vehicles, amounts, dates and places. Highlighted spans retain their location in the source so the officer can examine the surrounding wording. Linking a written name to a person requires a supporting identifier on the same page that agrees with the recorded individual. This condition reduces the risk of associating an unrelated person solely because the name is similar.

Reading a tagged reference

A highlighted span identifies a piece of text that can be compared with the record model. Read its surrounding sentence or entry before assigning significance: a number can be mentioned without describing an ownership relationship. The same-page identifier requirement for name association provides an additional basis for a proposed link. The officer should still examine the linked record and source context before relying on the tag in a case narrative or publication decision.

Working sequence

Read the original passage, inspect the highlighted references and select any linked identifier relevant to the enquiry. Compare the linked record with the surrounding wording before accepting the proposed association. Where a name is bound to an existing person, verify the supporting same-page identifier. The tagged reference then retains a route back to the location in the narrative that prompted it.

Document-reference inspection

Figure 71 / Illustrated product reference



Figure 71 · Document-reference inspection

Synthetic demonstration

Purpose and operation

The studio can prepare narrative material as well as structured extracts. The original text remains visible while tagged identifiers, amounts, dates and places identify the parts that can be compared with existing records.

Controls and workflow

01 Read the text and the highlighted spans together; the tags point back to their location in the document.

02 Select a linked identifier to inspect the matching record when authorised.

03 A written name is linked only when supporting identifiers on the same page agree with the recorded person.

Preserving document context

The source text helps the reviewer assess how an identifier is being used in the document. A name and an account reference may appear together, but the wording can affect what that association means. Inspect the highlighted span and linked record together before treating the tag as evidence of ownership or involvement. The tagging workflow supplies traceable references for review; it does not convert every textual co-occurrence into an established relationship.

Working sequence

Review the document and its highlighted spans together. Open a linked identifier to inspect the available record and compare it with the written context. Where the document contains several similar names or references, preserve the exact span supporting the association. The proposal should reflect what the text supports rather than a broader inferred account of the document's meaning.

Example. An officer reviewing a seized diary checks the account number beside a written name before accepting the suggested link.

Submission for review

Figure 72 / Illustrated product reference



Figure 72 · Submission for review

Synthetic demonstration

Purpose and operation

Submitting an intake records its proposed changes, legal order and explanatory note for review. The proposal list makes its state visible to the case team while keeping publication separate from preparation.

Controls and workflow

01 Review the proposed row counts and operations before submitting.

02 Use Proposals in my cases to open the submitted proposal and inspect its state.

03 The proposer cannot approve their own intake, including when the proposer is also a supervisor.

What the reviewer receives

Submission fixes the proposed operations for a separate decision. The preparing officer should check that the order and note explain the extract and the intended publication. The proposal state then communicates whether the intake is awaiting review or has received a decision. A later reviewer can assess the same submitted operations, rather than a preparation session that continues to change while approval is being considered.

Working sequence

Check the prepared rows and operations, then submit the proposal with its legal order and explanatory note. Open Proposals in my cases to inspect the submitted state. The proposer waits for the separate eligible supervisor's decision rather than approving the intake themselves. The frozen operations provide a stable subject for that review.

Example. The preparing officer submits the cleaned bank extract; the case supervisor reviews the same frozen proposal.

Publication decision

Figure 73 / Illustrated product reference



Figure 73 · Publication decision

Synthetic demonstration

Purpose and operation

A different supervisor in the case reviews the proposed operations and legal order. Approval publishes the recorded changes. Rejection keeps the proposal from publication; a later revert undoes the published operations through the recorded workflow.

Controls and workflow

01 Enter the decision reason before Approve and publish or Reject.

02 After publication, Revert this publish also requires a reason.

03 Case on map opens the geographic context. Re-run patterns asks the detector workflow to consider the newly available records.

Reasoning about the decision

The decision should address the actual operations and their supporting context. Approval publishes those changes; rejection records why the submitted proposal should not be applied. If published operations later require reversal, use the recorded revert workflow and explain the reason. These are distinct actions with different effects, so the team should inspect the current proposal state before deciding which operation is appropriate.

Working sequence

Open the submitted proposal and compare its operations with the order and note. Enter the reason before selecting Approve and publish or Reject. If an already published intake requires reversal, inspect its recorded state and use Revert this publish with a reason. The available map and pattern actions provide context and follow-up around the publication decision.

Example. A supervisor rejects an intake whose order does not support the proposed material and records the reason for the preparing officer.

Published intake

Figure 74 / Illustrated product reference



Figure 74 · Published intake

Synthetic demonstration

Purpose and operation

The published view records the outcome of the separately reviewed intake. Approval applies the proposed operations with their order and decision context. The case team can inspect the publication, review resulting changes and use the recorded revert workflow if an error is identified. Pattern analysis can subsequently be rerun against the updated records. Publication establishes that the proposal was approved; the source material and its quality remain relevant to later interpretation.

Following publication

Review the resulting changes in the case context, particularly where the intake adds relationships or records that affect an existing line of enquiry. A subsequent detector run considers the newly available material, but any new finding still requires examination. If a source or mapping error is discovered, assess the affected publication and use the recorded correction or revert process. This preserves a visible distinction between the original submission, the approval and any later remedial action.

Working sequence

Open the completed proposal to inspect the approval and applied operations. Examine relevant resulting records in the case and determine whether additional analysis is needed. Re-run patterns where appropriate for the new material. If an error is identified, use the recorded revert workflow rather than treating publication as an untraceable edit to the source; the decision context remains available for review.

13

Identity-match review

Review matches addresses uncertain record identity. It gives a person the evidence needed to decide whether two source records refer to the same individual, instead of treating name similarity as sufficient.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Identity-match review	2 individual screens	75–76

13.1 Comparison inputs

A waiting pair presents the original names and scripts, family information, birth details, district and available identifiers. The explanation identifies why the records were paired and which fields agree or differ. The weight of a common name differs from that of a more distinctive one, helping the reviewer interpret similarity in context.

13.2 Review process

The reviewer selects a pair, compares the source details and examines the explanation field by field. Conflicting information should be considered alongside agreement, including whether the sources have different dates or levels of completeness. The interface provides an explicit same-person or different-people decision with a recorded reason; simply opening the pair does not accept the proposal.

13.3 Decision record

The outcome records the reviewer’s interpretation of the available evidence and enables the corresponding record treatment. It should be specific enough to explain why the evidence supports or rejects the association. The implementation includes reversal support for match decisions; this document does not imply an undo control on a screen where none is shown. Subsequent source corrections may require the decision to be reconsidered.

13.4 Reasoned identity decisions

The quality of a match decision depends on the discriminating information available. A shared name may be weak evidence, while an agreement in a specific identifier can carry a different meaning. Conflicting birth or family details may require further source examination. Record the basis of the decision in terms of those fields and their sources, so that a later reviewer can understand the assessment and reconsider it if corrected information becomes available.

Identity-review queue

Figure 75 / Illustrated product reference



Figure 75 · Identity-review queue

Synthetic demonstration

Purpose and operation

The review queue contains record pairs for which identity requires a human decision. Selecting a pair exposes the original information and the reasons for the proposed association. The reviewer compares agreement and conflict across the fields, then records whether the sources describe the same person or different people. The reason should identify the evidence that supports the decision. An uncertain proposal is not accepted merely because it appears in the queue.

Controls and workflow

01 Compare original-script names, family details, birth information, gender, district and identifiers where available.

02 Examine the explanation of agreement and disagreement, including the distinguishing value of common names.

03 Record a reason before choosing Same person or Different people.

Comparing evidence of identity

Read the fields together rather than counting agreements in isolation. A common name can be shared by unrelated people, while a conflicting date or identifier may be more informative. Consider whether the original sources refer to the same period and whether a missing field represents unknown information rather than disagreement. The recorded reason should explain the evidence relied upon so that another reviewer can understand the association or its rejection without repeating the whole comparison.

Working sequence

Select a waiting pair and compare its original fields side by side. Read the pairing explanation, then inspect agreements and differences in their source context. Enter a reason before choosing Same person or Different people. The decision records the reviewer's interpretation of that pair and should be specific enough to support later reconsideration if source information changes.

Record-pair comparison

Figure 76 / Illustrated product reference



Figure 76 · Record-pair comparison

Synthetic demonstration

Purpose and operation

A proposed match presents two records side by side and explains their agreement and disagreement. Common names carry less distinguishing value than rare names. Matching identifiers and source context help the reviewer reach a considered decision.

Controls and workflow

01 Choose a waiting pair and compare the original names, family details, birth information, district and available identifiers.

02 Read Why they were paired and the field-level evidence.

03 Record a reason and choose Same person or Different people. A decision is an explicit review action, not a consequence of opening the pair.

Writing an informative reason

Describe the fields that influenced the decision and how their sources support the interpretation. A reason such as matching identity references or conflicting birth details is more useful than a bare statement of confidence. If the evidence is insufficient, further source examination may be required before deciding. The review action should remain distinguishable from the original system proposal so that the basis of the resulting record treatment is clear.

Working sequence

Start with the identifiers and distinguishing fields, then examine names, family information and district in context. Review why the system proposed the pair before making the human decision. Record the evidence relied upon in the reason field. Opening the comparison is an examination step; only the explicit decision applies the reviewed disposition.

Example. Two similar names can describe different people when their birth details and phone records disagree.

14

Face-search review

Face search is a case-bound comparison workflow. It links the probe image to evidence handling, presents candidate photographs with their sources and separates the initial search from the confirmation decision.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Face-search review	4 individual screens	77–80

14.1 Evidence and selection

The officer selects a still and records the order or seizure context under which it was obtained. The workflow adds the image as case evidence before detecting faces. If several faces are present, the officer selects the intended subject and records a reason for the search. An image with no detected face requires a more suitable probe rather than an unsupported comparison.

14.2 Candidate examination

The selected face is compared with photographs available to the active case. Results display candidate similarity and the source of the photograph, allowing the officer to examine the context behind the resemblance. A candidate is a suggested comparison, not an established identity. Image quality, source context and other available evidence remain relevant to the assessment.

14.3 Independent decision

Another officer of the same case reviews the proposed match and records confirmation or rejection with a reason. The searching officer cannot confirm their own search. The resulting record preserves the human decision separately from the comparison output. Confirmation represents a recorded review action and should be supported by the evidence considered, rather than inferred solely from a similarity value.

14.4 Evidence-led comparison

The workflow should preserve a clear connection between the original still, the selected face and the candidate under review. Check the source photograph and contextual records alongside the visual similarity. The independent reviewer records what supports or contradicts the proposed association. This documented reasoning is more informative than a bare confirmation because it distinguishes the comparison generated by the system from the evidence considered by the person making the decision.

Probe-image registration

Figure 77 / Illustrated product reference



Figure 77 · Probe-image registration

Synthetic demonstration

Purpose and operation

Face search begins with the image and the order or seizure memo under which it was obtained. The preview distinguishes a selected file from an image already added as case evidence.

Controls and workflow

01 Choose the probe image and inspect the preview before sending it.

02 Enter the legal order or seizure memo.

03 Add as evidence and find faces seals the still through the evidence workflow before detecting faces. If none is found, the screen asks for a clearer or closer image.

Preparing a suitable probe

Confirm that the selected image is the intended frame and that its source context is correctly recorded before adding it as evidence. The workflow then connects later face selection to that registered still. Where detection does not identify a usable face, select a clearer or closer image rather than assuming that the absence of a detection means the person is absent from the source material.

Working sequence

Choose the probe image and confirm the preview. Enter the available order or seizure reference, then use Add as evidence and find faces. Inspect the detection result before continuing. If the image does not produce a usable detection, provide a more suitable source frame through the same evidence-led process rather than moving directly to an unsupported candidate search.

Example. An officer selects a synthetic CCTV still for the demonstration and checks that the intended frame is shown.

Face selection and search purpose

Figure 78 / Illustrated product reference



Figure 78 · Face selection and search purpose

Synthetic demonstration

Purpose and operation

A still may contain more than one face. Detection marks the available faces, allowing the officer to select the intended subject rather than treating the whole image as one query.

Controls and workflow

01 Inspect the detected faces on the original still.

02 Choose one face and enter the reason for searching it.

03 Search the chosen face compares that selection against photographs the active case may access.

Defining the comparison

The selected face determines which part of the still is used for the search. Check the highlighted subject carefully when several people are present, then record a reason related to the case enquiry. The comparison is limited to photographs available in the permitted context. Its output should be assessed as candidate material for a subsequent review, with the source still retained as the reference for what was searched.

Working sequence

Inspect the detected faces on the registered still and select the subject relevant to the case. Enter the search reason and run the comparison for that selection. Review the returned photographs as candidates with source context. The selected region and evidence image remain important references when another officer later considers whether a proposed match should be confirmed or rejected.

Example. When a still contains two people, the officer selects the relevant face and records why it is being compared.

Candidate comparison

Figure 79 / Illustrated product reference



Figure 79 · Candidate comparison

Synthetic demonstration

Purpose and operation

Candidate results show the photographs returned for the selected probe face, together with similarity and available source information. The officer examines the resemblance in the context of the evidence image and the candidate's record. A proposed match is then subject to review by another officer of the same case. The search output remains a set of candidates until that explicit human decision is recorded.

Reviewing a candidate

Compare the candidate photograph with the selected face while considering the source and image conditions. Similarity provides a ranking for examination, not independent proof of identity. Open the available contextual record and identify other material that supports or contradicts the association. The separate reviewer should record the reasoning behind confirmation or rejection so that the resulting decision can be understood beyond the numerical similarity shown on the screen.

Working sequence

Review each relevant candidate's photograph, similarity and source, then inspect the visible contextual record where needed. Compare it with the selected probe rather than with another face in the original still. A proposed association proceeds to the pending review workflow for a different case officer. The searching officer should preserve the comparison context while the separate reviewer records the reasoned confirmation or rejection.

Independent candidate review

Figure 80 / Illustrated product reference



Figure 80 · Independent candidate review

Synthetic demonstration

Purpose and operation

Candidate results remain proposals. The pending list lets another officer of the same case review a proposed match and record a confirmation or rejection with a reason. The searching officer cannot confirm their own search.

Controls and workflow

01 Inspect the candidate photograph, similarity, source and visible dossier information.

02 Enter the reason for the decision before choosing Confirm or Reject.

03 Confirmed matches retain the human decision; rejected candidates are not promoted into an identification.

Meaning of the recorded decision

Confirmation records that the second officer has reviewed the proposed association and accepted it for the workflow with a reason. Rejection records the contrary disposition. Neither result should erase the distinction between the comparison generated by the system and the evidence considered by the reviewer. The retained reason explains why the human decision was reached and helps later examination of the case record.

Working sequence

Open a pending candidate as an eligible second officer of the case. Examine the probe, candidate photograph, similarity and available source information. Enter the decision reason and choose Confirm or Reject. Review the resulting status so the team can distinguish a pending suggestion from a completed human assessment. The original searching officer remains excluded from confirming their own search.

Example. The second officer checks the candidate against the evidence and rejects an apparent resemblance that is not adequately supported.

15

Disaster-response operations

The disaster map organises ingested public alerts with geographic reference data and recorded resource allocations. It provides a control-room view of the alert, its affected area and the response entered in Mosaic.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Disaster-response operations	3 individual screens	81–83

15.1 Alerts and geography

The view combines ingested SACHET alert material with district boundaries, hospitals and relevant reference data. The alert's sender, severity, effective time and expiry remain part of the displayed context. Mapping can use an official district code, a polygon or circle, a place name or river-gauge information. Alerts that cannot be mapped remain available in the list.

15.2 Operational examination

The operator selects an alert, checks its timing and mapping basis, and examines the affected districts. Available river levels and warning or danger marks provide additional context for flood material. Nearby hospitals support resource planning. The map and list should be read together, particularly when geography is derived from names rather than an explicit alert boundary.

15.3 Dispatch record

A dispatch entry identifies the resource, quantity and destination district. The log makes recorded allocations visible against the disaster context. This is a record of the action entered in the application, not confirmation of physical delivery. Alert freshness depends on ingestion; the demonstration does not establish a continuously live operational feed or an end-to-end emergency response service.

15.4 Operational reading sequence

Check the alert's status and validity period before interpreting its map location. Examine how the affected area was derived and whether any alerts remain unmapped. Use the available district, hospital and gauge references to inform the recorded response. After entering a dispatch, review its resource, quantity and destination in the log. The institution's arrangements for communicating, delivering and confirming the physical response remain separate from the entry made in Mosaic.

Disaster-alert overview

Figure 81 / Illustrated product reference



Figure 81 · Disaster-alert overview

Synthetic demonstration

Purpose and operation

The disaster overview presents ingested alert material alongside district boundaries and hospitals. The list retains sender, status and geographic context, while the map uses the available official codes, alert geometry, names or gauge references to place the affected area. Unmapped alerts remain visible in the list. The operator should check effective and expiry times and the mapping basis before using the view for response planning.

Reading alert currency and geography

An alert should be interpreted according to its effective period and source status. Mapping by an explicit geometry differs from placement derived from a district name or gauge, so inspect the mapping basis before drawing a precise geographic conclusion. Unmapped entries remain relevant and should be reviewed through the list. The view depends on ingested material; a visually current map does not itself establish that the external feed has just been refreshed.

Working sequence

Select an alert from the list and review its sender, timing and severity. Examine the map placement and the basis used to derive its affected area. Open the relevant district, hospital or gauge context where available, and review any unmapped entries through the list. If an allocation is made, record it through the dispatch workflow and inspect the resulting log.

Alert detail and affected area

Figure 82 / Illustrated product reference



Figure 82 · Alert detail and affected area

Synthetic demonstration

Purpose and operation

The selected flood alert combines its issued details with the available affected districts, gauge information and nearby hospitals. This gives the operator a common context for examining severity, timing and geographic extent. The dispatch function records resources allocated to the relevant district and adds the entry to the log. The illustrated data represents the ingested demonstration scenario rather than confirmation of a current emergency or a completed delivery.

Controls and workflow

01 Check the sender, effective and expiry times, severity and named area.

02 Read gauge levels against their warning and danger marks where available.

03 Inspect affected districts and hospital references before recording a resource allocation.

Planning from the available information

Review the alert's timing and severity together with the affected districts. Gauge levels and hospital references provide additional context, but their presence does not establish available capacity or completed response arrangements. Use the dispatch form to record the allocation being made in the application and verify the resulting log entry. Communication with responders and confirmation of physical delivery remain part of the institution's operational process outside the displayed record.

Working sequence

Open the flood alert and compare its effective period with the available gauge and affected-district information. Review hospital references relevant to the area. If resources are allocated, choose the type, quantity and destination in the dispatch form. Check the resulting log entry against the intended response rather than assuming the form itself establishes physical delivery.

Resource-dispatch record

Figure 83 / Illustrated product reference



Figure 83 · Resource-dispatch record

Synthetic demonstration

Purpose and operation

The dispatch form records a resource, quantity and destination district against the selected disaster context. The dispatch log makes recorded allocations visible in the control-room workflow.

Controls and workflow

01 Read the alert's timing, severity, mapping basis and affected districts.

02 Choose the resource, enter its quantity and select the destination district.

03 Dispatch adds the entry to the log. It records the allocation in Mosaic; it is not evidence that a physical delivery has occurred.

Checking the allocation entry

Before recording the dispatch, confirm that the destination district corresponds to the intended response area and that the quantity is entered in the relevant resource context. The log supports coordination by preserving the allocation entered by the operator. It should be reviewed alongside the alert's validity and the institution's external response arrangements, rather than treated as an automatic confirmation that supplies or personnel have arrived.

Working sequence

Review the selected alert context before opening the dispatch form. Choose the resource, enter its quantity and select the destination district. Submit the allocation and inspect the log for the intended entry. The recorded details support coordination and later review, while any external communication, fulfilment and confirmation remain part of the institution's separate response arrangements.

Example. A control-room operator records relief kits allocated to a flood-affected district and reviews the resulting log entry.

16

Oversight and retention

Oversight provides a separate view of system activity. It enables review of who performed an action, in which case and for what purpose, while keeping the investigative workspace outside the auditor's role.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Oversight and retention	3 individual screens	84–86

16.1 Audit examination

Each event records the actor, time, action, case, purpose, record count and outcome. User and record filters support a focused question about access. Refused requests remain part of the trail. Insider-threat alerts identify activity requiring examination, such as unusual bulk access, but require contextual review before an organisational conclusion is reached.

16.2 Integrity and transparency

The audit chain can be verified against its recorded state. A daily root can be sealed; publishing an independent copy outside the application is a separate operational action that provides a reference for later comparison. Public transparency information summarises activity by dimensions such as action, outcome, purpose and source, without exposing the detailed investigative record workspace.

16.3 Retention administration

The retention panel distinguishes due, scheduled and held cases. Legal holds preserve their recorded reason. Eligible administrators and supervisors can run the applicable purge action, which records completed work and manifest references. Retention should therefore be read as a sequence of configured eligibility, explicit action and recorded outcome, with held cases treated separately.

16.4 A focused oversight enquiry

An audit review begins with a question about an actor, record or action. Apply the relevant filters, inspect both allowed and refused events and compare the recorded purpose with the activity. Chain verification helps assess the integrity of the recorded sequence; an independently retained root provides an additional comparison point. Retention review addresses a different question: which cases are eligible for removal, which remain held and what action has actually been completed.

Audit and oversight workspace

Figure 84 / Illustrated product reference



Figure 84 · Audit and oversight workspace

Synthetic demonstration

Purpose and operation

The oversight workspace combines audit-chain status, recorded events and activity requiring further review. The auditor can inspect who performed an action, its case and purpose, and the resulting outcome without receiving the investigative record workspace. Filters support a focused enquiry, while the daily-root action provides a seal for independent publication. Transparency summaries expose aggregate activity separately from detailed audit inspection.

Controls and workflow

01 Verify the audit-chain status and inspect the recorded head fingerprint.

02 Filter by user or record to examine time, action, case, purpose, record count and outcome.

Controls continued

03 Seal the daily root when required; independent publication is a separate step.

04 Review insider-threat alerts in context and consult the aggregate transparency view.

Interpreting an audit event

An event describes the action recorded at a particular time, including its actor, case, purpose and outcome. Read these fields together when assessing whether access was consistent with the stated work. A refused request can be as relevant to the enquiry as an allowed one. Integrity checks address the recorded chain, while assessment of the action's appropriateness requires its institutional context. The auditor's separate role allows this examination without using the investigator's personal-record workspace.

Working sequence

Check the chain status, then apply a user or record filter suited to the oversight question. Review the returned events and relevant alerts in context. Seal the daily root where required and arrange its separate independent retention. Use the transparency view for aggregate information and the retention panel for case-lifecycle review.

Targeted audit examination

Figure 85 / Illustrated product reference



Figure 85 · Targeted audit examination

Synthetic demonstration

Purpose and operation

Audit filters narrow the trail by user or record identifier. Each returned event carries its time, actor, action, case and purpose, number of records, outcome and details. Refused actions remain relevant to the review.

Controls and workflow

01 Enter a user ID, a record ID or both, then Apply filters.

02 Compare the recorded purpose with the action and its outcome.

03 Check the chain state and seal the daily root when required. Publishing that root outside the system is a separate operational step.

A targeted oversight question

Filtering by record identifies activity associated with that reference; filtering by user examines the actor's recorded actions. Using both narrows the question further. Review the time, purpose and outcome of each event rather than assuming that all returned entries represent successful access. If the review requires an integrity reference outside the application, the sealed root must be independently retained or published through the institution's operational process.

Working sequence

Enter a user identifier, a record identifier or both and apply the filters. Read the returned events in time order with their purpose and outcome. Distinguish successful actions from refusals before assessing the activity. Check the chain state as part of the review and preserve an independent root reference through the separate operational process where required.

Example. An auditor examines access to one record and distinguishes allowed look-ups from refused requests.

Transparency and retention

Figure 86 / Illustrated product reference



Figure 86 · Transparency and retention

Synthetic demonstration

Purpose and operation

The public transparency view presents aggregate activity by action, outcome, purpose and source. It can be read without granting access to the detailed audit trail. Authorised roles also see the retention panel.

Controls and workflow

01 Due now, scheduled and on legal hold distinguish different retention states. A hold carries its reason.

02 Administrators and supervisors can run the purge action when cases are eligible. The panel records completed purges and their manifest references.

03 Aggregate counts describe the demonstration's activity. They are operational summaries, not product test results or evidence of a deployment.

Separating summaries from lifecycle actions

Aggregate transparency figures communicate activity at a summary level. The retention panel addresses the handling of cases according to their eligibility and hold state. A case listed as due has a different status from one whose purge has completed. Review the recorded manifests to understand actions actually performed, and inspect hold reasons where material remains retained. These views answer related governance questions but should not be treated as interchangeable evidence.

Working sequence

Review the activity aggregates by their selected dimensions, then inspect the retention categories available to the acting role. Distinguish cases that are scheduled, due or held. An authorised purge action should be followed by review of its recorded result and manifest reference. This makes the completed lifecycle operation distinguishable from a case merely appearing as eligible.

17

Product administration

Administration makes detector behaviour and source-quality issues available for inspection. It supports maintainers and data stewards in understanding how the analytical functions operate and where input material requires attention.

FEATURE CHAPTER	ILLUSTRATED VIEWS	FIGURE RANGE
Product administration	2 individual screens	87–88

17.1 Detector documentation

The library describes the question addressed by each detector, its method, supported record types, mission tracks and scope. Expanded entries explain tactics, possible evasion, ordinary look-alikes, limitations and references. This context helps a reviewer understand why a finding may appear and which conditions limit its interpretation. Version information identifies the documented implementation.

17.2 Diagnostic facilities

Pattern tests and record-matching diagnostics are maintainer tools for examining implementation behaviour. They serve a different purpose from an investigator’s case findings. This publication describes their place in the product but excludes their screenshots, benchmark tables and test-result values. No demonstrated test output is presented as a promise of operational accuracy or performance.

17.3 Source-quality management

The source-quality register associates an issue with an affected record and its originating source. A data steward can use those references to inspect the extract and coordinate a correction with its owner. The register is a reporting and investigation aid, not a bulk editor that silently changes source records. Correcting an input and assessing its downstream effects remain explicit operational responsibilities.

17.4 Supporting accountable maintenance

Detector documentation and source-quality records should be used together when investigating an unexpected result. Establish the detector’s scope and assumptions, then examine whether the source material contains the required fields and relationships. A source correction, a configuration change and an implementation change are different remedies. The administration views provide information for that assessment without replacing the case reviewer’s responsibility to evaluate the evidence behind a particular finding.

Detector documentation

Figure 87 / Illustrated product reference



Figure 87 · Detector documentation

Synthetic demonstration

Purpose and operation

The detector library documents each analytical method's question, inputs, operating scope and implementation context. It covers patterns across financial records, communications, movement, assets and other supported sources. Expanded entries explain the method, possible evasion, ordinary look-alikes, limitations and references. This documentation supports informed interpretation of detector findings and provides maintainers with a structured account of what each method is intended to examine.

Controls and workflow

01 Expand a detector card to read the tactics addressed, innocent look-alikes, blind spots and references. Version, scope and mission tracks identify where the detector belongs.

02 The Pattern tests and Record matching tabs provide diagnostic review tools for maintainers. This book describes their role without reproducing benchmark tables or test results.

Using method documentation

Before interpreting a detector output, establish which records it expects and which conditions it is designed to identify. Review the stated ordinary explanations and blind spots alongside the method. An unexpected result may arise from source quality, incomplete coverage or an implementation issue, and those possibilities require different responses. The documentation gives the reviewer a basis for asking the right question; it does not remove the need to inspect the actual evidence behind a finding.

Working sequence

Open the relevant detector entry and review its question, method, scope and version. Read the possible evasion, ordinary explanations and blind spots before comparing the documentation with a case finding. Use the source-quality register where the underlying material appears inconsistent. Diagnostic tabs serve maintainer review and are described without reproducing their test results here.

Source-quality register

Figure 88 / Illustrated product reference



Figure 88 · Source-quality register

Synthetic demonstration

Purpose and operation

Source data quality lists issues discovered while loading records. Each entry connects an issue with the affected record and its source, helping the data steward route corrections to the organisation responsible for the original material.

Controls and workflow

01 Read the record identifier, issue description and source together.

02 Use these references to investigate the original extract and coordinate a correction.

03 The register reports issues; it is not a bulk editing interface for silently changing the source records.

Coordinating a correction

Use the affected record and source identifiers to locate the original material and describe the issue precisely to its owner. Determine whether the concern relates to a value, mapping or missing context before proposing a correction. Any updated extract can then be considered through the applicable preparation and publication workflow. This maintains the distinction between identifying a source problem and applying a change to shared case information.

Working sequence

Locate the issue and note the affected record and originating source. Inspect the corresponding extract to establish the problem and its likely scope. Coordinate a correction with the source owner using those references, then assess any subsequent intake through the normal review process. The register records the issue for investigation; it does not silently apply changes to the source material.

Example. A district-name mapping problem can be reported to the source owner with the exact record reference.

Screen index

Select a view to open its illustrated explanation.

01	Workspace overview 01 / Workspace	12
02	Global record search 01 / Workspace	13
03	Search across scripts and spellings 01 / Workspace	14
04	Case creation 01 / Workspace	15
05	Investigating officer’s work queue 01 / Workspace	16
06	Supervisory decisions 01 / Workspace	17
07	Workspace appearance 01 / Workspace	18
08	Identity and session controls 01 / Workspace	19
09	Role-based access refusal 01 / Workspace	20
10	Case board 02 / Case management and evidence	22
11	Case-priority explanation 02 / Case management and evidence	23
12	Case lead progression 02 / Case management and evidence	24
13	Case alerts and chronology 02 / Case management and evidence	25
14	Case closure and legal holds 02 / Case management and evidence	26
15	Case network 02 / Case management and evidence	27
16	Exhibit registration 02 / Case management and evidence	28
17	Evidence locker and custody 02 / Case management and evidence	29
18	Evidence release and export 02 / Case management and evidence	30
19	Report templates 02 / Case management and evidence	31
20	Structured report composition 02 / Case management and evidence	32
21	Report content selection 02 / Case management and evidence	33
22	Draft management 02 / Case management and evidence	34

Screen index

Select a view to open its illustrated explanation.

23	Recipient-specific report release 02 / Case management and evidence	35
24	Exported case report 02 / Case management and evidence	36
25	Draft evidence certificate 02 / Case management and evidence	37
26	Detector finding and evidence 03 / Investigative leads	39
27	Case request and lead disposition 03 / Investigative leads	40
28	Approved lead in case context 03 / Investigative leads	41
29	Financial typology alerts 04 / Financial alerts	43
30	Transaction-path examination 04 / Financial alerts	44
31	Entity-watch activity 05 / Watches and saved searches	46
32	Geographic watch 05 / Watches and saved searches	47
33	Watch configuration 05 / Watches and saved searches	48
34	Saved-search review 05 / Watches and saved searches	49
35	Network workspace 06 / Network analysis	51
36	Network record list 06 / Network analysis	52
37	Layouts and relationship filters 06 / Network analysis	53
38	Structural analysis 06 / Network analysis	54
39	Communities and connectivity 06 / Network analysis	55
40	Financial-flow layout 06 / Network analysis	56
41	Record inspection and path analysis 06 / Network analysis	57
42	Dossier overview 07 / Entity dossier	59
43	Case assessment and actions 07 / Entity dossier	60
44	Protected-field access 07 / Entity dossier	61

Screen index

Select a view to open its illustrated explanation.

45	Case history and pattern findings 07 / Entity dossier	62
46	Accounts and transaction history 07 / Entity dossier	63
47	Entity relationship network 07 / Entity dossier	64
48	Communication-record analysis 07 / Entity dossier	65
49	Travel and asset records 07 / Entity dossier	66
50	Chronological record view 07 / Entity dossier	67
51	Source provenance 07 / Entity dossier	68
52	Outward financial trace 08 / Financial transaction tracing	70
53	Inward financial trace 08 / Financial transaction tracing	71
54	Account-level financial trace 08 / Financial transaction tracing	72
55	Relationship-enquiry setup 09 / Relationship examination	74
56	Connections between records 09 / Relationship examination	75
57	Geographic overview 10 / Geographic investigation	77
58	Local geographic examination 10 / Geographic investigation	78
59	Area-search parameters 10 / Geographic investigation	79
60	Area observations 10 / Geographic investigation	80
61	Observation details and coverage 10 / Geographic investigation	81
62	Incident overview and record access 11 / Record exploration	83
63	Filtered record exploration 11 / Record exploration	84
64	Extract profiling 12 / Data preparation and publication	86
65	Cleaning and quarantine 12 / Data preparation and publication	87
66	Field and relationship mapping 12 / Data preparation and publication	88

Screen index

Select a view to open its illustrated explanation.

67	Incoming-record matching 12 / Data preparation and publication	89
68	Pre-publication checks 12 / Data preparation and publication	90
69	Proposed record changes 12 / Data preparation and publication	91
70	Narrative tagging 12 / Data preparation and publication	92
71	Document-reference inspection 12 / Data preparation and publication	93
72	Submission for review 12 / Data preparation and publication	94
73	Publication decision 12 / Data preparation and publication	95
74	Published intake 12 / Data preparation and publication	96
75	Identity-review queue 13 / Identity-match review	98
76	Record-pair comparison 13 / Identity-match review	99
77	Probe-image registration 14 / Face-search review	101
78	Face selection and search purpose 14 / Face-search review	102
79	Candidate comparison 14 / Face-search review	103
80	Independent candidate review 14 / Face-search review	104
81	Disaster-alert overview 15 / Disaster-response operations	106
82	Alert detail and affected area 15 / Disaster-response operations	107
83	Resource-dispatch record 15 / Disaster-response operations	108
84	Audit and oversight workspace 16 / Oversight and retention	110
85	Targeted audit examination 16 / Oversight and retention	111
86	Transparency and retention 16 / Oversight and retention	112
87	Detector documentation 17 / Product administration	114
88	Source-quality register 17 / Product administration	115

Reference

Publication information

Weirwood / Mosaic
Company and product book · October 2026

Publication

Mosaic: Company and product book. Weirwood, October 2026. Reference-led A4 edition. The publication contains eight company and product sections, 17 feature introductions and 88 individually explained screenshots. All investigative identities and scenarios shown belong to the synthetic demonstration.

Product material

The descriptions are based on the inspected application and available source. Original screenshots are embedded at their source pixel dimensions. Diagnostic test-result screenshots and benchmark tables are excluded. Geographic references and public alert material can retain real names; their presence does not imply a deployment or customer relationship.

Typography and production

The document is typeset in TeX Gyre Heros, used under the GUST Font License included with the source. Text remains selectable, diagrams are native vector or layout elements and navigation links are embedded in the PDF. The accompanying source contains the original figures, editable content, layout rules and reproducible build scripts.

Cover illustration

The cover city image was generated with OpenAI's built-in image-generation tool for this publication. The red network is a conceptual illustration, not a representation of an operational monitoring system. The company logo and all product screenshots are supplied assets. The image-generation prompt is included in the source package.

Editorial references

Neue Grafik, Lars Müller Publishers; Suisse technical documentation, Swiss Typefaces; The Typographic Grid, Hans Rudolf Bosshard / Niggli; and NASA Graphics Standards Manual, 1976. The user-provided nine-page visual reference determined this edition's portrait composition, compact headers and red section markers.

Source and review

The source package includes the full research notes and production validation. Reference publications are linked rather than redistributed. Each delivered page is checked for text overflow, missing assets and original screenshot dimensions, and the final PDF is independently rendered for review. These production checks remain outside the product explanations.