

ITC(HS), 2022

Schedule 1 Import Policy

Section XV, BASE METALS AND ARTICLES OF BASE METAL

Main Notes			
Sl.No.	Notes	Notification No.	Notification Date
1	This Section does not cover : (a) prepared paints, inks or other products with a basis of metallic flakes or powder (headings 3207 to 3210, 3212, 3213 or 3215); (b) ferro-cerium or other pyrophoric alloys(heading 3606); (c) headgear or parts thereof of heading 6506 or 6507; (d) umbrella frames or other articles of heading 6603; (e) goods of Chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewellery); (f) articles of Section XVI (machinery, mechanical appliances and electrical goods); (g) assembled railway or tramway track (heading 8608) or other articles of Section XVII (vehicles, ships and boats, aircraft); (h) instruments or apparatus of Section XVIII, including clock or watch springs; (ij) lead shot prepared for ammunition (heading 9306) or other articles of Section XIX (arms and ammunition); (k) articles of Chapter 94 (for example, furniture, mattress supports, luminaires and lighting fittings, illuminated signs, prefabricated buildings); (l) articles of Chapter 95 (for example, toys, games, sports requisites); (m) hand sieves, buttons, pens, pencil-holders, pen nibs, monopods, bipods, tripods and similar articles or other articles of Chapter 96 (miscellaneous manufactured articles); or"" (n) articles of Chapter 97 (for example, works of art).	Notification No. 54/2015-2020	09.02.2022
2	Throughout this Schedule, the expression ""parts of general use"" means : (a) articles of heading 7307, 7312, 7315, 7317 or 7318 and similar articles of other base metal, other than articles specially designed for use exclusively in implants in medical, surgical, dental or veterinary sciences (heading 9021); (b) springs and leaves for springs, of base metal, other than clock or watch springs (heading 9114); and (c) articles of headings 8301, 8302, 8308, 8310 and frames and mirrors, of base metal, of heading 8306. In Chapters 73 to 76 and 78 to 82 (but not in heading 7315) references to parts of goods do not include references to parts of general use as defined above. Subject to the preceding paragraph and to Note 1 to Chapter 83, the articles of Chapter 82 or 83 are excluded from Chapters 72 to 76 and 78 to 81.	Notification No. 54/2015-2020	09.02.2022

3	Throughout this Schedule, the expression ""base metals"" means : iron and steel, copper, nickel, aluminium, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.		
4	Throughout this Schedule, the term "cermets" means products containing a microscopic heterogenous combination of a metallic component and a ceramic component. The term "cermets" includes sintered metal carbides (metal carbides sintered with a metal).		
5	Classification of alloys (other than ferro-alloys and master alloys as defined in Chapters 72 and 74) : (a) an alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals; (b) an alloy composed of base metals of this Section and of elements not falling within this Section is to be treated as an alloy of base metals of this Section if the total weight of such metals equals or exceeds the total weight of the other elements present; (c) in this Section, the term ""alloys"" includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.		
6	Unless the context otherwise requires, any reference in this Schedule to a base metal includes a reference to alloys which, by virtue of Note 5 above, are to be classified as alloys of that metal.		
7	Classification of composite articles: Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the General Interpretive Rules) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals. For this purpose: (a) iron and steel, or different kinds of iron or steel, are regarded as one and the same metal; (b) an alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of Note 5, it is classified; and (c) a cermet of heading 8113 is regarded as a single base metal.	Notification No. 54/2015-2020	09.02.2022
8	In this Section, the following expressions have the meanings hereby assigned to them : (a) waste and scrap: (i) all metal waste and scrap; (ii) metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons. (b) Powders: products of which 90% or more by weight passes through a sieve having a mesh aperture of 1 mm.	Notification No. 54/2015-2020	09.02.2022
9	For the purposes of Chapters 74 to 76 and 78 to 81, the following expressions shall have the meanings hereby assigned to them: (a) Bars and rods Rolled, extruded, drawn or forged products, not in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex	Notification No. 54/2015-2020	09.02.2022

	polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross-section exceeds one-tenth of the width. The expression also covers cast or sintered products, of the same forms and dimensions, which have been subsequently worked after production (otherwise than by simple trimming or descaling), provided that they have not thereby assumed the character of articles or products of other headings. Wire-bars and billets of Chapter 74 with their ends tapered or otherwise worked simply to facilitate their entry into machines for converting them into, for example, drawing stock (wire-rod) or tubes, are however to be taken to be unwrought copper of heading 7403. This provision applies mutatis mutandis to the products of Chapter 81. (b) Profiles Rolled, extruded, drawn, forged or formed products, coiled or not, of a uniform cross-section along their whole length, which do not conform to any of the definitions of bars, rods, wire, plates, sheets, strip, foil, tubes or pipes. The expression also covers cast or sintered products, of the same forms, which have been subsequently worked after production (otherwise than by simple trimming or de-scaling), provided that they have not thereby assumed the character of articles or products of other headings. (c) Wire Rolled, extruded or drawn products, in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross-section exceeds one-tenth of the width. (d) Plates, sheets, strip and foil Flat-surfaced products (other than the unwrought products of heading 8001), coiled or not, of solid rectangular (other than square) cross-section with or without rounded corners (including "modified rectangles" of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel) of a uniform thickness, which are: - of rectangular (including square) shape with a thickness not exceeding one-tenth of the width; - of a shape other than rectangular or square, of any size, provided that they do not assume the character of articles or products of other headings. Headings for plates, sheets, strip, and foil apply, inter alia, to plates, sheets, strip, and foil with patterns (for example, grooves, ribs, chequers, tears, buttons, lozenges) and to such products which have been perforated, corrugated, polished or coated, provided that they do not thereby assume the character of articles or products of other headings. (e) Tubes and pipes Hollow products, coiled or not, which have a uniform cross-section with only one enclosed void along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons, and which have a uniform wall thickness. Products with a rectangular (including square), equilateral		
--	--	--	--

	triangular or regular convex polygonal cross-section, which may have corners rounded along their whole length, are also to be considered as tubes and pipes provided the inner and outer cross-sections are concentric and have the same form and orientation. Tubes and pipes of the foregoing cross-sections may be polished, coated, bent, threaded, drilled, waisted, expanded, cone-shaped or fitted with flanges, collars or rings.?		
--	--	--	--

Chapter 72 Iron And Steel.

Main Notes			
Sl.No.	Notes	Notification No.	Notification Date
1	In this Chapter and, in the case of Notes (d), (e) and (f) throughout this Schedule, the following expressions have the meanings hereby assigned to them: (a) Pig Iron: Iron-carbon alloys not usefully malleable, containing more than 2% by weight of carbon and which may contain by weight one or more other elements within the following limits: - not more than 10% of chromium - not more than 6% of manganese - not more than 3% of phosphorus - not more than 8% of silicon - a total of not more than 10% of other elements. (b) Spiegeleisen: Iron-carbon alloys containing by weight more than 6% but not more than 30% of manganese and otherwise conforming to the specification at (a) above. (c) Ferro-alloys: Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurising agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4% or more of the element iron and one or more of the following: - more than 10% of chromium - more than 30% of manganese - more than 3% of phosphorus - more than 8% of silicon - a total of more than 10% of other elements, excluding carbon, subject to a maximum content of 10% in the case of copper. (d) Steel : Ferrous materials other than those of heading 7203 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2% or less of carbon. However, chromium steels may contain higher proportions of carbon.		

	(e) Stainless steel: Alloy steels containing, by weight, 1.2% or less of carbon and 10.5% or more of chromium, with or without other elements. (f) Other alloy steel : Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown: - 0.3% or more of aluminum - 0.0008% or more of boron - 0.3% or more of chromium - 0.3% or more of cobalt - 0.4% or more of copper - 0.4% or more of lead - 1.65% or more of manganese - 0.08% or more of molybdenum - 0.3% or more of nickel - 0.06% or more of niobium - 0.6% or more of silicon - 0.05% or more of titanium - 0.3% or more of tungsten (wolfram) - 0.1% or more of vanadium - 0.05% or more of zirconium - 0.1% or more of other elements(except sulphur, phosphorus, carbon and nitrogen), taken separately. (g) Remelting scrap ingots of iron and steel: Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys. (h) Granules: Products of which less than 90% by weight passes through a sieve with a mesh aperture of 1 mm and of which 90% or more by weight passes through a sieve with a mesh aperture of 5 mm. (ij) Semi-finished products: Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and other products of solid sections, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections. These products are not presented in coils. (k) Flat-rolled products : Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij) above in the form of: - coils of successively superimposed layers, or - straight lengths, which if of a thickness less than 4.75 mm, are of width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness. Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons and lozenges) and those, which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings. Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings. (l) Bars and rods, hot-rolled, in irregularly wound coils: Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals,		
--	--	--	--

	rectangles(including squares), triangles, or other convex polygons (including ""flattened circles"" and ""modified rectangles"", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process(reinforcing bars and rods). (m) Other bars and rods: Productswhich do not conformto anyofthe definitions at(ij),(k) or(l) above or to the definition of wire,which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including""flattened circles"" and ""modified rectangles"", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). The products may: - have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods); - be twisted after rolling. (n) Angles, shapes and sections: Products having a uniformsolid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.Chapter 72 does not include products of heading 7301 or 7302. (o) Wire: Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products. (p) Hollow drill bars and rods: Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron orsteel not conforming to this definition are to be classified in heading 7304.		
1	In this Chapter and, in the case of Notes (d), (e) and (f) throughout this Schedule, the following expressions have the meanings hereby assigned to them: (a) Pig Iron: Iron-carbon alloys not usefullymalleable, containingmore than 2% by weight of carbon and which may contain by weight one or more other elements within the following limits: - not more than 10% of chromium - not more than 6% of manganese - not more than 3% of phosphorus - not more than 8% of silicon - a total of not more than 10% of other elements. (b) Spiegeleisen: Iron-carbon alloys containing by weight more than 6% but not more than 30% of manganese and otherwise conforming to the specification at (a) above. (c) Ferro-alloys: Alloysin pigs, blocks,lumps orsimilar primary forms, in forms obtained by		

	continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurising agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4% or more of the element iron and one or more of the following: - more than 10% of chromium - more than 30% of manganese - more than 3% of phosphorus - more than 8% of silicon - a total of more than 10% of other elements, excluding carbon, subject to a maximum content of 10% in the case of copper. (d) Steel : Ferrous materials other than those of heading 7203 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2% or less of carbon. However, chromium steels may contain higher proportions of carbon. (e) Stainless steel: Alloy steels containing, by weight, 1.2% or less of carbon and 10.5% or more of chromium, with or without other elements. (f) Other alloy steel : Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown: - 0.3% or more of aluminum - 0.0008% or more of boron - 0.3% or more of chromium - 0.3% or more of cobalt - 0.4% or more of copper - 0.4% or more of lead - 1.65% or more of manganese - 0.08% or more of molybdenum - 0.3% or more of nickel - 0.06% or more of niobium - 0.6% or more of silicon - 0.05% or more of titanium - 0.3% or more of tungsten (wolfram) - 0.1% or more of vanadium - 0.05% or more of zirconium - 0.1% or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately. (g) Remelting scrap ingots of iron and steel: Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys. (h) Granules: Products of which less than 90% by weight passes through a sieve with a mesh aperture of 1 mm and of which 90% or more by weight passes through a sieve with a mesh aperture of 5 mm. (ij) Semi-finished products: Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and other products of solid sections, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections. These products are not presented in coils. (k) Flat-rolled products : Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij) above in the form of: - coils of successively		
--	--	--	--

	superimposed layers, or - straight lengths, which if of a thickness less than 4.75 mm, are of width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness. Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons and lozenges) and those, which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings. Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings. (l) Bars and rods, hot-rolled, in irregularly wound coils: Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles, or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods). (m) Other bars and rods: Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). The products may: - have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods); - be twisted after rolling. (n) Angles, shapes and sections: Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire. Chapter 72 does not include products of heading 7301 or 7302. (o) Wire: Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products. (p) Hollow drill bars and rods: Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 7304.		
--	---	--	--

2	Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.		
3	Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.		

Sub-Heading Notes

Sl.No.	Notes	Notification No.	Notification Date
1	In this Chapter, the following expressions have the meanings hereby assigned to them: (a) Alloy pig iron: Pig iron containing, by weight, one or more of the following elements in the specified proportions: - more than 0.2% of chromium - more than 0.3% of copper - more than 0.3% of nickel - more than 0.1% of any of the following elements: aluminium, molybdenum, titanium, tungsten (wolfram), vanadium. (b) Non-alloy free-cutting steel: Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions: - 0.08% or more of sulphur - 0.1% or more of lead - more than 0.05% of selenium - more than 0.01% of tellurium - more than 0.05% of bismuth. (c) Silicon-electrical steel: Alloy steels containing, by weight, at least 0.6% but not more than 6% of silicon and not more than 0.08% of carbon. They may also contain by weight not more than 1% of aluminium but no other element in a proportion that would give the steel the characteristics of another alloy steel. (d) High speed steel: Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7% or more, 0.6% or more of carbon and 3 to 6% of chromium. (e) Silico-manganese steel: Alloy steels containing by weight: - not more than 0.7% of carbon - 0.5% or more but not more than 1.9% of manganese; and - 0.6% or more but not more than 2.3% of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.		

1	In this Chapter, the following expressions have the meanings hereby assigned to them: (a) Alloy pig iron: Pig iron containing, by weight, one or more of the following elements in the specified proportions: - more than 0.2% of chromium - more than 0.3% of copper - more than 0.3% of nickel - more than 0.1% of any of the following elements: aluminium, molybdenum, titanium, tungsten (wolfram), vanadium. (b) Non-alloy free-cutting steel: Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions: - 0.08% or more of sulphur - 0.1% or more of lead - more than 0.05% of selenium - more than 0.01% of tellurium - more than 0.05% of bismuth. (c) Silicon-electrical steel: Alloy steels containing, by weight, at least 0.6% but not more than 6% of silicon and not more than 0.08% of carbon. They may also contain by weight not more than 1% of aluminium but no other element in a proportion that would give the steel the characteristics of another alloy steel. (d) High speed steel: Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7% or more, 0.6% or more of carbon and 3 to 6% of chromium. (e) Silico-manganese steel: Alloy steels containing by weight: - not more than 0.7% of carbon - 0.5% or more but not more than 1.9% of manganese; and - 0.6% or more but not more than 2.3% of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.		
2	For the classification of ferro-alloys in the sub-headings of heading 7202, the following rule should be observed: A ferro-alloy is considered as binary and classified under the relevant sub-heading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note 1(c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage. For the application of this rule the unspecified "other elements" referred to in Chapter Note 1(c) must each exceed 10% by weight.		
Policy Conditions			
Sl.No.	Notes	Notification No.	Notification Date

1	Seconds and defectives of items specified below is permitted for imports free except those in respect of which the c.i.f value of imports is below the value specified against each of these items: Sl.No. ITC (HS) Code Description Minimum C.I.F. value (US \$ per Tonne) 1. 7208 H.R. Coils 190.5 2. 7208 HR Sheets 201.75 3. 7209 CR Coils/Sheets 263 4. 7210 Tinplate Waste/Waste/Tinplate Misprints 465 5. 7225 / 7226 Electrical Sheets (CRNO) 493 6. 7208 / 7211 Plates 278 7. 722790 Alloy Steel Bars and Rods (Hot Rolled in Coils) 435		
2	Prime steel items specified below are permitted for imports free, except those, in respect of which the c.i.f. value of imports is below the value specified against each of these items: S.No. ITC (HS) Code Description Minimum C.I.F. value (US \$ per Tonne) 1. 7208 H.R. Coils 254 2. 7208 HR Sheets 269 3. 7209 CR Coils/Sheets 351 4. 7210 Tinplates 620 5. 7225 / 7226 Electrical Sheets (CRNO) 657 6. 7208 / 7211 Plates 370 7. 722790 Alloy Steel Bars and Rods (Hot Rolled in Coils) 580 The price restrictions on prime steel items as above, has been withdrawn with effect from 1.1.2000 vide Notification No. 31 (RE-1999)/1997-2002 dated 1.11.1999. However, these restrictions shall apply to the extent specified in the order passed by the Honble High Court at Madras on 21.1.2004 in W.P. No. 38864 and 38865 of 2003.		
3	Import of seconds/defectives of steel items as mentioned at Sl. No. 1 to 7 of the notes at Sl. No. 2 above, shall be allowed only through Customs sea port at Mumbai, Chennai, Kolkata, Nhava Sheva (JNPT) and at ICD - Tughlakabad, New Delhi. Import consignments of these items shall be accompanied by a pre-shipment certificate regarding description material quality, chemical analysis of the material, visual inspection, thickness and width of the material and the ITC (HS) code no. from any of the inspection agency as specified in Appendix 2G of the Appendices and Aayat Niryat Forms of FTP (2015-20).	44/2015-2020	18.01.2018
4	(a) Items: As per the Annex. (b) Policy Condition to Chapter 72, 73 and 86 of ITC (HS): Import Policy for the items as listed in the Annex has been revised from free to free subject to compulsory registration under Steel Import Monitoring System (SIMS). (c) The Steel Importing Monitoring System (SIMS) shall require importers to submit advance information in an online system for import of items and obtain an automatic Registration Number by paying registration fee as per Appendix 2K. The importer can apply for registration not earlier than 60th day before the expected date of arrival of import consignment. The automatic Registration Number thus granted shall remain valid for a period of 75 days. (d) Importer shall have to enter the Registration Number and expiry date of Registration in the Bill of Entry to enable Customs for clearance of consignment. (e) The SIMS will be effective from 21.11.2019, i.e. Bill of Entry on or after 21.11.2019 for items	04/2025-26	2025-04-15

	listed in the Annex to this Notification shall be governed by SIMS		
5	Import under all the HS codes of this Chapter shall require compulsory registration under Steel Import Monitoring System (SIMS).	33/2015-2020	28.07.2020
Supplementary Notes			
Sl.No.	Notes	Notification No.	Notification Date
1	Skelp means hot-rolled narrow strip of width not exceeding 600 mm with rolled (square, slightly round or bevelled) edge.		
2	Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.		
3	Iron or steel products obtained by electrolytic deposition, by pressure casting by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.		

Product Description and Import Policy					
HS Code		Description	Import Policy	Policy Condition	Notification No. Notification Date
7201		Pig iron and spiegeleisen in pigs, blocks or other primary forms.			
72011000	-	Non-alloy pig iron containing by weight 05 percent or less of phosphorus	Free		
72012000	-	Non-alloy pig iron containing by weight more than 05 percent of phosphorus	Free		
720150	-	Alloy pig iron; spiegeleisen			
72015010	---	Cast iron	Free		
72015090	---	Other	Free		
7202		Ferro-alloys.			
72021100	-	Ferro-manganese : -- Containing by weight more than 2 percent of carbon	Free		
72021900	-	Ferro-manganese : -- Other	Free		
72022100	-	Ferro-silicon : -- Containing by weight more than 55 percent of silicon	Free		
72022900	-	Ferro-silicon : -- Other	Free		

72023000	-	Ferro-silico-manganese	Free
72024100	-	Ferro-chromium : -- Containing by weight more than 4 percent of carbon	Free
72024900	-	Ferro-chromium : -- Other	Free
72025000	-	Ferro-silico-chromium	Free
72026000	-	Ferro-nickel	Free
72027000	-	Ferro-molybdenum	Free
72028000	-	Ferro-tungsten and ferro-silico-tungsten	Free
72029100	-	Other : -- Ferro-titanium and ferro-silico-titanium	Free
72029200	-	Other : -- Ferro-vanadium	Free
72029300	-	Other : -- Ferro-niobium	Free
720299	-	Other : -- Other	
72029911	---	Ferro-phosphorus, Ferro-selenium, Ferro-cobalt, Ferro-columbium, Ferro-zirconium, Ferro-tantalum: ---- Ferro-phosphorus	Free
72029912	---	Ferro-phosphorus, Ferro-selenium, Ferro-cobalt, Ferro-columbium, Ferro-zirconium, Ferro-tantalum: ---- Ferro-selenium	Free

72029913	---	Ferro-phosphorus, Ferro-selenium, Ferro-cobalt, Ferro-columbium, Ferro-zirconium, Ferro-tantalum: ---- Ferro-cobalt	Free
72029914	---	Ferro-phosphorus, Ferro-selenium, Ferro-cobalt, Ferro-columbium, Ferro-zirconium, Ferro-tantalum: ---- Ferro-columbium	Free
72029915	---	Ferro-phosphorus, Ferro-selenium, Ferro-cobalt, Ferro-columbium, Ferro-zirconium, Ferro-tantalum: ---- Ferro-zirconium	Free
72029916	---	Ferro-phosphorus, Ferro-selenium, Ferro-cobalt, Ferro-columbium, Ferro-zirconium, Ferro-tantalum: ---- Ferro-tantalum	Free
72029921	---	Ferro-silico-zirconium, Ferro-silico-magnesium: ---- Ferro-silico-zirconium	Free
72029922	---	Ferro-silico-zirconium, Ferro-silico-magnesium: ---- Ferro-silico-magnesium	Free
72029931	---	Ferro-boron, Charge-chrome: --- - Ferro-boron	Free
72029932	---	Ferro-boron, Charge-chrome: --- - Charge-chrome	Free
72029990	---	Ferro-boron, Charge-chrome: ---	Free

- Other			
7203		Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94percent, in lumps, pellets or similar forms.	
72031000	-	Ferrous products obtained by direct reduction of iron ore	Free
72039000	-	Other	Free
7204		Ferrous waste and scrap; remelting scrap ingots of iron or steel.	
72041000	-	Waste and scrap of cast iron	Free
720421	-	Waste and scrap of alloy steel : - - Of stainless steel	
72042110	---	Empty or discharged cartridges of all bores and sizes	Restricted
72042190	---	Other	Free
720429	-	Waste and scrap of alloy steel : - - Other	
72042910	---	Empty or discharged cartridges of all bores and sizes	Restricted
72042920	---	Of high speed steel	Free

72042990	---	Other	Free
72043000	-	Waste and scrap of tinned iron or steel	Free
72044100	-	Other waste and scrap : -- Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles	Free
72044900	-	Other waste and scrap : -- Other	Free
72045000	-	Remelting scrap ingots	Free
7205		Granules and powders, of pig iron, spiegeleisen, iron or steel.	
720510	-	Granules	
72051011	---	Of iron: ---- Shot and angular grit	Free
72051012	---	Of iron: ---- Wire pellets	Free
72051019	---	Of iron: ---- Other	Free
72051021	---	Of alloy steel: ---- Shot and angular grit	Free
72051022	---	Of alloy steel: ---- Wire pellets	Free
72051029	---	Of alloy steel: ---- Other	Free
72051090	---	Of alloy steel: ---- Other	Free
72052100	-	Powders : -- Of alloy steel	Free

720529	-	Powders : -- Other	
72052910	---	Of iron	Free
72052990	---	Other	Free
7206		Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 72.03).	
720610	-	Ingots	
72061010	---	Of iron	Free
72061020	---	Of high carbon steel	Free
72061090	---	Other	Free Carbon steel cast billet ingots, billets, blooms and slabs for re-rolling into steel for general structural purposes must conform to IS 2830, and for re-rolling into low tensile structural steel must conform to IS 2831
720690	-	Other	
72069011	---	Powders: ---- Puddled bars and pilings	Free
72069012	---	Powders: ---- Blocks, lumps and similar forms	Free
72069019	---	Powders: ---- Other	Free
72069091	---	Other : ---- Puddled bars and pilings	Free

72069092	---	Other : ---- Blocks, lumps and similar forms	Free	
72069099	---	Other : ---- Other	Free	
7207		Semi-finished products of iron or non-alloy steel.		
720711	-	Containing by weight less than 0.25 percent of carbon : -- Of rectangular (including square) cross-section, the width measuring less than twice the thickness		
72071110	---	Electrical quality	Free	
72071120	---	Forging quality	Free	
72071130	---	Seamless steel tube quality	Free	
72071190	---	Other	Free	Carbon steel cast billet ingots, billets, blooms and slabs for re-rolling into steel for general structural purposes must conform to IS 2830 and for re-rolling into low tensile structural steel must conform to IS 2831
720712	-	Containing by weight less than 0.25 percent of carbon :- Containing by weight less than 0.25 percent of carbon : -- Other, of rectangular (other than square) cross-section		
72071210	---	Electrical quality	Free	

72071220	---	Forging quality	Free	
72071230	---	Seamless steel tube quality	Free	
72071290	---	Other	Free	Carbon steel cast billet ingots, billets, blooms and slabs for re-rolling into steel for general structural purposes must conform to IS 2830 and for re-rolling into low tensile structural steel must conform to IS 2831
720719	-	Containing by weight less than 0.25 percent of carbon : -- Other		
72071910	---	Forged blanks of non-alloy steel	Free	
72071920	---	Mild steel billets	Free	Carbon steel cast billet ingots, billets, blooms and slabs for re-rolling into steel for general structural purposes must conform to IS 2830 and for re-rolling into low tensile structural steel must conform to IS 2831
72071990	---	Other	Free	Carbon steel cast billet ingots, billets, blooms and slabs for re-rolling into steel for general structural purposes must conform to IS 2830 and for re-rolling into low tensile structural steel must conform to IS 2832
720720	-	Containing by weight 0.25 percent or more of carbon		
72072010	---	Forging quality	Free	

72072020	---	Spring steel quality	Free	
72072030	---	Seamless steel tube quality	Free	
72072090	---	Other	Free	Carbon steel cast billet ingots, billets, blooms and slabs for re-rolling into low tensile structural steel must conform to IS 2831
7208		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated.		
72081000	-	In coils, not further worked than hot-rolled, with patterns in relief	Free	
720825	-	Other, in coils, not further worked than hot-rolled, pickled : -- Of a thickness of 4.75 mm or more		
72082510	---	Plates	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72082520	---	Universal plates	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062

72082530	---	Sheets	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72082540	---	Strip	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72082590	---	Other	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
720826	-	Other, in coils, not further worked than hot-rolled, pickled : -- Of a thickness of 3 mm or more but less than 4.75 mm		
72082610	---	Plates	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72082620	---	Universal plates	Free	Hot rolled medium and high

				tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72082630	---	Sheets	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72082640	---	Strip	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72082690	---	Other	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
720827	-	Other, in coils, not further worked than hot-rolled, pickled :s -- Of a thickness of less than 3 mm		
72082710	---	Plates	Free	Hot roled medium and high tensile structural steel (excluding

				bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72082720	---	Universal plates	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72082730	---	Sheets	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72082740	---	Strip	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72082790	---	Other	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062

720836	-	Other, in coils, not further worked than hot-rolled : -- Of a thickness exceeding 10 mm		
72083610	---	Plates	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72083620	---	Universal plates	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72083630	---	Sheets	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72083640	---	Strip	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72083690	---	Other	Free	Hot rolled medium and high tensile structural steel (excluding

				bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
720837	-	Other, in coils, not further worked than hot-rolled : -- Of a thickness of 4.75 mm or more but not exceeding 10 mm		
72083710	---	Plates	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72083720	---	Universal plates	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72083730	---	Sheets	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72083740	---	Strip	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or

				thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72083790	---	Other	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
720838	-	Other, in coils, not further worked than hot-rolled : -- Of a thickness of 3 mm or more but less than 4.75 mm		
72083810	---	Plates	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72083820	---	Universal plates	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72083830	---	Sheets	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and

				structural below 50mmX50mmX6mm) must conform to IS 2062
72083840	---	Strip	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72083890	---	Other	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
720839	-	Other, in coils, not further worked than hot-rolled : -- Of a thickness of less than 3 mm		
72083910	---	Plates	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness ess than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72083920	---	Universal plates	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must

				conform to IS 2062
72083930	---	Sheets	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72083940	---	Strip	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72083990	---	Other	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
720840	-	Not in coils, not further worked than hot-rolled, with patterns in relief		
72084010	---	Plates	Free	
72084020	---	Universal plates	Free	
72084030	---	Sheets	Free	
72084040	---	Strip	Free	

72084090	---	Other	Free	
720851	-	Other, not in coils, not further worked than hot-rolled : -- Of a thickness exceeding 10 mm		
72085110	---	Plates	Free	Steel plates for pressure vessels for intermediate and high temperature service including boilers must conform to IS 2002, Steel plates for pressure vessels used at moderate or low temperature must conform to IS 2041 and Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness ess than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72085120	---	Universal plates	Free	Steel plates for pressure vessels for intermediate and high temperature service including boilers must conform to IS 2002, Steel plates for pressure vessels used at moderate or low temperature must conform to IS 2041 and Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness ess than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72085130	---	Sheets	Free	Hot roled medium and high tensile structural steel (excluding

				bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72085140	---	Strip	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72085190	---	Other	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
720852	-	Other, not in coils, not further worked than hot-rolled : -- Of a thickness of 4.75 mm or more but not exceeding 10 mm		
72085210	---	Plates	Free	Steel plates for pressure vessels for intermediate and high temperature service including boilers must conform to IS 2002, Steel plates for pressure vessels used at moderate or low temperature must conform to IS 2041, Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than

				6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062		
72085220	---	Universal plates	Free	Steel plates for pressure vessels for intermediate and high temperature service including boilers must conform to IS 2002, Steel plates for pressure vessels used at moderate or low temperature must conform to IS 2041, Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness ess than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062		
72085230	---	Sheets	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness ess than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062		
72085240	---	Strip	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness ess than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062		
72085290	---	Other	Free	Hot roled medium and high tensile structural steel (excluding	17/2015-2020	05/09/2019

				bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062 Subject to Policy Condition 4
720853	-	Other, not in coils, not further worked than hot-rolled : -- Of a thickness of 3 mm or more but less than 4.75 mm		
72085310	---	Plates	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72085320	---	Universal plates	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72085330	---	Sheets	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72085340	---	Strip	Free	Hot roled medium and high tensile structural steel (excluding

				bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72085390	---	Other	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
720854	-	Other, not in coils, not further worked than hot-rolled : -- Of a thickness of less than 3 mm		
72085410	---	Plates	Free	
72085420	---	Universal plates	Free	
72085430	---	Sheets	Free	
72085440	---	Strip	Free	
72085490	---	Other	Free	
72089000	-	Other	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
7209		Flat-rolled products of iron or non-alloy steel, of a width of 600		

		mm or more, cold-rolled (cold-reduced), not clad, plated or coated.	
720915	-	In coils, not further worked than cold-rolled (cold-reduced) : -- Of a thickness of 3 mm or more	
72091510	---	Plates	Free
72091520	---	Sheets	Free
72091530	---	Strip	Free
72091590	---	Other	Free
720916	-	In coils, not further worked than cold-rolled (cold-reduced) : -- Of a thickness exceeding 1 mm but less than 3 mm	
72091610	---	Plates	Free
72091620	---	Sheets	Free
72091630	---	Strip	Free
72091690	---	Other	Free
720917	-	In coils, not further worked than cold-rolled (cold-reduced) : -- Of a thickness of 0.5 mm or more but not exceeding 1 mm	
72091710	---	Plates	Free
72091720	---	Sheets	Free
			Cold rolled non oriented

				electrical sheet and strip-semi-processed type (CRNO) must conform to IS 15391
72091730	---	Strip	Free	Cold rolled non oriented electrical sheet and strip-semi-processed type (CRNO) must conform to IS 15391
72091790	---	Other	Free	Cold rolled non oriented electrical sheet and strip-semi-processed type (CRNO) must conform to IS 15391
720918	-	In coils, not further worked than cold-rolled (cold-reduced) : -- Of a thickness of less than 0.5 mm		
72091810	---	Plates	Free	
72091820	---	Sheets	Free	
72091830	---	Strip	Free	
72091890	---	Other	Free	Not in coils, not further worked than cold-rolled (cold-reduced):
720925	-	Not in coils, not further worked than cold-rolled (cold-reduced) : -- Of a thickness of 3 mm or more		
72092510	---	Plates	Free	
72092520	---	Sheets	Free	

72092530	---	Strip	Free	
72092590	---	Other	Free	
720926	-	Not in coils, not further worked than cold-rolled (cold-reduced) : -- Of a thickness exceeding 1 mm but less than 3 mm		
72092610	---	Plates	Free	
72092620	---	Sheets	Free	
72092630	---	Strip	Free	
72092690	---	Other	Free	
720927	-	Not in coils, not further worked than cold-rolled (cold-reduced) : -- Of a thickness of 0.5 mm or more but not exceeding 1 mm		
72092710	---	Plates	Free	
72092720	---	Sheets	Free	Cold rolled non oriented electrical sheet and strip-semi-processed type (CRNO) must conform to IS 15391
72092730	---	Strip	Free	Cold rolled non oriented electrical sheet and strip-semi-processed type (CRNO) must conform to IS 15391
72092790	---	Other	Free	Cold rolled non oriented electrical sheet and strip-semi-processed type (CRNO) must

conform to IS 15391			
720928	-	Not in coils, not further worked than cold-rolled (cold-reduced) : -- Of a thickness of less than 0.5 mm	
72092810	---	Plates	Free
72092820	---	Sheets	Free
72092830	---	Strip	Free
72092890	---	Other	Free
72099000	-	Other	Free
7210		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated.	
721011	-	Plated or coated with tin : -- Of a thickness of 0.5 mm or more	
72101110	---	OTS/MR Type	Free
72101190	---	Other	Free
721012	-	Plated or coated with tin : -- Of a thickness of less than 0.5 mm	
72101210	---	OTS/MR Type	Free
72101290	---	Other	Free
72102000	-	Plated or coated with lead,	Free

including terne-plate						
721030	-	Electrolytically plated or coated with zinc				
72103010	---	Corrugated	Free			
72103091	---	Other:---Galvannealed	Free	-	20/2015-2020	07/07/2022
72103099	---	Other:---Other	Free	-	20/2015-2020	07/07/2022
72104100	-	Otherwise plated or coated with zinc : -- Corrugated	Free	Galvanised steel sheets (plain and corrugated) must conform to IS 277		
721049	--	Otherwise plated or coated with zinc : Other				
72104910	---	Galvannealed	Free	Galvanised steel sheets (plain and corrugated) must conform to IS 277	20/2015-2020	07/07/2022
72104990	---	Other	Free	Galvanised steel sheets (plain and corrugated) must conform to IS 277	20/2015-2020	07/07/2022
72105000	-	Plated or coated with chromium oxides or with chromium and chromium oxides	Free			
72106100	-	Plated or coated with aluminium : -- Plated or coated with aluminium-zinc alloys	Free			

72106900	-	Plated or coated with aluminium : -- Other	Free	
72107000	-	Painted, varnished or coated with plastics	Free	
721090	-	Other		
72109010	---	Lacquered	Free	
72109090	---	Other	Free	Subject to Policy Condition 4.
7211		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated.		
72111300	-	Not further worked than hot- rolled : -- Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	Free	Steel plates for pressure vessels for intermediate and high temperature service including boilers must conform to IS 2002, Steel plates for pressure vessels used at moderate or low temperature must conform to IS 2041, Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness ess than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
721114	-	Not further worked than hot- rolled : -- Other, of a thickness of 4.75 mm or more		
72111410	---	Flats	Free	Hot roled medium and high

				tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72111420	---	Universal plates	Free	Steel plates for pressure vessels for intermediate and high temperature service including boilers must conform to IS 2002, Steel plates for pressure vessels used at moderate or low temperature must conform to IS 2041, Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72111430	---	Hoops	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72111440	---	Sheets	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062

72111450	---	Strip	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72111460	---	Skelp	Free	Hot rolled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structural below 50mmX50mmX6mm) must conform to IS 2062
72111490	---	Other	Free	Steel plates for pressure vessels for intermediate and high temperature service including boilers must conform to IS 2002, Steel plates for pressure vessels used at moderate or low temperature must conform to IS 2041, Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness ess than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
721119	-	Not further worked than hot-rolled : -- Other		
72111910	---	Flats	Free	
72111920	---	Universal plates	Free	

72111930	---	Hoops	Free
72111940	---	Sheets	Free
72111950	---	Strip	Free
72111960	---	Skelp	Free
72111990	---	Other	Free
721123	-	Not further worked than cold-rolled (cold-reduced) : -- Containing by weight less than 0.25 percent of carbon	
72112310	---	Flats	Free
72112320	---	Universal plates	Free
72112330	---	Hoops	Free
72112340	---	Sheets	Free
72112350	---	Strip	Free
72112390	---	Other	Free
721129	-	Not further worked than cold-rolled (cold-reduced) : -- Other	
72112910	---	Flats	Free
72112920	---	Universal plates	Free
72112930	---	Hoops	Free
72112940	---	Sheets	Free

72112950	---	Strip	Free	
72112960	---	Skelp	Free	
72112990	---	Other	Free	
721190	-	Other		
72119011	---	Universal plates: ---- Of boiler quality	Free	Steel plates for pressure vessels for intermediate and high temperature service including boilers must conform to IS 2002
72119012	---	Universal plates: ---- Of high tensile quality	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72119013	---	Universal plates: ----Of ship building quality	Free	
72119090	---	Universal plates: ----Other	Free	Steel plates for pressure vessels for intermediate and high temperature service including boilers must conform to IS 2002, Steel plates for pressure vessels used at moderate or low temperature must conform to IS 2041, Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below

50mmX50mmX6mm) must conform to IS 2062						
7212		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated.				
721210	-	Plated or coated with tin				
72121010	---	OTS/MR Type	Free			
72121090	---	Other	Free			
721220	-	Electrolytically plated or coated with zinc				
72122010	---	Corrugated	Free			
72122091	---	Other:----Galvannealed	Free	-	20/2015-2020	07/07/2022
72122099	---	Other:----Other	Free	-	20/2015-2020	07/07/2022
721230	-	Otherwise plated or coated with zinc				
72123010	---	Corrugated	Free	Galvanised steel sheets (plain and corrugated) must conform to IS 277		
72123091	---	Other:----Galvannealed	Free	Galvanised steel sheets (plain and corrugated) must conform to IS 277		
72123099	---	Other:----Other	Free	Galvanised steel sheets (plain	20/2015-2020	07/07/2022

and corrugated) must conform to IS 277						
72124000	-	Painted, varnished or coated with plastics	Free			
721250	-	Otherwise plated or coated				
72125010	---	Plated or coated with lead	Free			
72125020	---	Lacquered	Free			
72125030	---	plated or coated with aluminium	Free	-	20/2015-2020	07/07/2022
72125040	---	plated or coated with aluminium-zinc alloys	Free	-	20/2015-2020	07/07/2022
72125090	---	Other	Free			
72126000	-	Clad	Free			
7213		Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel.				
721310	-	Containing indentations, ribs, grooves or other deformations produced during the rolling process				
72131010	---	Of free cutting steel	Free			
72131090	---	Other	Free	High strength deformed steel bars and wires for concrete reinforcement (8 mm and above) must conform to IS 1786		

721320	-	Other, of free-cutting steel		
72132010	---	Electrode quality	Free	
72132020	---	Cold heading quality	Free	
72132090	---	Other	Free	
721391	-	Other : -- Of circular cross-section measuring less than 14 mm in diameter		
72139110	---	Electrode quality	Free	
72139120	---	Cold heading quality	Free	
72139190	---	Other	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062, Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
721399	-	Other : -- Other		
72139910	---	Electrode quality	Free	
72139920	---	Cold heading quality	Free	

72139990	---	Other	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062, Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
7214		Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling.		
721410	-	Forged		
72141010	---	Spring steel quality	Free	
72141090	---	Other	Free	
721420	-	Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling		
72142010	---	Spring steel quality	Free	
72142090	---	Other	Free	High strength deformed steel bars and wires for concrete reinforcement (8 mm and above)

				must conform to IS 1786, Fusion bonded epoxy coated reinforcing bars must conform to IS 13620
72143000	-	Other, of free-cutting steel	Free	
721491	-	Other : -- Of rectangular (other than square) cross-section		
72149110	---	Mild steel bright bar	Free	
72149190	---	Other	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness ess than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
721499	-	Other : -- Other		
72149910	---	Of spring steel quality	Free	
72149990	---	Other	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness ess than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062, Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness ess than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062

7215		Other bars and rods of iron or non-alloy steel.		
72151000	-	of free-cutting steel, not further worked than cold-formed or cold- finished	Free	
721550	-	Other, not further worked than cold-formed or cold-finished		
72155010	---	Mild steel bright bar	Free	
72155090	---	Other	Free	
721590	-	Other		
72159010	---	Plated or coated with zinc	Free	
72159020	---	Plated or coated with other base metals	Free	
72159090	---	Other	Free	Fusion bonded epoxy coated reinforcing bars must conform to IS 13620
7216		Angles, shapes and sections of iron or non-alloy steel.		
72161000	-	U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness ess than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72162100	-	L or T sections, not further	Free	Hot roled medium and high

		worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm : -- L sections		tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72162200	-	L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm : -- T sections	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72163100	-	U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more : --U sections	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72163200	-	U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more : -- I sections	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72163300	-	U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more : -- H sections	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness less than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062

72164000	-	L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness ess than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72165000	-	Other angles, shapes and sections, not further worked than hotrolled, hot-drawn or extruded	Free	Hot roled medium and high tensile structural steel (excluding bars and rods of diameter or thickness ess than 6mm and structurals below 50mmX50mmX6mm) must conform to IS 2062
72166100	-	Angles, shapes and sections, not further worked than cold-formed or cold-finished : -- Obtained from flat-rolled products	Free	
72166900	-	Angles, shapes and sections, not further worked than cold-formed or cold-finished : -- Other	Free	
72169100	-	Other : -- Cold-formed or cold-finished from flat-rolled products	Free	
721699	-	Other : -- Other		
72169910	---	Plated or coated with zinc	Free	
72169920	---	Plated or coated with base metals other than zinc	Free	
72169930	---	Slotted angles and slotted channels	Free	

72169940	---	Forged	Free	
72169990	---	Other	Free	
7217		Wire of iron or non-alloy steel.		
721710	-	Not plated or coated, whether or not polished		
72171010	---	Of a thickness of 18 SWG and below	Free	Plain hard- drawn steel wire for pre stressed concrete must conform to IS 1785 (Pt 2), Indented wire for pre- stressed concrete must conform to IS 6003
72171020	---	Of a thickness above 18 SWG but upto 26 SWG	Free	
72171030	---	Of a thickness above 26 SWG	Free	
721720	-	Plated or coated with zinc		
72172010	---	Of a thickness of 18 SWG and below	Free	
72172020	---	Of a thickness above 18 SWG but upto 26 SWG	Free	
72172030	---	Of a thickness above 26 SWG	Free	
721730	-	Plated or coated with other base metals		
72173010	---	Of a thickness of 18 SWG and below	Free	

72173020	---	Of a thickness above 18 SWA but upto 26 SWG	Free	
72173030	---	Of a thickness above 26 SWG	Free	
721790	-	Other		
72179011	---	Shaped and profiled wire: ---- Of cross section - half round	Free	
72179012	---	Shaped and profiled wire: ---- Of cross section - flat and rectangular	Free	
72179013	---	Shaped and profiled wire: ---- Of cross section - z shaped	Free	
72179019	---	Shaped and profiled wire: ---- Of cross section - other shapes	Free	
72179091	---	Other: ---- High tensile quality	Free	Plain hard- drawn steel wire for pre stressed concrete must conform to IS 1785 (Pt 2), Indented wire for pre- stressed concrete must conform to IS 6003
72179092	---	Other: ---- Electrode quality	Free	
72179093	---	Other: ---- Electric resistance wire (including electric resistance heating wire)	Free	
72179099	---	Other: ---- Other	Free	Plain hard- drawn steel wire for pre stressed concrete must conform to IS 1785 (Pt 2), Indented wire for pre- stressed concrete must conform to IS

6003			
7218		Stainless steel in ingots or other primary forms; semi-finished products of stainless steel.	
72181000	-	Ingots and other primary forms	Free
72189100	-	Other : -- Of rectangular (other than square) cross-section	Free
721899	-	Other : -- Other	
72189910	---	Billets	Free
72189990	---	Other	Free
7219		Flat-rolled products of stainless steel, of a width of 600 mm or more.	
721911	-	Not further worked than hot-rolled, in coils : -- Of a thickness exceeding 10 mm	
72191111	---	Chromium type: ---- Not exceeding 14 mm	Free
72191112	---	Chromium type: ---- Exceeding 14 mm	Free
72191190	---	Chromium type: ---- Other	Free
72191200	-	Not further worked than hot-rolled, in coils : -- Of a thickness of 4.75 mm or more but not exceeding 10 mm	Free

72191300	-	Not further worked than hot-rolled, in coils : -- Of a thickness of 3 mm or more but less than 4.75 mm	Free
72191400	-	Not further worked than hot-rolled, not in coils : -- Of a thickness of less than 3 mm	Free
721921	-	Not further worked than hot-rolled, not in coils : -- Of a thickness exceeding 10 mm	
72192111	---	Not exceeding 14 mm	Free
72192112	---	Exceeding 14 mm Universal plates of stainless steel/heat resisting steel, nickel chromium austenitic type:	Free
72192121	---	Not exceeding 14 mm	Free
72192122	---	Exceeding 14 mm	Free
72192131	---	Other Chromium type: ---- Not exceeding 14 mm	Free
72192132	---	Other Chromium type: ---- Exceeding 14 mm	Free
72192141	---	Other Nickel chromium austenitic type: ---- Not exceeding 14 mm	Free
72192142	---	Other Nickel chromium austenitic type: ---- Exceeding 14 mm	Free

72192190	---	Other Nickel chromium austenitic type: ---- Other	Free
721922	-	Not further worked than hot-rolled, not in coils : -- Of a thickness of 4.75 mm or more but not exceeding 10 mm	
72192211	---	Universal plates of stainless steel or heat resisting steel: ---- Chromium type	Free
72192212	---	Universal plates of stainless steel or heat resisting steel: ---- Nickel chromium austenitic type	Free
72192219	---	Universal plates of stainless steel or heat resisting steel: ---- Other	Free
72192291	---	Other: ---- Chromium type	Free
72192292	---	Other: ---- Nickel chromium austenitic type	Free
72192299	---	Other: ---- Other	Free
721923	-	Not further worked than hot-rolled, not in coils : -- Of a thickness of 3 mm or more but less than 4.75 mm	
72192310	---	Chromium type	Free
72192320	---	Nickel chromium austenitic type	Free
72192390	---	Other	Free

721924	-	Not further worked than hot-rolled, not in coils : -- Of a thickness of less than 3 mm	
72192411	---	Chromium type, of a thickness: - --- Below 0.35 mm	Free
72192412	---	Chromium type, of a thickness: - --- 0.35 mm and above but below 0.56 mm	Free
72192413	---	Chromium type, of a thickness: - --- 0.56 mm and above but below 0.90 mm	Free
72192419	---	Chromium type, of a thickness: - --- Other	Free
72192421	---	Nickel chromium austenitic type, of a thickness: ---- Below 0.35 mm	Free
72192422	---	Nickel chromium austenitic type, of a thickness: ---- 0.35 mm and above but below 0.56 mm	Free
72192423	---	Nickel chromium austenitic type, of a thickness: ---- 0.56 mm and above but below 0.90 mm	Free
72192429	---	Nickel chromium austenitic type, of a thickness: ---- Other	Free
72192490	---	Nickel chromium austenitic type, of a thickness: ---- Other	Free
721931	-	Not further worked than cold-rolled (cold-reduced) : -- Of a	

		thickness of 4.75 mm or more	
72193111	---	Chromium type: ---- Not exceeding 14 mm	Free
72193112	---	Chromium type: ---- Exceeding 14 mm	Free
72193121	---	Nickel chromium austenitic type: ---- Not exceeding 14 mm	Free
72193122	---	Nickel chromium austenitic type: ---- Exceeding 14 mm	Free
72193190	---	Nickel chromium austenitic type: ---- Other	Free
721932	-	Not further worked than cold-rolled (cold-reduced) : -- Of a thickness of 3 mm or more but less than 4.75 mm	
72193210	---	Chromium type	Free
72193220	---	Nickel chromium austenitic type	Free
72193290	---	Other	Free
721933	-	Not further worked than cold-rolled (cold-reduced) : -- Of a thickness exceeding 1 mm but less than 3 mm	
72193310	---	Chromium type	Free
72193320	---	Nickel chromium austenitic type	Free

72193390	---	Other	Free
721934	-	Not further worked than cold-rolled (cold-reduced) : -- Of a thickness of 0.5 mm or more but not exceeding 1 mm	
72193410	---	Chromium type	Free
72193420	---	Nickel chromium austenitic type	Free
72193490	---	Other	Free
721935	-	Not further worked than cold-rolled (cold-reduced) : -- Of a thickness of less than 0.5 mm	
72193510	---	Chromium type	Free
72193520	---	Nickel chromium austenitic type	Free
72193590	---	Other	Free
721990	-	Other	
72199011	---	Sheets and plates: ---- Thickness more than 4.75 mm	Free
72199012	---	Sheets and plates: ---- Thickness 3 mm to 4.75 mm	Free
72199013	---	Sheets and plates: ---- Thickness less than 3 mm	Free
72199090	---	Sheets and plates: ---- Other	Free
7220		Flat-rolled products of stainless	

		steel, of a width of less than 600 mm.	
722011	-	Not further worked than hot-rolled : -- Of a thickness of 4.75 mm or more	
72201110	---	Skelp for pipes and tubes	Free
72201121	---	Strips for pipes and tubes (other than skelp): ---- Chromium type	Free
72201122	---	Strips for pipes and tubes (other than skelp): ---- Nickel chromium austenitic type	Free
72201129	---	Strips for pipes and tubes (other than skelp): ---- Other	Free
72201190	---	Strips for pipes and tubes (other than skelp): ---- Other	Free
722012	-	Not further worked than hot-rolled : -- Of a thickness of less than 4.75 mm	
72201210	---	Skelp for pipes and tubes	Free
72201221	---	Strips for pipes and tubes (other than skelp): ---- Chromium type	Free
72201222	---	Strips for pipes and tubes (other than skelp): ---- Nickel chromium austenitic type	Free
72201229	---	Strips for pipes and tubes (other than skelp): ---- Other	Free

72201290	---	Strips for pipes and tubes (other than skelp): ---- Other	Free
722020	-	Not further worked than cold-rolled (cold-reduced)	
72202010	---	Strips for pipes and tubes	Free
72202021	---	Strips for pipes and tubes (other than skelp): ---- Chromium type	Free
72202022	---	Strips for pipes and tubes (other than skelp): ---- Nickel chromium austenitic type	Free
72202029	---	Strips for pipes and tubes (other than skelp): ---- Other	Free
72202090	---	Strips for pipes and tubes (other than skelp): ---- Other	Free
722090	-	Other	
72209010	---	Skelp (strips for pipes and tubes)	Free
72209021	---	Strips for pipes and tubes (other than skelp): ---- Chromium type	Free
72209022	---	Strips for pipes and tubes (other than skelp): ---- Nickel chromium austenitic type	Free
72209029	---	Strips for pipes and tubes (other than skelp): ---- Other	Free
72209090	---	Strips for pipes and tubes (other	Free

		than skelp): ---- Other	
7221		Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel.	
722100	-	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel :	
72210011	---	Bright bars: ---- Chromium type	Free
72210012	---	Bright bars: ---- Nickel chromium austenitic type	Free
72210019	---	Bright bars: ---- Other	Free
72210090	---	Bright bars: ---- Other	Free
7222		Other bars and rods of stainless steel; angles, shapes and sections of stainless steel.	
722211	-	Bars and rods, not further worked than hot-rolled, hot-drawn or extruded : -- Of circular cross-section	
72221111	---	Bright bars: ---- Chromium type	Free
72221112	---	Bright bars: ---- Nickel chromium austenitic type	Free
72221119	---	Bright bars: ----Other	Free
72221191	---	Other: ---- Chromium type	Free

72221192	---	Other: ---- Nickel chromium austenitic type	Free
72221199	---	Other: ---- Other	Free
722219	-	Bars and rods, not further worked than hot-rolled, hot-drawn or extruded : -- Other	
72221911	---	Bright bars: ---- Chromium type	Free
72221912	---	Bright bars: ---- Nickel chromium austenitic type	Free
72221919	---	Bright bars: ---- Other	Free
72221991	---	Other: ---- Chromium type	Free
72221992	---	Other: ---- Nickel chromium austenitic type	Free
72221999	---	Other: ---- Other	Free
722220	-	Bars and rods, not further worked than cold-formed or cold-finished	
72222011	---	Bright bars: ---- Chromium type	Free
72222012	---	Bright bars: ---- Nickel chromium austenitic type	Free
72222019	---	Bright bars: ---- Other	Free
72222091	---	Other: ---- Chromium type	Free
72222092	---	Other: ---- Nickel chromium	Free

		austenitic type	
72222099	---	Other: ---- Other	Free
722230	-	Other bars and rods	
72223011	---	Bright bars: ---- Chromium type	Free
72223012	---	Bright bars: ---- Nickel chromium austenitic type	Free
72223019	---	Bright bars: ---- Other	Free
72223091	---	Other: ---- Chromium type	Free
72223092	---	Other: ---- Nickel chromium austenitic type	Free
72223099	---	Other: ---- Other	Free
722240	-	Angles, shapes and sections	
72224010	---	Of thickness of 80 mm and above	Free
72224020	---	Of below 80 mm	Free
7223		Wire of stainless steel.	
722300	-	Wire of stainless steel :	
72230010	---	Electrode quality	Free
72230091	---	Other: ---- Of thickness of above 1.5 mm	Free
72230092	---	Other: ---- Of thickness of 0.46	Free

		mm and above but not exceeding 1.5 mm		
72230099	---	Other: ---- Of thickness of below 0.46 mm	Free	
7224		Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel.		
72241000	-	Ingots and other primary forms	Free	
722490	-	Other		
72249010	---	Of tool steel quality	Free	
72249020	---	Of die steel quality	Free	
72249030	---	Of cobalt bearing high speed steel quality	Free	
72249040	---	Forged blanks of alloy steel	Free	
72249091	---	Other: ---- Billets	Free	
72249099	---	Other: ---- Other	Free	
7225		Flat-rolled products of other alloy steel, of a width of 600 mm or more.		
72251100	-	Of silicon-electrical steel : -- Grain-oriented	Free	Grain oriented electrical steel sheet and strip (CRGO) must conform to IS 3024
722519	-	Of silicon-electrical steel :--	Free	

		Other	
72251900	-	Of silicon-electrical steel : -- Other	
72251910	---	Hot rolled	Free
72251920	---	Cold rolled	Free
72251990	---	Other	Free
722530	-	Other, not further worked than hot-rolled, in coils	
72253010	---	Of spring steel quality	Free
72253090	---	Other	Free
722540	-	Other, not further worked than hot-rolled, not in coils	
72254011	---	Of a thickness of above 4.75 mm: ---- Boiler quality	Free
72254012	---	Of a thickness of above 4.75 mm: ---- Pressure vessel quality	Free
72254013	---	Of a thickness of above 4.75 mm: ---- High tensile quality	Free
72254019	---	Of a thickness of above 4.75 mm: ---- Other	Free
72254020	---	Of a thickness of 3 mm and above but not exceeding 4.75 mm	Free

72254030	---	Of a thickness of above 4.75 mm: ---- Of a thickness of below 3 mm	Free			
722550	-	Other, not further worked than cold-rolled (cold-reduced)				
72255010	---	Of a thickness of less than 3 mm	Free			
72255020	---	Of a thickness of 3 mm to 4.75 mm	Free			
72255030	---	Of a thickness of above 4.5 mm	Free			
722591	-	Other:--Electrolytically plated or coatedwith zinc:				
72259110	---	Galvannealed	Free	-	20/2015-2020	
72259190	---	Other	Free	-	20/2015-2020	07/07/2022
722592	-	Other : -- Otherwise plated or coated with zinc				
72259210	---	Galvannealed				
72259290	---	Other				
722599	-	Other : -- Other				
72259910	---	plated or coated with aluminium				
72259920	---	plated or coated with aluminium-zinc alloys				
72259930	---	painted, coloured or coated with				

plastics						
72259990	---	Other	Free	-	20/2015-2020	07/07/2022
7226		Flat-rolled products of other alloy steel, of a width of less than 600mm.				
72261100	-	Of silicon-electrical steel : -- Grain-oriented	Free	Grain oriented electrical steel sheet and strip (CRGO) must conform to IS 3024		
722619	-	Of silicon-electrical steel :--Other	Free			
72261900	-	Of silicon-electrical steel : -- Other				
72261910	---	Hot rolled	Free			
72261920	---	Cold rolled	Free			
72261990	---	Other	Free			
722620	-	Of high speed steel				
72262011	---	Hot-rolled: ---- In coils	Free			
72262012	---	Hot-rolled: ---- Other	Free			
72262021	---	Cold-rolled: ---- In coils	Free			
72262022	---	Cold-rolled: ---- Other	Free			
72262030	---	Cold-rolled: ---- Hoops and strips	Free			
722691	-	Other : -- Not further worked than hot-rolled				

72269110	---	Of a thickness of below 3 mm	Free
72269120	---	Of a thickness of 3 mm and above but not exceeding 4.75 mm	Free
72269130	---	High tensile quality of a thickness of above 4.75 mm	Free
72269190	---	Other	Free
722692	-	Other : -- Not further worked than cold-rolled (cold-reduced)	
72269210	---	Of a thickness of below 3 mm	Free
72269220	---	Of a thickness of 3 mm and above but not exceeding 4.75 mm	Free
72269230	---	Of a thickness of above 4.75 mm	Free
722699	-	Other : -- Other	
72269910	---	Of a thickness of above 4.75 mm	Free
72269920	---	Of a thickness of above 3 mm and but not exceeding 4.75 mm	Free
72269930	---	Of a thickness of below 3 mm	Free
72269940	---	Skelp (strips for pipes and tubes)	Free
72269951	---	Hoops and strips: ---- Hot rolled	Free

72269952	---	Hoops and strips: ---- Cold rolled	Free			
72269953	---	Hoops and strips: ---- Of spring steel, other than skelp	Free			
72269960	---	Hoops and strips: ---- Skelps and strips for razor blades and saw blades	Free			
72269971	---	plated or coated with zinc:---- plain and corrugated	Free	-	20/2015-2020	07/07/2022
72269972	---	plated or coated with zinc:---- electrolytically, plain and corrugated	Free	-	20/2015-2020	07/07/2022
72269973	---	plated or coated with zinc:---- Galvannealed	Free	-	20/2015-2020	07/07/2022
72269979	---	plated or coated with zinc:---- Other	Free	-	20/2015-2020	07/07/2022
72269981	---	Otherwise coated or plated:---- with aluminium	Free	-	20/2015-2020	07/07/2022
72269982	---	Otherwise coated or plated:---- with aluminium-zinc alloys	Free	-	20/2015-2020	07/07/2022
72269983	---	Otherwise coated or plated:---- painted, coloured or coated with plastics	Free	-	20/2015-2020	07/07/2022
72269989	---	Otherwise coated or plated:---- Other	Free	-	20/2015-2020	07/07/2022
72269990	---	Hoops and strips: ---- Other	Free			

7227		Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel.	
72271000	-	Of high speed steel	Free
72272000	-	Of silico-manganese steel	Free
722790	-	Other	
72279010	---	Valve spring steel quality	Free
72279020	---	Other spring steel quality	Free
72279030	---	Ball bearing quality	Free
72279040	---	Cold heading quality	Free
72279050	---	Lead-free cutting quality	Free
72279060	---	Sulphur free cutting quality	Free
72279090	---	Other	Free
7228		Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel.	
722810	-	Bars and rods, of high speed steel	
72281010	---	Bright bars	Free
72281090	---	Other	Free

72282000	-	Bars and rods, of silico-manganese steel	Free
722830	-	Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded	
72283011	---	Bright bars: ---- Of alloy tool steel	Free
72283019	---	Bright bars: ---- Other	Free
72283021	---	Other: ---- Lead bearing steel	Free
72283022	---	Other: ---- Spring steel	Free
72283023	---	Other: ---- Sulphur bearing steel	Free
72283024	---	Other: ---- Tool and die steel	Free
72283029	---	Other: ---- Other	Free
72284000	-	Other bars and rods, not further worked than forged	Free
722850	-	Other bars and rods, not further worked than cold-formed or cold-finished	
72285010	---	Of engine valves and cold heading steel	Free
72285090	---	Other	Free
722860	-	Other bars and rods	
72286011	---	Bright bars: ---- Of alloy tool	Free

steel			
72286012	---	Bright bars: ---- Other	Free
72286091	---	Other: ---- Lead bearing steel	Free
72286092	---	Other: ---- Spring steel	Free
72286093	---	Other: ---- Sulphur bearing steel	Free
72286094	---	Other: ---- Tool and die steel	Free
72286099	---	Other: ---- Other	Free
722870	-	Angles, shapes and sections	
72287011	---	Not further worked than hot-rolled, hot-drawn or extruded: --- - Of 80 mm or more	Free
72287012	---	Not further worked than hot-rolled, hot-drawn or extruded: --- - Of less than 80 mm	Free
72287021	---	Not further worked than cold-formed or cold-finished: ---- Of 80 mm or more	Free
72287022	---	Not further worked than cold-formed or cold-finished: ---- Of less than 80 mm	Free
722880	-	Hollow drill bars and rods	
72288010	---	Of alloy steel	Free
72288020	---	Of non alloy steel, forged	Free

72288090	---	Other	Free
7229		Wire of other alloy steel.	
72292000	---	Of silico-manganese steel	Free
722990	-	Other	
72299011	---	Tinned wire	Free
72299012	---	Bronze coated wire	Free
72299013	---	Trapezoidal wire	Free
72299014	---	Half round wire	Free
72299015	---	Crimped wire	Free
72299016	---	Copper coated wire	Free
72299021	---	Electrode quality, wire rope quality and ACSR quality, not insulated: ---- Electrode quality	Free
72299022	---	Electrode quality, wire rope quality and ACSR quality, not insulated: ---- Wire rope quality	Free
72299023	---	Electrode quality, wire rope quality and ACSR quality, not insulated: ---- ACSR quality	Free
72299031	---	Wire (excluding wire type lead), spring, high tensile, hardened and tempered wires, not insulated: ---- Wire (excluding wire type lead)	Free

72299032	---	Wire (excluding wire type lead), spring, high tensile, hardened and tempered wires, not insulated: ---- Spring wire	Free
72299033	---	Wire (excluding wire type lead), spring, high tensile, hardened and tempered wires, not insulated: ---- High tensile wire	Free
72299034	---	Wire (excluding wire type lead), spring, high tensile, hardened and tempered wires, not insulated: ---- Hardened and tempered wire	Free
72299040	---	Wire (excluding wire type lead), spring, high tensile, hardened and tempered wires, not insulated: ---- Other wire	Free
72299051	---	Shaped and profiled wires of cross-section: ---- Half round	Free
72299052	---	Shaped and profiled wires of cross-section: ---- Flat and rectangular	Free
72299053	---	Shaped and profiled wires of cross-section: ---- L shape	Free
72299054	---	Shaped and profiled wires of cross-section: ---- Z shape	Free
72299059	---	Shaped and profiled wires of cross-section: ---- Other	Free
72299060	---	Shaped and profiled wires of	Free

		cross-section: ---- Electric resistance wire (including electric resistance heating wire)	
72299070	---	Shaped and profiled wires of cross-section: ---- Crimped wire	Free
72299090	---	Shaped and profiled wires of cross-section: ---- Other	Free