```
#include <iostream>
using namespace std;
template<class u>
class Sentinel
{
       //template<class u>
       struct Node
              Node<u> *prev;
              u value;
              Node<u> *next;
              Node(u value)
              {
                     this->prev=nullptr;
                     this->value=value;
                     this->next=nullptr;
              }
       };
       Node<u> *head;
       Node<u> *tail;
public:
       Sentinel()
              head=new Node<u>(0);
              tail=new Node<u>(0);
              head->next=tail;
              tail->prev=head;
       void insert(Node<u> *current,u value)
              Node<u> *newnode=new Node<u>(value);
              newnode->next=current;
              newnode->prev=current->prev;
              //current->prev=current->prev->next=newnode;
              newnode->next->prev=newnode->prev->next=newnode;
       }
       void addToBack(u value)
              insert(tail, value);
       }
       void addToFront(u value)
              insert(head->next,value);
       }
       int insertAfter(u search,u value)
              for(Node<u> *p=head->next;p!=tail;p=p->next)
                     if(search==p->value)
                     {
                            insert(p->next, value);
                            return 1;
                     }
              return 0;
       }
       int insertBefore(u search,u value)
              for(Node<u> *p=tail->prev;p!=head;p=p->prev)
```

```
{
                      if(search==p->value)
                      {
                              insert(p, value);
                              return 1;
               return 0;
       void printForward()
               for(Node<u> *p=head->next;p!=tail;p=p->next)
               {
                      cout<<p->value<<" ";</pre>
               }
       }
};
int main()
{
       Sentinel<double> s;
       double num;
       double search;
       while(cout<<"Enter the elements : ",</pre>
               cin>>num,
               num)
       {
               s.addToBack(num);
       }
       cout<<"\n Original List "<<endl;</pre>
       s.printForward();
       while(cout<<"\n search element inserting Before " ,</pre>
               cin>>search>>num,
               num)
       {
               s.insertBefore(search,num);
       }
       cout<<"\n After Inserting"<<endl;</pre>
       s.printForward();
       while(cout<<"\n search element inserting After " ,</pre>
               cin>>search>>num,
               num)
       {
               s.insertAfter(search,num);
       }
       cout<<"\n After Inserting"<<endl;</pre>
       s.printForward();
return 0;
}
```

```
Enter the elements: 9.6
Enter the elements: 9.5
Enter the elements: 8.6
Enter the elements: 0

Original List
9.6 9.5 8.6
search element inserting Before 9.6
100

search element inserting Before 0

After Inserting
100 9.6 9.5 8.6
search element inserting After 8.6
99.0

search element inserting After 0

After Inserting
100 9.6 9.5 8.6
search element inserting After 0
```