

MAINTENANCE & CONTENT MANUAL · V2.0

omkardhareshwar.com

How the site is wired, how to change every piece of content, how to add new content, and how to not break the build — for the owner maintaining it without AI assistance.

Repo: [omkardhara/New-Website-Typescript-](#) · branch [main](#)

Contents

PART 1 · Orientation, facts & the docs already in your repo

PART 2 · How the project is wired

Stack (no Tailwind!) · folder map · data-vs-component model · content-location table · routes

PART 3 · The edit & deploy workflow

GitHub-web vs local · setup · the build gate · Vercel + Analytics · rollback

PART 4 · The TypeScript rulebook (`data/types.ts`)

Why types gate deploys · field reference per content type · the errors you'll hit

PART 5 · Changing existing content — data files

Writing · Work · Red Bull notes · Videos · Press · Story/Timeline · Offerings · Socials · Testimonials

PART 6 · Changing existing content — components & pages

Hero copy + stats · Contact (email/WhatsApp) · About/Press/Media page copy · SEO metadata · colours/fonts

PART 7 · Adding new content (every type) & images

PART 8 · The rules you must not break (preview counts, OG image, casing, Tailwind...)

PART 9 · Troubleshooting

PART 10 · Reference — commands, cheat sheets, glossary, pre-push checklist

Part 1 · Orientation & Facts

This is a **Next.js 14 (App Router, static export) + TypeScript** site on **Vercel**. The code is **compiled** before going live, so a mistake in the wrong place can **fail the build and block the deploy** — but a failed build never takes the live site down; Vercel keeps serving the last good version. The whole game is "make the build pass."

📌 Your repo already documents itself — read these first

The project ships its own up-to-date guides. This manual **consolidates and extends** them; when in doubt, the in-repo docs + the live code win.

- `docs/site-editing-guide.md` — step-by-step for routine content tasks (writing, work, video, press, timeline).
- `docs/image-sizing-guide.md` — exact pixel sizes / max file sizes for every image slot.
- `CLAUDE.md`, `app/CLAUDE.md`, `components/CLAUDE.md`, `data/CLAUDE.md` — architecture, routing, schemas, and hard rules.

🚫 The one rule that governs everything

All content lives in **typed** structures. If an edit doesn't match the shape in `data/types.ts` (missing required field, value outside an allowed list, stray comma, unclosed quote), **the build fails and the change never ships**. Always run `npm run build` locally before pushing (Part 3).

1.1 Project facts

Live URL: `https://www.omkardhareshwar.com` (`SITE_URL` in `app/layout.tsx`)

GitHub: `github.com/omkardhara/New-Website-Typescript-` · branch `main`

Local clone: `...\Downloads\09_Projects_Code\files\omkar-site\omkar-site`

Host: Vercel — auto-deploys on every push to `main`; Vercel Analytics is wired in.

Contact: email `omkar.dhara@gmail.com` · WhatsApp `919920499089`

Part 2 · How the Project Is Wired

2.1 The stack

Piece	What & why it matters
Next.js 14 App Router, static export	Folders in <code>app/</code> become URLs. The site builds to static HTML — there's no live server/database. All data is baked in at build time from <code>data/*.ts</code> .
TypeScript (strict)	Your data must match declared shapes or the build fails. Your safety net <i>and</i> your gatekeeper.
Plain CSS — <code>app/globals.css</code> + CSS variables + inline styles	Tailwind is NOT used. <code>tailwind.config.ts</code> / <code>postcss.config.mjs</code> are vestigial leftovers — ignore them and never add Tailwind utility classes.
Framer Motion	Animations. Mostly leave alone; animated/interactive components carry <code>'use client'</code> .
next/image	Optimised images. Local files in <code>public/</code> ; remote hosts must be whitelisted in <code>next.config.mjs</code> (already covers YouTube).
Vercel + Analytics	Push to <code>main</code> → build & deploy. <code>@vercel/analytics</code> tracks traffic automatically.

2.2 Folder map

```
omkar-site/
├─ app/                                # ROUTES (folder = URL) + global layout/SEO. CLAUDE.md here.
│   ├── layout.tsx                    # site-wide SEO metadata, Person schema, Nav/Footer/Analytics
│   ├── page.tsx                      # homepage (Hero + TabShell + ContactBand)
│   ├── globals.css                   # ALL design tokens (colours/fonts) + most styling
│   ├── about/ contact/ story/ media/ press/ work/ # static + list pages
│   ├── work/[slug]/                  # a project page per WORK item
│   ├── press/[slug]/                 # a page per PRESS item
│   └── writing/                       # [slug] + essays/ redbull/ poems/ (articles/ short-stories/ redirect)
├─ components/                        # UI building blocks (some copy is hard-coded here). CLAUDE.md here.
│   ├── Hero.tsx                     # hero copy + the 4 stat counters (NOT in a data file)
│   ├── ContactBand.tsx              # homepage contact block (email + WhatsApp) + renders TestimonialsStrip
│   ├── TabShell.tsx + tabs/         # homepage Work/Media/Notes/Press tabs (3-item previews)
│   ├── *ListPage.tsx                # full list pages (Work/Writing/Media/Press)
│   └── AboutPage · StoryMap · Nav · Footer · CredStrip · ShareButton · ...
├─ data/                              # ★ MOST CONTENT LIVES HERE ★ CLAUDE.md here.
│   ├── types.ts                     # the shapes every item MUST match
│   ├── site.ts                      # NOTES (writing meta), PRESS, CHAPTERS, OFFERINGS, SOCIALS, NAV_LINKS
│   ├── writing-content.ts            # the full TEXT BODY of every writing piece
│   ├── work.ts                      # project cards + detail pages + WORK_FILTERS
│   ├── redbull-notes.ts             # Red Bull article cards (external links)
│   ├── videos.ts                   # Media tab videos
│   ├── timeline.ts                 # story-page chapters (CHAPTERS_FULL) + events (TIMELINE)
│   ├── testimonials.ts             # testimonial quotes (approval-gated)
│   └── press-dims.ts                # press image dimensions (helper data)
├─ lib/fonts.ts                      # Cormorant / DM Sans / DM Mono
├─ public/                           # static files; images referenced as /images/... (no "public")
│   ├── og-2025.jpg favicon.png apple-touch-icon.png
│   └── images/ (+ press/ redbull/ writing/ logos/ and per-project folders)
├─ docs/                             # site-editing-guide.md, image-sizing-guide.md
├─ next.config.mjs vercel.json next.config / robots.ts sitemap.ts manifest.ts
└─ tailwind.config.ts                # △ vestigial – NOT used
```

2.3 The mental model: data files vs components

- **Data files** (`data/*.ts`) — structured lists (projects, writing, videos, press...). Low-risk to edit *if you match the types*. Most repeatable content. (Part 5)
- **Components / pages** (`components/*.tsx` , `app/**/page.tsx`) — one-off copy baked into the UI: the hero headline & stat numbers, contact details, the About-page prose, button labels, SEO text. (Part 6)

 **The trap**

The in-repo editing guide says "you'll never touch `app/` or `components/`" — true for *routine content*, but you asked to change **everything**. The hero copy, the 4 stat numbers, contact details, About/Press/Media prose, and all SEO text live in components/pages, not data. Part 6 covers those.

2.4 Content-location master table

Content	File	What you edit
---------	------	---------------

Writing piece — body text	<code>data/writing-content.ts</code>	<code>WRITING_CONTENT['slug']</code>
Writing piece — metadata/card	<code>data/site.ts</code>	<code>NOTES</code>
Work projects + their pages	<code>data/work.ts</code>	<code>WORK</code> / <code>WORK_FILTERS</code>
Red Bull article cards	<code>data/redbull-notes.ts</code>	<code>REDBULL_NOTES</code>
Videos (Media)	<code>data/videos.ts</code>	<code>VIDEOS</code>
Press items + pages	<code>data/site.ts</code>	<code>PRESS</code>
Story chapters + timeline	<code>data/timeline.ts</code>	<code>CHAPTERS_FULL</code> , <code>TIMELINE</code>
Offerings / Socials / Nav links	<code>data/site.ts</code>	<code>OFFERINGS</code> / <code>SOCIALS</code> / <code>NAV_LINKS</code>
Testimonials	<code>data/testimonials.ts</code>	<code>TESTIMONIALS</code>
Hero copy + 4 stat numbers	<code>components/Hero.tsx</code>	JSX + <code>STATS</code>
Email / WhatsApp	<code>components/ContactBand.tsx</code> + <code>app/contact/page.tsx</code>	two places
About / Press / Media page prose	<code>components/AboutPage.tsx</code> , <code>app/press/page.tsx</code> , <code>app/media/page.tsx</code>	JSX
Global SEO + social preview	<code>app/layout.tsx</code>	<code>metadata</code> / schema
Per-page SEO	that page's <code>generateMetadata</code>	export
Colours / fonts	<code>app/globals.css</code> · <code>lib/fonts.ts</code>	CSS tokens
All images	<code>public/images/</code>	files

2.5 Routes (current)

URL	Source
<code>/</code>	homepage — Hero + tabs
<code>/work</code> · <code>/work/[slug]</code>	list + per-project (items with <code>url</code> set link out, no page generated)
<code>/media</code>	full video list
<code>/writing/essays</code> · <code>/redbull</code> · <code>/poems</code>	writing section lists
<code>/writing/[slug]</code>	individual writing page (skips items with <code>url</code>)
<code>/writing/articles</code> · <code>/short-stories</code>	redirect → <code>/writing/essays</code>

`/about` · `/story` · `/press` · `/press/[slug]` ·
`/contact`

static + per-press pages

Dynamic routes are generated from the data arrays via `generateStaticParams()` — add a `WORK` / `PRESS` / `NOTES` entry (with an internal slug, no `url`) and its page exists automatically.

Part 3 · The Edit & Deploy Workflow

3.1 Two ways to edit

Method	Good for	Risk
GitHub website (pencil-edit, commit)	A one-word text fix.	⚠️ No type-check before commit → a bad edit ships to a failed Vercel build. Trivial text only.
Local editor (VS Code) + <code>npm run dev</code> / <code>build</code>	Anything structural: new content, data edits, multi-file work.	✅ You catch errors before pushing. Recommended.

3.2 Local setup (one-time)

1. Install **Node.js LTS** (v18+) and **VS Code**.
2. `git pull` first, then `npm install` (one time, and again whenever dependencies change).
3. `npm run dev` → `http://localhost:3000`, hot-reloads on save.

3.3 The pre-push build gate (don't skip)

`npm run dev` is forgiving; `npm run build` is what Vercel actually runs and surfaces type errors. Run it before every push:

```
npm run build
```

Ends with `✓ Compiled successfully` + a route list → safe to push. A red `Type error:` / `Failed to compile` → fix first (Parts 4 & 9). Also useful: `npm run lint`.

3.4 Deploy

- Push to `main` → Vercel builds & deploys (1–3 min). Watch **vercel.com** → **project** → **Deployments**. Green = live, Red = build failed (log shows file + line).
- **A failed build never breaks the live site** — the previous good deployment keeps serving.

3.5 Rollback

- **Vercel instant rollback:** Deployments → last good one → **Promote to Production** (seconds, no code change).
- **Git revert:** `git revert HEAD && git push`.
- If a push is rejected as out-of-date: `git pull origin main --rebase` then push (per `CLAUDE.md`).

Part 4 · The TypeScript Rulebook — data/types.ts

Every item in every data file must match a shape declared in `data/types.ts`. Read it before editing; it lists required fields, optional ones (`?`), and fixed value-lists ("unions"). Need a new field on a type? Add it there first.

4.1 Reading a type

```
export type WorkItem = {  
  id: number;           // required  
  slug: string;  
  cat: 'performance' | 'brand' | 'installation' | 'activism' | 'production' | 'art' | 'education'; // one of these  
  image?: string;       // ? = OPTIONAL  
};
```

- No `?` = required. Omit it → `Property 'x' is missing`.
- A list of `'a' | 'b'` = only those exact strings allowed.
- Unique `id` per item; `slug` unique & URL-safe (lowercase-hyphen).

4.2 Field reference (current)

WorkItem data/work.ts

Field	Req?	Notes
<code>id, slug, cat, tag, title, desc, stat, glyph</code>	yes	<code>cat</code> ∈ performance·brand·installation·activism·production· art·education ; <code>stat</code> = corner text (year or stat); <code>glyph</code> = emoji
<code>image, images[], captions[]</code>	no	cover + gallery; captions matched by position. Cards with an <code>image</code> auto-sort before cards without one.
<code>imagePosition, imagePositions[]</code>	no	CSS object-position to fine-tune crop (e.g. <code>'center top'</code>)
<code>article</code>	no	long story; blank line = new paragraph. Supports markdown: <code>[text](url)</code> , <code>**bold**</code> , <code>## Heading</code>
<code>yt, ytStart, ytCaption</code>	no	embeds a YouTube video at top of the project page
<code>url, linkLabel</code>	no	if <code>url</code> set, card links externally and no internal page is generated ; <code>linkLabel</code> overrides link text
<code>hidden</code>	no	<code>true</code> hides the card from Work tab + <code>/work</code> but still generates its article page

Note (writing)

data/site.ts → NOTES

Field	Req?	Notes
<code>id, slug, title, date, read, tag, excerpt, type</code>	yes	<code>type</code> ∈ <code>article poem short-story</code>
<code>content</code>	no*	the body — set to <code>WRITING_CONTENT['slug']</code> . Required for an internal page.
<code>image, imagePosition</code>	no	cover (also used as the page hero + OG image)
<code>aiAssisted</code>	no	<code>true</code> shows an "AI-assisted" badge
<code>url, publication</code>	no	external pieces set <code>url</code> → no internal page. Section logic: essays = articles+short-stories where publication ≠ Red Bull; redbull = publication = Red Bull; poems = type poem

Others

Type · file	Required fields
Video · videos.ts	<code>title, sub, yt, thumb</code> (+ optional <code>portrait</code> , <code>startTime</code> , <code>category</code>)
PressItem · site.ts	<code>id, slug, publication, title, featured, year, type, src, category</code> (+ <code>images[]</code> , <code>thumbPosition</code> , <code>url</code>). <code>category</code> ∈ street-art-juggling-activism-installation; <code>featured:true</code> also shows on About.
Testimonial · testimonials.ts	<code>id, quote, name, role, context</code> (+ <code>approved</code>)
Chapter · site.ts	<code>id, roman, label, period, desc</code>
Offering / Social · site.ts	Offering: <code>id, icon, label, title, desc, note</code> · Social: <code>label, handle, href</code>

4.3 The errors you'll actually hit

Build says...	Means / fix
<code>Property 'stat' is missing...</code>	Omitted a required field → add it.
<code>Type '"x"' is not assignable to '...'</code>	Value outside an allowed union → use a listed value.
<code>',' expected</code> / <code>Unterminated string</code>	Missing comma between items, or an unescaped quote (4.4).
<code>Cannot find name / module</code>	Typo in import or filename case mismatch.

4.4 Quotes & apostrophes

```
// X breaks:  excerpt: 'It doesn't work',  
// ✓ escape: excerpt: 'It doesn\'t work',  
// ✓ backticks (also for multi-line article/content bodies): excerpt: `It doesn't work`,
```

In JSX text (components/pages), write a literal apostrophe as `'` (existing files do, e.g. `Let's work`) — ESLint flags a raw `'`.

Part 5 · Changing Content — Data Files

These mirror `docs/site-editing-guide.md` (your authoritative step-by-step). Golden method: **copy a working entry, edit the copy**, then `npm run build`.

5.1 A writing piece (two files)

Body in `writing-content.ts`, metadata in `site.ts → NOTES`:

```
// data/writing-content.ts — key MUST equal the note slug
'my-new-slug': `Full text here.

Blank line = new paragraph (or stanza for poems).`,

// data/site.ts — NOTES, in the right section (article / poem / short-story)
{ id: 40, slug: 'my-new-slug', title: '...', date: 'May 2026', read: '5 min',
  tag: 'Craft', type: 'article', excerpt: 'Hook line.',
  image: '/images/cover.jpg', content: WRITING_CONTENT['my-new-slug'] },
```

The **first entry in each type group is the featured card**. External pieces (set `url`) skip the internal page.

5.2 Work project

Copy a `WORK` entry; set unique `id`/`slug`, valid `cat`, the text fields, `image`, `images[]` + `captions[]`, and `article`. New category → add to the `cat` union in `types.ts` **and** to `WORK_FILTERS`. External? add `url`. Video at top? add `yt`.

5.3 Red Bull note

In `redbull-notes.ts`: add with `publication: 'Red Bull'`, a `url`, and `image: '/images/redbull/<slug>.jpg'` (drop that file into `public/images/redbull/`). These are external — no internal page.

5.4 Video

Copy a `VIDEOS` entry; set `title/sub/yt/thumb` (`thumb` = `https://img.youtube.com/vi/<ID>/maxresdefault.jpg`). `portrait:true` for vertical; `startTime` to begin mid-video. If a thumbnail won't load, use a local `/images/...` file (as the Doordarshan entry does).

5.5 Press item

Add the scan to `public/images/press/`, then copy a `PRESS` entry: unique `id`/`slug`, `publication`, `title`, `year`, `type:'image'`, `src`, `category`. `featured:true` = larger card + appears on the About page.

5.6 Story / timeline · Offerings · Socials

Chapters in `timeline.ts → CHAPTERS_FULL`, events in `TIMELINE` (year/title/tag/desc + optional image). `OFFERINGS` and `SOCIALS` are plain arrays in `site.ts` — edit `href`/`handle` directly.

5.7 Testimonials

Approval-gated

`testimonials.ts` entries carry an `approved` flag and the file is marked DRAFT until quotes are confirmed by the people quoted. Only flip `approved: true` once you have their sign-off, and keep `context` (internal note) accurate.

Part 6 · Changing Content — Components & Pages

For the one-off copy that *isn't* in data files. Edit the JSX text only; leave tags/classes/props intact.

6.1 Hero `components/Hero.tsx`

Eyebrow, headline, aside, CTAs are JSX text. The four animated counters are the `STATS` array — change `num` / `label` / `suffix` (currently 12 Years · 500 Murals · 17 Press Features · 4000 km):

```
const STATS = [  
  { num: 12, label: 'Years' },  
  { num: 500, label: 'Murals' },  
  { num: 17, label: 'Press Features' },  
  { num: 4000, label: 'Rickshaw Run', suffix: ' km' },  
];
```

The headline uses `<br />` for line breaks and `<em>...</em>` for the serif italic. Hero portrait = replace `public/images/portrait.jpg` (4:5, see image guide).

6.2 Contact email & WhatsApp

Two places, both currently correct (`919920499089`): the constant `WHATSAPP_NUMBER` in `components/ContactBand.tsx` and the `wa.me` / `mailto` links in `app/contact/page.tsx`. Update both if the number/email changes (digits only, no `+` /spaces).

6.3 About / Press / Media page copy

Prose for these lives directly in `components/AboutPage.tsx` and the respective `app/.../page.tsx`. Per `CLAUDE.md`, one-off sections are intentionally inlined rather than split into new components — edit the JSX in place.

6.4 SEO & social previews

Global: `app/layout.tsx` → `metadata` (browser-tab title, description, keywords, OG/Twitter image `/og-2025.jpg`) and the `personSchema` JSON-LD. **Per page:** each route exports `generateMetadata()` with its own title/description/canonical/OG — follow the existing pattern (also in `app/CLAUDE.md`). Article pages additionally emit content + BreadcrumbList JSON-LD.

🚫 OG image: never reuse `/og-image.jpg`

The social-share image was deliberately renamed to `/og-2025.jpg` to bust WhatsApp's aggressive preview cache. To change it, replace `public/og-2025.jpg` **or** add a new filename and update the references in `layout.tsx` — but don't revert to the old `og-image.jpg` path.

6.5 Colours & fonts

Colour tokens are the `:root` CSS variables at the top of `app/globals.css`; fonts in `lib/fonts.ts`. Change a hex and it cascades everywhere.

🚩 Misleading name

`--gold` is actually **green** (`#2E6B4F`) — the primary accent. `--ember` is the orange (`#C4621D`). Don't be fooled by the variable name.

Part 7 · Adding New Content & Images

Everything in Part 5/6 doubles as "add" instructions — copy a working item. This part collects the image rules, since nearly every addition involves a photo.

7.1 Image rules

Rule	Detail
Location	Local images → <code>public/</code> . A file at <code>public/images/x.jpg</code> is referenced as <code>/images/x.jpg</code> (no <code>public</code>).
Sizes	Follow <code>docs/image-sizing-guide.md</code> — it gives exact px + max-KB per slot (hero 960×1200 ≤300KB; work thumb 800×600 ≤200KB; writing cover 16:9 ≤250KB; OG 1200×630 ≤300KB; etc.).
Naming	lowercase-hyphen, no spaces (<code>rickshaw-run-finish.jpg</code>). JPG for photos, PNG only for transparency.
Case-sensitive	Vercel builds on Linux = case-sensitive. <code>Photo.JPG</code> ≠ <code>photo.jpg</code> . Path in code must match the file exactly , extension included.
Remote images	Any non-local host must be in <code>remotePatterns</code> in <code>next.config.mjs</code> (YouTube already is).

⚠ "Works locally, breaks on Vercel"

Almost always filename casing or a wrong extension (`.jpg` vs `.jpeg` vs `.png`). Windows ignores case; Vercel doesn't. If an image 404s only in production, check the exact name.

7.2 Adding a whole new page or section

- **New route:** create `app/<name>/page.tsx` with a default-export component **and** a `generateMetadata()` (copy `app/contact/page.tsx` as a template). Live at `/<name>`.
- **New homepage section:** per `CLAUDE.md`, inline it in `app/page.tsx` rather than making a one-off component. Styling via `globals.css` / inline styles (no Tailwind).
- **Interactivity/hooks** (`useState`, `onClick` ...): the file's first line must be `'use client'`.

Part 8 · Rules You Must Not Break

Rule	Why
Don't increase homepage tab preview counts (3 Work, 3 Media, 3 per writing section). They're <code>PREVIEW_COUNT</code> in each <code>components/tabs/*Tab.tsx</code> .	Intentional design. Adding cards updates the "See all N →" count automatically; the homepage still shows 3.
Don't add Tailwind classes.	Tailwind is vestigial/unused; all styling is <code>globals.css</code> + inline. Utility classes silently do nothing.
Don't reuse <code>/og-image.jpg</code> — use <code>/og-2025.jpg</code> .	Renamed to bust WhatsApp's cache (6.4).
Don't modify <code>next.config.mjs</code> / <code>tsconfig.json</code> without reason.	Per <code>CLAUDE.md</code> .
Don't add <code>priority</code> to more than the first 1–2 images per page.	Performance; per <code>CLAUDE.md</code> .
Don't fetch external APIs at build time.	All data is static in <code>data/</code> .
Keep filenames lowercase-hyphen, match case exactly.	Vercel case-sensitivity (7.1).
Only set testimonial <code>approved:true</code> after sign-off.	Quotes are real people's words (5.7).

Part 9 · Troubleshooting

9.1 Vercel build failed (red X)

1. Open the failed deployment → read the log; it names the **file, line, reason**.
2. Reproduce locally with `npm run build`.
3. Usual causes: type mismatch / missing required field (Part 4.3), unescaped quote (4.4), image path/case (7.1).
4. Fix → build passes → push. Live site was untouched throughout.

9.2 "I pushed but nothing changed"

- Did the Vercel build go **green**? Red = your change didn't ship.
- On `main`? (`git status`, `git log`.)
- Hard-refresh (`Ctrl/Cmd` + `Shift` + `R`) or incognito — CDN/browser cache.

9.3 An image won't load

- **Only in production?** → filename casing/extension (7.1).
- Path starts `/images/...` (no `public`)? Remote host whitelisted in `next.config.mjs`? File actually committed (`git status`)?

9.4 A page 404s or content is missing

- Work/Press/Writing: the `slug` in the URL must match the data entry, and the entry must **not** have a `url` (external items don't generate internal pages).
- New writing piece not on its list? Check `type` / `publication` — they decide the section (essays vs redbull vs poems).
- New page route: the folder must contain `page.tsx` exactly.

9.5 Build error about hooks / "use client"

`useState/useEffect/onClick` only work in client components → add `'use client'` as the file's first line.

9.6 Local dev won't start

- `command not found` → Node not installed / reopen terminal.
- Module errors after `git pull` → re-run `npm install`.
- Port busy → `npm run dev -- -p 3001`.

9.7 Emergency rollback

Vercel → Deployments → last good → **Promote to Production**. Or `git revert HEAD && git push`.

Part 10 · Reference

10.1 Commands

Command	Does
<code>npm install</code>	Install deps (after clone / when they change)
<code>npm run dev</code>	Local preview at localhost:3000
<code>npm run build</code>	Pre-push gate — must pass
<code>npm run lint</code>	Catch lint issues (e.g. JSX quotes)
<code>git pull origin main --rebase</code>	Sync before pushing (esp. if push rejected)
<code>git add -A && git commit -m "..." && git push</code>	Save & deploy
<code>git revert HEAD && git push</code>	Undo last commit safely

10.2 Where everything lives (compact)

Change...	Go to
Writing (body + meta)	<code>data/writing-content.ts</code> + <code>data/site.ts</code>
Projects	<code>data/work.ts</code>
Red Bull cards	<code>data/redbull-notes.ts</code>
Videos	<code>data/videos.ts</code>
Press	<code>data/site.ts</code> (PRESS)
Timeline / Offerings / Socials / Nav	<code>data/site.ts</code> · <code>data/timeline.ts</code>
Testimonials	<code>data/testimonials.ts</code>
Hero copy + stats	<code>components/Hero.tsx</code>
Email / WhatsApp	<code>components/ContactBand.tsx</code> + <code>app/contact/page.tsx</code>
About/Press/Media prose	<code>components/AboutPage.tsx</code> , <code>app/press media/page.tsx</code>
SEO / social preview	<code>app/layout.tsx</code> + per-page <code>generateMetadata</code>
Colours / fonts	<code>app/globals.css</code> · <code>lib/fonts.ts</code>
Types / new fields	<code>data/types.ts</code>
Images	<code>public/images/</code> (+ sizing guide)

10.3 Glossary

Term	Meaning
App Router / static export	Folders in <code>app/</code> = URLs; site builds to static HTML, no server.
Server / Client component	Default server (no browser APIs). <code>'use client'</code> opts into hooks/interactivity.
Type / union / optional <code>?</code>	The rules in <code>types.ts</code> .
Slug	URL-safe id → <code>/work/<slug></code> , <code>/writing/<slug></code> .
<code>generateStaticParams</code> / <code>generateMetadata</code>	Which slugs to pre-build; per-page SEO.
Build gate	<code>npm run build</code> — what Vercel runs; must pass.
OG image	Social-share preview (<code>/og-2025.jpg</code>).

10.4 Pre-push checklist

- Matched the type in `data/types.ts` (required fields, valid union values)?
- Unique `id` / `slug`? Apostrophes escaped?
- New images in `public/`, paths start `/images/...`, casing exact, sized per the image guide?
- Didn't increase homepage preview counts? Didn't add Tailwind? Didn't revert the OG path?
- Interactive component has `'use client'`?
- `npm run build` **succeeded locally**?
- Committed & pushing to `main`; verified Vercel went green + hard-refreshed?