



file Structure

1.vehicle.java --

- 1.vehicleId
- 2.rentalRate
- 3.isAvailable
- 4.rentedDays
- 4.underMaintenance

constructor using fields

getters for all fields

methods -- 1.rent

- 2.returnvehicle
- 3.sendForMaintenance
- 4.completeMaintenance

2.Car.java

1.noOfSeats

counstructor

method- displayInfo

2.Bike.java

1.helmetAvailable

counstructor

method- displayInfo

2.bus.java

1.noOfSeats

counstructor

method- displayInfo

4.customer.java

1,name,mobileno

islicescneceAvailable

2.rentedVehicles

constructor

methods -- 1.rentvehicle

2.returnAllvehicles

3.viewRentedVehicles

5.vehicleInventory.java

List vehicles;

constructor(no args)

methods -- 1.addVehicle

2.removeVehicle

3.getAllVehicles

4.showAvailableVehicles

6.Admin.java

final ADMIN_USERNAME

final ADMIN_PASSWORD

method -Boolean authenticate

7.EmailService.java

sendBookingConfirmation

8.receiptGenerator.java

generateReceipt

9.paymentGateway.java

processPayment

10.MainServices.java

1.main --

1.show available cars - customer

2.show available bikes -cust

3.show available buses -cust

4.rent a vehicle - cust

5.return all rented vehicles -cust

6.view rented vehicles -cust

7.send vehicle for maintenance -admin

8.complete vehicle maintenance -admin

9.show all vehicle info -admin

10.admin--- add vehicle

11.admin - remove vehicle

12.exit

2.findVehicleByID