



## Practical – VIII

|                                |                                     |
|--------------------------------|-------------------------------------|
| Roll No.: T040                 | Name: Omkar Prakash Sawant          |
| Class: TY.IT                   | Batch: 1                            |
| Date of Assignment: 06/08/2026 | Date/Time of Submission: 06/08/2026 |

a. Create an HTML page that would be the starting point of the application. This HTML will contain a link to the file named manifest.json. This is an important file that would be created in the next step.

**Index.cshtml**

```
<h2>Student Record</h2>
<button onclick="loadStudent()">Load Student</button>
<p id="data"></p>
<script>
  function loadStudent() {
    fetch("/api/student")
      .then(response => response.json())
      .then(student => {
        document.getElementById("data").innerHTML =
          "Roll No : " + student.rollNo +
          "<br>Name : " + student.name;
      });
  }
</script>
```

**\_Layout.cshtml**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>@ViewData["Title"] - practical_8</title>
  <script type="importmap"></script>
  <link rel="stylesheet" href="~/lib/bootstrap/dist/css/bootstrap.min.css" />
  <link rel="stylesheet" href="~/css/site.css" asp-append-version="true" />
  <link rel="stylesheet" href="~/practical_8.styles.css" asp-append-version="true" />
  <link rel="manifest" href="/manifest.json">_
```

## Omkar Prakash Sawant T040


```
</head>
<body>
  <header>
    <nav class="navbar navbar-expand-sm navbar-toggleable-sm navbar-light bg-white border-bottom
box-shadow mb-3">
      <div class="container-fluid">
        <a class="navbar-brand" asp-area="" asp-controller="Home"
asp-action="Index">practical_8</a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target=".navbar-collapse" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="navbar-collapse collapse d-sm-inline-flex justify-content-between">
          <ul class="navbar-nav flex-grow-1">
            <li class="nav-item">
              <a class="nav-link text-dark" asp-area="" asp-controller="Home"
asp-action="Index">Home</a>
            </li>
            <li class="nav-item">
              <a class="nav-link text-dark" asp-area="" asp-controller="Home"
asp-action="Privacy">Privacy</a>
            </li>
          </ul>
        </div>
      </div>
    </nav>
  </header>
  <div class="container">
    <main role="main" class="pb-3">
      @RenderBody()
    </main>
  </div>
  <footer class="border-top footer text-muted">
    <div class="container">
      &copy; 2026 - practical_8 - <a asp-area="" asp-controller="Home"
asp-action="Privacy">Privacy</a>
    </div>
  </footer>
  <script src="~/lib/jquery/dist/jquery.min.js"></script>
  <script src="~/lib/bootstrap/dist/js/bootstrap.bundle.min.js"></script>
  <script src="~/js/site.js" asp-append-version="true"></script>
  @await RenderSectionAsync("Scripts", required: false)
</body>
</html>
```

## Manifest.json

```
{
  "name": "Student PWA",
  "short_name": "Student",
```

## Omkar Prakash Sawant T040

```
"start_url": "/",  
"display": "standalone"  
}
```



b. Create a simple Web API that returns Student data in JSON format.

### Student.cs

```
namespace StudentPWA.Models  
{  
    public class Student  
    {  
        public int RollNo { get; set; }  
        public string Name { get; set; }  
    }  
}
```

### StudentController.cs

```
using Microsoft.AspNetCore.Mvc;  
namespace StudentPWA.Controllers  
{  
    [ApiController]  
    [Route("api/[controller]")]  
    public class StudentController : ControllerBase  
    {  
        [HttpGet]  
        public IActionResult Get()  
        {  
            return Ok(new  
            {  
                RollNo = 040,  
                Name = "Omkar Sawant"  
            });  
        }  
    }  
}
```

