

Practical – VI

Roll No.: T040	Name: Omakr Sawant
Class: TYIT	Batch: 1
Date of Assignment: 30/07/2026	Date/Time of Submission: 30/07/2026

Aim(A) : Create a simple website for a College Information Portal and convert it into a Progressive Web Application.

Code:

Manifest code :

```
{
  "name": "College Information Portal",
  "short_name": "HTP",
  "start_url": "/",
  "display": "standalone",
  "icons": [
    {
      "src": "icons/icon1.png",
      "sizes": "128x128",
      "type": "image/png",
      "purpose": "any"
    },
    {
      "src": "icons/icon2.png",
      "sizes": "512x512",
      "type": "image/png",
      "purpose": "any"
    }
  ]
}
```




Service-Worker Code :

```
self.addEventListener("install", e => {
  console.log("Service workers installed");
});
self.addEventListener("fetch", e => e.respondWith(fetch(e.request)));
```

Layout code :

```
<link rel="manifest" href="/manifest.json"/>
<script>
  if('serviceWorker' in navigator){
    navigator.serviceWorker.register('/service-worker.js');
  }
</script>
```

Output:



Aim(B) : Create a PWA that displays a custom offline page when the user is not connected to the internet.

Code:

Html code

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8" />
  <title></title>
</head>
<body>
  <h1>Offline</h1>
</body>
</html>
```

Service-worker code :

```
const CACHE = "v1";

self.addEventListener("install", e => {
  e.waitUntil(
    caches.open(CACHE).then(cache => {
      return cache.addAll([
        "/",
        "/offlinePage.html"
      ]);
    })
  );
});

console.log("Service Worker Installed");

self.addEventListener("fetch", e => {
  e.respondWith(
    fetch(e.request).catch(() =>
      caches.match("/offlinePage.html")
    )
  );
});
```

Output:

