

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester IV)
MERN

Practical – IV

Roll No.: T040	Name: Omkar Prakash Sawant
Class: TYIT	Batch: 1
Date of Assignment: 10/07/2026	Date/Time of Submission: 10/07/2026

4. React Components, Props, and State

App.jsx:

```
import './App.css'; import Header from './components/Header'; import Student from './components/Student'; import Eligibility from './components/Eligibility'; import Placements from './components/Placements'; import Companyoffer from './components/Companyoffer'; import Skillprogress from './components/Skillprogress'; import Footer from './components/Footer';  
function App() { return ( <div className="container"> <Header /> <Student /> <Eligibility /> <Placements /> <Companyoffer /> <Skillprogress /> <Footer /> </div> ); } export default App;
```

App.css:

```
/* Reset */  
* {  
  margin: 0;  
  padding: 0;  
  box-sizing: border-box;  
}  
/* Body */  
body {  
  font-family: Arial, Helvetica, sans-serif;  
  background: #f4f7fc;  
  color: #333;  
}  
/* Main Container */  
.container {  
  width: 80%;  
  max-width: 900px;  
  margin: 30px auto;  
}  
/* Header */  
header {  
  background: #2563eb;  
  color: white;  
  text-align: center;  
  padding: 20px;  
  border-radius: 10px;  
  margin-bottom: 20px;  
}  
header h1 {  
  font-size: 2rem;  
}  
/* Sections */  
section {
```

Omkar Prakash Sawant T040

```
background: white;
margin-bottom: 20px;
padding: 20px;
border-radius: 10px;
box-shadow: 0 3px 8px rgba(0, 0, 0, 0.1);
transition: 0.3s;
}
section:hover {
  transform: translateY(-5px);
  box-shadow: 0 5px 15px rgba(0, 0, 0, 0.2);
}
section h2 {
  color: #2563eb;
  margin-bottom: 10px;
}
section p {
  margin: 8px 0;
  font-size: 16px;
}
/* Footer */
footer {
  background: #1f2937;
  color: white;
  text-align: center;
  padding: 15px;
  border-radius: 10px;
  margin-top: 20px;
}
/* Responsive */
@media (max-width: 768px) {
  .container {
    width: 95%;
  }
  header h1 {
    font-size: 1.5rem;
  }
  section {
    padding: 15px;
  }
}
Companyoffer:
function Companyoffer() {
  return (
    <section>
      <h2>Company Offer</h2>
      <p>Package: ₹8 LPA</p>
      <p>Location: Mumbai</p>
    </section>
  );
}
```

Omkar Prakash Sawant T040

export default Companyoffer;

Eligibility:

```
function Eligibility() {  
  return (  
    <section>  
      <h2>Eligibility</h2>  
      <p>CGPA: 8.5</p>  
      <p>Status: Eligible</p>  
    </section>  
  );  
}
```

export default Eligibility;

Footer:

```
function Footer() {  
  return (  
    <footer>  
      <p>&copy; 2026 Student Placement Portal. All Rights Reserved.</p>  
    </footer>  
  );  
}
```

export default Footer;

Header:

```
function Header() {  
  return (  
    <header>  
      <h1>Student Placement Portal</h1>  
    </header>  
  );  
}
```

export default Header;

Placements:

```
function Placements() {  
  return (  
    <section>  
      <h2>Placement Status</h2>  
      <p>Placed: Yes</p>  
      <p>Company: ABC Technologies</p>  
    </section>  
  );  
}
```


export default Placements;

Skillprogress:

```
function Skillprogress() {  
  return (  
    <section>  
      <h2>Skill Progress</h2>  
      <p>React: 80%</p>  
      <p>JavaScript: 85%</p>  
      <p>Java: 75%</p>  
    </section>  
  );  
}
```

Omkar Prakash Sawant T040

```
);  
}  
export default Skillprogress;  
Student:  
function Student() {  
  return (  
    <section>  
      <h2>Student Details</h2>  
      <p>Name: Bhavesh Salaskar</p>  
      <p>Course: BSC IT</p>  
    </section>  
  );  
}  
export default Student;  
Output:
```



4b. Props & Survival HUD

[App.jsx \(Data Mapping\):](#)

```
const rationData = [{ vendor: "Umbrella Corp", item: "First Aid Spray", price: 1500, discount: 25, hazardRating: "Class-A" },  
...];
```

App.css:

```
@import url('https://fonts.googleapis.com/css2?family=Share+Tech+Mono&display=swap');
```

```
body {  
  font-family: 'Share Tech Mono', monospace, Arial, sans-serif;  
  background-color: #0b0d0e;  
  color: #00ff66;  
  margin: 0;  
  padding: 20px 0;  
}  
.container {  
  width: 650px;  
  margin: auto;  
  text-align: left;  
}  
.header-box {  
  text-align: center;  
  border-bottom: 2px solid #ff3333;  
  padding-bottom: 10px;  
  margin-bottom: 30px;
```

```
}  
h1 {  
  color: #ff3333;  
  margin: 0;  
  font-size: 24px;  
  text-transform: uppercase;  
  letter-spacing: 2px;  
  text-shadow: 0 0 8px rgba(255, 51, 51, 0.6);  
}  
.subtitle {  
  color: #888;  
  margin-top: 5px;  
  font-size: 14px;  
}  
.card {  
  background: #121619;  
  border: 1px solid #00ff66;  
  padding: 20px;  
  margin: 20px 0;  
  border-radius: 4px;  
  box-shadow: 0 0 10px rgba(0, 255, 102, 0.15);  
  position: relative;  
}  
.card::before {  
  content: "WARNING: BIOHAZARD PROTOCOL ACTIVE";  
  display: block;  
  font-size: 9px;  
  color: #ff3333;  
  margin-bottom: 8px;  
  letter-spacing: 1px;  
}  
.card-header {  
  display: flex;  
  justify-content: space-between;  
  align-items: center;  
  border-bottom: 1px solid #222e28;  
  padding-bottom: 10px;  
  margin-bottom: 15px;  
}  
h2 {  
  color: #ffffff;  
  margin: 0;  
  font-size: 18px;  
}  
.badge {  
  background: #ff3333;  
  color: #ffffff;  
  font-size: 11px;  
  padding: 3px 8px;  
  border-radius: 2px;
```

Omkar Prakash Sawant T040

```
font-weight: bold;
}
.card-body p {
  margin: 8px 0;
  color: #b0c4de;
}
.card-body b {
  color: #00ff66;
}
.price-tag {
  margin-top: 15px;
  padding: 10px;
  background: #1a231f;
  border-left: 4px solid #00ff66;
  color: #ffffff;
  font-size: 16px;
}
```

RationCard:

```
function RationCard({ ration }) {
  const discountAmount = (ration.price * ration.discount) / 100;
  const finalPrice = ration.price - discountAmount;
  return (
    <div className="card">
      <div className="card-header">
        <h2>{ration.vendor}</h2>
        <span className="badge">{ration.hazardRating}</span>
      </div>
      <div className="card-body">
        <p><b>Supply Item:</b> {ration.item}</p>
        <p><b>Base Cost:</b> {ration.price} PTAS</p>
        <p><b>Clearance Subsidy:</b> {ration.discount}%</p>
        <p><b>Credit Saved:</b> {discountAmount.toFixed(2)} PTAS</p>
        <div className="price-tag">
          <b>Final Requisition Price:</b> {finalPrice.toFixed(2)} PTAS
        </div>
      </div>
    </div>
  );
}
export default RationCard;
Output:
```



Omkar Prakash Sawant T040

4c. State Management (Counter & Form)

```
import {useState} from "react";
function App() {
  const [count,setCount]=useState(0)
  return(
    <div>
      <h1>BUTTON CLICK COUNTER</h1>
      <hr/>
      <p>User Click: {count} Times</p>
      <button onClick={()=>setCount(count+1)}>Click ME</button>
    </div>
  );
}
export default App;
```



4d. To-Do List Implementation

```
const [tasks, setTasks] = useState(["Submission"]); const handleAdd = () => setTasks([...tasks, input]);
function App() {
  const [count,setCount]= useState(0)
  function increaseCount(){
    setCount(count+1);
  }
  function decreaseCount(){
    setCount(count-1);
  }
  function resetCount(){
    setCount(0);
  }
  return(
    <div>
      <h1>CURRENT COUNT: {count}</h1>
      <button onClick={increaseCount}>Increase</button>
      &nbsp;
      <button onClick={decreaseCount}>Decrease</button>
      &nbsp;
      <button onClick={resetCount}>Reset</button>
      <p>Akansha T038</p>
    </div>
  )
}
export default App;
Output:
```



Omkar Prakash Sawant T040

E)Build a small interactive component (e.g., counter or to-do list).

TodoList

```
import React, { useState } from "react";
function TodoList() {
  const [tasks, setTasks] = useState(["Practical Submission"]);
  const [inputTask, setInputTask] = useState("");
  const handleAddTask = (e) => {
    e.preventDefault();
    if (inputTask.trim() === "") return;
    setTasks([...tasks, inputTask]);
    setInputTask("");
  };
  return (
    <div className="todo-card">
      <h1 className="todo-title">To-Do List</h1>

      <form className="todo-input-container" onSubmit={handleAddTask}>
        <input
          type="text"
          className="todo-input"
          placeholder="Enter Task"
          value={inputTask}
          onChange={(e) => setInputTask(e.target.value)}
        />
        <button type="submit" className="add-btn">
          Add Task
        </button>
      </form>
      <div className="divider"></div>
      <h2 className="tasks-subtitle">My Tasks</h2>
      <ul className="tasks-list">
        {tasks.map((task, index) => (
          <li key={index} className="task-item">
            {task}
          </li>
        ))}
      </ul>
    </div>
  );
}
export default TodoList;
```

